

ISSN 0300-9246

Journal of The Chemical Society

Dalton Transactions

A Journal of Inorganic Chemistry

including bioinorganic, organometallic, and solid-state chemistry, and chemically significant spectroscopy

Indexes

1981



JOURNAL
OF
THE CHEMICAL SOCIETY

DALTON TRANSACTIONS
Inorganic Chemistry

LONDON: THE ROYAL SOCIETY OF CHEMISTRY
1981

COPYRIGHT RESERVED

JOURNAL
OF
THE CHEMICAL SOCIETY

DAILY TRANSACTIONS
IN
CHEMISTRY

*Printed in Great Britain by
Richard Clay (The Chaucer Press), Ltd.,
Bungay, Suffolk*

FOR THE YEAR 1951

CONTENTS

AUTHOR INDEX, 1981

- Abel, Edward W., 1846-55, 1944-50, 2439-46
 Abu Salah, Omar M., 962-7
 Adam, Kenneth R., 74-9
 Adams, George S. B., 353-6
 Aime, Silvio, 828-32, 2023-8
 Aime, Silvo, 1535-9
 Ainscough, Eric W., 1701-7, 1746-52, 2054-8
 Akitt, J. W., 1233-4, 1606-8, 1609-14, 1615-16, 1617-23, 1624-8
 Alagna, Lucilla, 2376-84
 Albano, Vincenzo, 717-20
 Albano, Vincenzo G., 515-18
 Albertin, Gabriele, 2127-31
 Albertini, Jean Paul, 2544-9
 Albinati, Alberto, 2395-404
 Alcock, Nathaniel W., 635-8
 Al-Essa, Razak J., 1738-45
 Al-Jibori, Subhi, 319-21, 1572-7, 2589-91
 Allen, Stephen R., 873-83
 Al-Najjar, Ibrahim M., 1565-71
 Al-Obaidi, Yassin N., 2321-7
 Alyea, Elmer C., 481-90
 Amirkhalili, Saeid, 377-80
 Anderson, J. Stuart, 255-61
 Anderson, Stewart N., 1973-80
 Ang, Kok-Peng, 452-5
 Angioletta, Maria, 150-4
 Annibale, Giuliano, 2280-7
 Antolini, Luciano, 909-13, 1753-9
 Antonini, Eraldo, 1120-3
 Aoki, Toshiya, 639-44
 Aono, Katsutoshi, 1190-5, 1196-203
 Araki, Takeo, 1486-91
 Aresta, Michele, 1520-3
 Arnold, David E. J., 1349-51
 Ascenso, Jose R., 2078-82
 Ascenzi, Paolo, 1120-3
 Ashurst, Kenneth G., 245-50
 Ashworth, T. V., 763-70
 Atwood, Jerry L., 777-82, 814-21, 1004-9, 1061-3, 1593-605, 2523-8
 Azam, Kazi A., 91-8, 2039-44
 Babar, Mushtaq A., 27-33
 Babu, Y. Sudhakara, 599-603
 Baccolini, Graziano, 1544-9
 Backer-Dirks, J. D. Julius, 1879-85, 2039-44
 Bailey, Pamela M., 1997-2002, 2003-8
 Baker, Edward N., 1746-52, 2054-8
 Baker, Paul K., 873-83, 2321-7
 Baldas, John, 1798-801
 Balk, Roelof W., 1124-33, 1524-30
 Balt, Sijbe, 1289-93
 Bandyopadhyay, Pinaki, 623-7
 Banerjee, Pradyot, 362-5
 Banister, Arthur J., 2188-91
 Barbucci, Rolando, 539-42, 2559-64
 Barker, Geoffrey K., 219-27
 Barnes, Stephen G., 873-83
 Barone, Vincenzo, 539-42
 Barrow, Michael J., 1988-93
 Bassett, Jean Marie, 219-27, 1645-50
 Battaglia, Luigi P., 23-6
 Battaglia, Luigi Pietro, 8-12
 Battini, Renata, 1665-8
 Battistuzzi, Giovanna Gavioli, 1665-8
 Beattie, James K., 2105-11
 Beddoes, Roy L., 2119-26
 Bellon, Pier L., 150-4
 Bender, Robert, 2059-62
 Benfield, Robert E., 1535-9
 Beni, M. Cristina, 2559-64
 Benjarvongkulchai, Soontaree, 1924-7
 Benn, Reinhard, 661-7
 Benoit, Alain, 1278-82
 Benson, Ian B., 51-5, 2235-44
 Benton, A. John, 1304-9
 Bernal, Ivan, 1004-9, 1951-6, 2523-8
 Berry, Frank J., 1442-4, 1450-5, 2447-51
 Best, Stephen P., 2105-11
 Bhaduri, Sumit, 447-51, 2585-6
 Bhaduri, Sumit A., 234-9
 Bhatia, Subhash C., 1773-9
 Bhattacharjee, Manabendra N., 2587-8
 Bhattacharya, Pabitra K., 543-5
 Biagini-Cingi, Marina, 2280-7
 Bigoli, Francesco, 1531-4, 1961-4
 Bindlish, Jag M., 1773-9
 Bingham, Alistair G., 1701-7
 Birchall, Thomas, 69-73, 1831-6, 2296-9
 Biscarini, Paolo, 1024-7
 Biswas, Prasanta K., 2176-82, 2385-94
 Black, John David, 673-7
 Blackborow, J. Richard, 661-7
 Blake, Antony B., 1041-6
 Blandamer, Michael J., 726-33
 Blesa, Miguel A., 435-40
 Bloc, Francois, 2300-10
 Blustein, Peter H., 1237-8
 Boag, Neil M., 862-72, 1051-6, 1981-7
 Bockmeulen, Harry A., 262-6
 Bologni, Lucia, 1246-50
 Bombieri, Gabriella, 1651-6
 Bombin, Francisco, 2049-53
 Bonnyman, John, 1798-801
 Bontempelli, Gino, 1074-81
 Boocock, Simon K., 1415-29, 1430-7, 2573-84
 Boorman, P. Michael, 506-10
 Booth, Brian L., 2593-5
 Booth, Martin, 1846-55, 1944-50
 Bordignon, Emilio, 2127-31
 Borghi, Elena B., 435-40
 Bottomley, Frank, 271-5
 Bowen, Paul, 1450-5
 Bowmaker, Graham A., 267-70, 1146-51
 Bowsher, Brian R., 1157-61
 Boxhoorn, Gosse, 1524-30
 Boyd, Peter B. W., 1069-73
 Boyd, Peter D. W., 13-22
 Boylan, Michael J., 673-7
 Braga, Dario, 329-30, 717-20
 Brateman, Paul S., 673-7
 Bratt, Ian, 234-9
 Brauer, David J., 661-7
 Braunstein, Pierre, 2059-62
 Bremard, Claude, 1856-62
 Bresciani-Pahor, Nevenka, 2288-91
 Brett, Michael E., 1450-5
 Brianso, Jose L., 852-4
 Brianso, Marie C., 852-4
 Briant, Clive E., 1515-19
 Briggs, John R., 121-5, 575-80
 Brint, Paul, 546-51, 2515-22
 Brisdon, Brian J., 1310-16
 Brodie, Andrew M., 1701-7, 1746-52, 2054-8
 Brouwers, Anja M. F., 342-52
 Brown, Douglas H., 1459-62
 Brown, Kevin L., 1746-52
 Brown, Simon C., 2263-70
 Bruce, Michael I., 956-61, 962-7, 1169-73, 1398-405, 2205-11
 Brueckner, Tina, 196-9
 Bruno, Giuseppe, 1651-6
 Brunori, Maurizio, 1120-3
 Brustolon, Marina, 604-8
 Buduan, Perlas V., 1807-11
 Bukovec, Peter, 1802-6
 Bullen, Graham J., 511-14
 Bulthuis, Huibert, 1342-8
 Bunker, Mark J., 85-90, 847-51
 Burgess, John, 726-33
 Burke, Philip J., 132-6
 Burnett, Michael G., 1492-7, 1578-82
 Burt, Roger J., 793-9
 Busetto, Luigi, 1544-9
 Buss, Bruno, 61-3
 Caddy, Peter, 400-6
 Cahill, Peter C., 968-75
 Cairns, Colin, 942-8, 1965-72
 Calado, Jorge C. G., 1174-7
 Calderazzo, Fausto, 1004-9, 2523-8
 Calligaris, Mario, 2288-91
 Cameron, A Forbes, 1459-62
 Cameron, James H., 2172-5
 Cammack, Richard, 1550-5
 Campbell, Jeremy R., 1239-40
 Cannon, Roderick D., 1924-7
 Canonne, Joel, 2419-22
 Canovese, Luciano, 2280-7
 Canziani, Franco, 2395-404
 Carciati, Franco, 535-8, 909-13
 Carleton, Susan C., 2230-4
 Carmona, Ernesto, 777-82
 Carr, Christopher M., 923-7
 Carriedo, Gabino A., 2049-53
 Carvalho, Maria Fernanda N. N., 1629-34
 Casolaro, Mario, 2559-64
 Cattalini, Lucio, 2280-7
 Cavasino, F. Paolo, 2414-18
 Cayley, George R., 2370-2
 Cesarotti, Edoardo, 2147-52
 Chakravorty, Animesh, 623-7
 Chandrasekaran, K., 478-80
 Chao, Min-Shiun, 683-6
 Charles, Andrew D., 1906-17
 Chatt, Joseph, 419-24, 800-4, 892-3, 1973-80
 Chaudhuri, Mihir K., 2587-8
 Chaudhuri, Nirmalendu Ray, 2176-82, 2385-94
 Che, Chi-Ming, 495-500, 1019-23, 1336-41, 1697-700
 Cheek, Yvonne M., 1430-7
 Chetcuti, Michael J., 276-83, 284-91, 763-70
 Chikira, Makoto, 1726-8
 Chiu, Kwok W., 1204-11, 1892-7, 2088-97
 Chopra, Suman K., 586-9
 Choukroun, Robert, 2328-30
 Christou, George, 1550-5
 Chung, Chung-Sun, 683-6
 Ciani, Gianfranco, 515-18, 519-23, 902-8
 Ciminale, Francesco, 1520-3
 Clark, James H., 1152-6, 1219-22
 Clark, Robin J., 1239-40
 Clark, Robin J. H., 524-8, 1760-7
 Clegg, William, 61-3
 Cloke, F. Geoffrey N., 1938-43
 Coe, John S., 137-41, 2331-4
 Cole-Hamilton, David J., 2550-5
 Collet, Andre, 2544-9
 Collings, Peter, 331-5
 Collison, David, 1812-19, 1820-4
 Colquhoun, Ian J., 658-60, 1645-50, 2014-16
 Connolly, Neil G., 34-9, 1317-26
 Connor, Joseph A., 559-66, 2119-26
 Cook, John, 2342-52
 Cooksey, Christopher J., 1718-21
 Cooper, Mervyn K., 2357-64
 Corain, Benedetto, 1074-81
 Corradi, Anna Bonamartini, 8-12, 23-6, 1665-8
 Corvaja, Carlo, 604-8
 Costa, Giacomo, 1115-19
 Costa, Silvia M. B., 314-16
 Cox, David N., 1788-97
 Craddock, Stephen, 187-90, 1349-51, 1988-93
 Creighton, J. Alan, 1498-500
 Cresswell, Ian D., 132-6
 Cresswell, T. Anthony, 2220-9
 Crichton, Brian A. L., 419-24, 892-3
 Crocker, Christopher, 121-5, 319-21, 575-80, 1572-7, 2589-91
 Cross, Ronald J., 1459-62, 2132-6, 2317-20
 Cummings, James M., 1004-9
 Cusumano, Matteo, 302-5, 1722-5
 Daffe, Viviane, 317-18, 2479-83
 Dain, C. John, 472-7, 2465-70
 Dalton, M. Susan, 2523-8
 Danzo, Nicola, 539-42
 Das, V. G. Kumar, 552-8
 Dasgupta, Himadri S., 2587-8
 Dash, Anadi C., 2063-9
 Dash, Bhaskar, 2063-9
 Davanzo, Celso U., 843-6
 Davidson, George, 306-10
 Davidson, R. Stephen, 833-5

- Davies, Daphne M., 923-7
 Davies, Geoffrey, 40-50
 Day, Alan, 1310-16
 Deeming, Antony J., 91-8,
 828-32, 1718-21, 1879-85,
 2039-44
 Dehnicke, Kurt, 1061-3
 Delaver, Mahmoud, 981-5
 Delepierre, Muriel, 678-82
 Delk, Frank S., 1235-6
 Demartin, Francesco, 150-4
 Demsar, Alojz, 1802-6
 Denes, George, 2296-9
 Denes, Georges, 1831-6
 Denti, Gianfranco, 2021-2
 Deplano, Paola, 1294-9
 De Schteingart, Lydia M.,
 435-40
 Dessy, Giulia, 111-17
 Dhathathreyan, K. S., 1928-34
 Dias, Alberto R., 314-16, 1174-7
 1178-9
 Dias, Gilson H. M., 1981-7
 Dias, Shelton A., 481-90
 Di Dio, Emanuele, 2414-18
 Dillon, Keith B., 212-18, 413-18
 2292-5
 Dilworth, Jonathan R., 40-50,
 419-24
 Dilworth, Jon R., 892-3
 Diversi, Pietro, 1906-17
 Dobson, Brian C., 267-70
 Dobson, Christopher M., 678-82
 Downs, Anthony J., 472-7,
 2465-70
 Drake, Alex F., 976-80
 Drew, Michael G. B., 942-8,
 1034-40, 1304-9, 1310-16,
 1550-5, 1669-77, 1678-84,
 1685-90, 1691-6, 1868-78,
 1965-72, 2409-13
 Dubowski, Danuta, 2119-26
 Duckworth, Paul A., 2357-64
 Duffy, D. Neil, 381-4
 Duncan, J. Andrew S., 1028-33
 Du Preez, A. Louis, 1918-23
 Dyason, Jeffrey C., 1770-2
 Eaborn, Colin, 933-8, 1223-32
 Eady, Colin R., 661-7
 Ebsworth, E. A. V., 836-9,
 840-2, 1010-18, 1028-33,
 1349-51, 1501-3, 1988-93
 Edwards, Peter G., 705-16
 Elding, Lars I., 1093-100
 Elias, Robert, 1825-30
 Emsley, John, 783-7, 1219-22,
 2141-3
 Ennis, Mary, 1251-9
 Ercolani, Claudio, 1120-3
 Espinet, Pablo, 463-5
 Evans, John, 2017-20, 2263-70
 Fabbrizzi, Luigi, 1438-41
 Fakley, Martin E., 1973-80
 Faraone, Felice, 1651-6
 Faraone, Giovanni, 1651-6
 Fares, Vincenzo, 111-17
 Farrugia, Louis J., 155-61,
 162-70, 171-9, 1134-45,
 1274-7
 Farthing, Alan, 1233-4, 1606-8,
 1609-14, 1615-16, 1617-23,
 1624-8
 Fastrez, Jacques, 317-18,
 2479-83, 2484-8
 Faury, Liliane, 2544-9
 Fawcett, John, 1212-18
 Fearnley, D. Peter, 1708-13
 Fereday, Richard J., 2070-7
 Ferguson, George, 481-90,
 986-91, 1406-14
 Fernandez, Juan M., 2250-7
 Ferragina, Carla, 2376-84
 Ferrier, Hugh M., 836-9
 Ferruti, Paolo, 539-42, 2559-64
 Fettes, David J., 2311-16
 Figgis, Brian N., 371-6, 734-42,
 997-1003, 1837-45
 Fine, David J., 559-66
 Fisher, John R., 2550-5
 Fitzgerald, William, 567-74,
 2271-9
 Foresti, Elisabetta, 1544-9
 Forghany, S. Kamal E., 255-61
 Fornies, Juan, 463-5
 Forsyth, J. Bruce, 1837-45
 Fowles, Gerald W. A., 2409-13
 Fraser, Thomas E., 836-9,
 1010-18
 Freund, Friedemann, 949-55
 Friedman, Nizza, 103-6
 Fuchita, Yoshio, 2405-8
 Fujii, Kinjiro, 645-51
 Funabiki, Takuzo, 2529-36
 Fusina, Luciano, 1024-7
 Gabay, Zilla, 1456-8
 Gable, Robert W., 1392-7
 Gaete, Walter, 852-4
 Gahan, Brendan, 142-9
 Galas, A. M., 2496-500
 Galas, Anita M. R., 126-31,
 1204-11, 1892-7, 2088-97
 Games, David E., 1994-6
 Ganguli, Prabhuddha, 441-6
 Gans, Peter, 968-75, 1708-13
 Garcia, Javier, 655-7
 Garlaschelli, Luigi, 2395-404
 Garley, Michael, 331-5
 Garner, C. David, 1550-5, 1664,
 1812-19, 1820-4
 Garnier-Suillerot, Arlette,
 2544-9
 Gavens, Paul D., 1535-9
 Gemmill, James, 2317-20
 Gerales, Carlos F. G. C.,
 2078-82
 Gerlach, Robert F., 80-4
 Gerloch, Malcolm, 1714-17
 Gervais, Daniele, 2328-30
 Ghosh, Annoottam, 447-51
 Gibb, Terence C., 2245-9
 Gillard, R. D., 2599-600
 Gill, J. Bernard, 968-75, 1708-13
 Gillard, R. D., 2599-600
 Gillies, Duncan G., 132-6
 Giraudeau, Alain, 2059-62
 Glockling, Frank, 1101-4
 Gold, Victor, 783-7, 2452-61,
 2462-4
 Goldschmidt, Jacob M. E.,
 103-6, 107-10, 1283-8, 1456-8
 Goldstein, Rebecca, 1283-8
 Golic, Ljubo, 1802-6
 Gonzalez, Francisco, 777-82
 Goodman, Bernard A., 822-7
 Gopalakrishnan, Jagannatha,
 668-72
 Gopalakrishnan, K., 543-5
 Gosselink, Johan W., 342-52,
 1342-8
 Gould, Robert O., 1028-33,
 2508-14
 Gower, John L., 1994-6
 Gower, Marian, 923-7
 Graddon, Douglas P., 336-41,
 2434-8, 2596-8
 Grandi, Giulia, 1665-8
 Greaves, Colin, 2447-51
 Green, Malcolm L. H., 85-90,
 353-6, 847-51, 1938-43
 Green, Michael, 219-27, 400-6,
 862-72, 873-83, 1565-71,
 1981-7, 2321-7
 Greenwood, Norman N.,
 1415-29, 1430-7, 2573-84
 Grevels, Friedrich Wilhelm,
 661-7
 Griffin, Mervyn, 968-75
 Griffith, William P., 1886-91
 Grim, Samuel O., 1645-50
 Groening, Ann B., 1093-100
 Groening, Oesten, 1093-100
 Gross, Maurice, 2059-62
 Guerchais, Jacques E., 64-8
 Guetlich, Philipp, 441-6
 Guglielmo, Giovanni, 302-5,
 1722-5
 Gulliver, David J., 2153-8
 Gullotti, Michele, 902-8
 Gupta, Jai P., 385-9
 Gushikem, Yoshitaka, 843-6
 Habeeb, Jacob J., 118-20
 Hadjiliadis, Nick, 1635-44
 Hails, Michael J., 1415-29
 Haines, Raymond J., 1918-23
 Hamlin, John E., 2342-52
 Hamshire, Stephen J., 726-33
 Hancock, Robert D., 245-50
 Hanson, Ian R., 390-9
 Harris, Arlo D., 1327-30
 Harris, Robin K., 1349-51
 Harrison, W. David, 1556-64
 Hartmann, Gabriele, 61-3
 Haszeldine, Robert N., 2593-5
 Hata, Kazuyuki, 1111-14
 Hathaway, Brian, 2271-9
 Hathaway, Brian J., 567-74,
 1463-9, 1556-64, 2029-33,
 2070-7
 Hatterer, Andre, 2300-10
 Hauptman, Zdenek V., 2188-91
 Hay, Robert W., 362-5
 Healy, Eamonn F., 2515-22
 Healy, Peter C., 1770-2
 Heath, Elizabeth, 1105-10
 Heaton, Brian T., 1498-500
 Hefford, Robert J. W., 1331-5
 Henderson, Richard A., 40-50
 Henderson, Steven G., 1010-18
 Henrick, Kim, 2357-64
 Herbert, Judith A., 284-91
 Hester, Ronald E., 939-41
 Heyward, Malcolm P., 431-4,
 1863-7
 Hider, Robert C., 609-22
 Higginson, William C. E.,
 2537-43
 Hill, Robin, 552-8
 Hinenoya, Masayoshi, 1089-92
 Hiraki, Katsuma, 2405-8
 Hirotsu, Ken, 1504-14
 Hitchcock, Peter B., 180-6,
 377-80, 1629-34
 Hobson, Richard J., 1304-9
 Hodgson, Peter, 2070-7
 Hoffmann, Roald, 1788-97
 Holloway, John H., 1212-18
 Hough, Edward, 2083-7
 Howard, Judith A. K., 155-61,
 162-70, 171-5, 219-27, 276-83
 284-91, 400-6, 743-50, 751-62
 763-70, 862-72, 1051-6,
 1134-45, 1274-7, 2220-9
 Howarth, Oliver W., 1105-10,
 1481-5, 1609-14
 Howell, James A. S., 297-301,
 325-7, 1251-9
 Howlander, Nepal C., 142-9
 Hudson, Andrew, 2159-63
 Hughes, David L., 390-9, 793-9
 Hughes, Martin N., 2009-10
 Hulett, Leslie, 1463-9
 Hunter, William E., 814-21,
 1593-605
 Hurlburt, Barry K., 196-9
 Hursthouse, Michael B., 126-31,
 705-16, 1204-11, 1327-30,
 1879-85, 1892-7, 2039-44,
 2088-97, 2496-500
 Husbands, June M., 1701-7
 Hynes, Michael J., 586-9
 Iida, Hideo, 2212-16
 Iitaka, Yoichi, 2212-16
 Ikawa, Tsuneo, 628-34
 Irlor, Werner, 441-6
 Irving, Roger J., 99-102
 Isab, Anvarhusein A., 1657-63
 Isobe, Kiyoshi, 2003-8
 Ito, Kazuo, 2217-19
 Jagur-Grodzinski, Joseph, 501-5
 Jain, Prem C., 1773-9
 Jeffery, John, 1593-605
 Jeffery, John C., 751-62, 2471-8
 Jelsma, Andries, 1289-93
 Jenkins, Aubrey D., 377-80
 Jenkins, H. Donald B., 726-33
 Jezierska, Julia, 56-60
 Jezierski, Adam, 1-7
 Jezowska-Trezbiatowska,
 Boguslawa, 251-4
 Johnson, Brian F. G., 234-9,
 407-12, 788-92, 1535-9,
 1906-17, 2250-7
 Johnson, James P., 69-73
 Johnson, Steven, 1260-3
 Jones, Anthony C., 2119-26
 Jones, C. Lynn, 1028-33
 Jones, Deborah J., 1219-22,
 2141-3
 Jones, Peter G., 61-3, 366-70,
 655-7
 Jones, Richard A., 126-31,
 1204-11, 1892-7, 2088-97
 Jones, Rodney F., 2550-5
 Jones, William, 1450-5
 Kamenar, Boris, 311-13
 Kane-Maguire, Leon A. P.,
 200-4, 923-7, 1162-8, 1994-6,
 2489-95
 Kanippayoor, Raveedran K.,
 1152-6
 Kanzaki, Tadao, 2217-19
 Kato, Chuzo, 1957-60
 Katsura, Takashi, 1807-11,
 2217-19
 Keat, Rodney, 2192-8
 Kelly, Iain D., 2370-2
 Kelly, Raymond L., 34-9,
 1317-26
 Kemp, Terence J., 302-5, 635-8,
 2137-40
 Kennedy, Declan M., 1556-64
 Kennedy, Fiona G., 2220-9,
 2230-4
 Kennedy, John D., 1415-29,
 1430-7, 2573-84
 Kepert, David L., 652-4
 Kerr, K. Ann, 506-10
 Khair, Abul, 234-9
 Khan, Abbas H., 2537-43
 Khan, Masood A., 986-91
 Khathing, Darlando T., 2587-8
 Khwaja, Hanif, 447-51
 Kibayashi, Chihoro, 2212-16
 Kikkawa, Etsuko, 894-6
 Kimber, Barry J., 1349-51

- Kimura, Eiichi, 694-700
 King, Gary, 1846-55
 King, Trevor J., 1812-19, 1820-4
 Kitchen, Maureen D., 1317-26
 Kite, Kenneth, 2439-46
 Knowles, Peter F., 2370-2
 Knox, C. Victor, 1669-77
 Knox, Selby A. R., 51-5, 2220-9
 2230-4, 2235-44
 Kodama, Mutsuo, 694-700
 Koerner von Gustorf, Ernst A., 661-7
 Koie, Yasuyuki, 1082-8
 Koike, Tetsuhiro, 1957-60
 Kolawole, Gabriel A., 1241-5
 Kon, Hideo, 1726-8
 Kondo, Wakichi, 645-51
 Korp, James D., 1951-6, 2523-8
 Korpar-Colig, Branka, 311-13
 Krishnamurthy, S. S., 1928-34
 Krol, Denise M., 687-93
 Krueger, Carl, 661-7
 Kumar, Rajesh, 1251-9
 Kundu, Kalipada, 933-8, 1223-32
 Kunze, Kenneth R., 1294-9
 Kurmoo, Mohamedally, 524-8
 Kuroda, Kazuyuki, 1957-60
 Kuroda, Reiko, 976-80, 1268-73
 2141-3, 2565-72
 Kwik, Whei-Lu, 452-5
 Labauze, Gerard, 590-8, 2353-6
 La Ginestra, Aldo, 2376-84
 Laguna, Antonio, 366-70, 655-7
 Laguna, Mariano, 366-70, 751-62
 Lampe, Paul A., 2137-40
 Lanfredi, Anna Maria Manotti, 2023-8
 Lappert, Michael F., 180-6, 701-4, 805-13, 814-21, 1583-92, 1593-605, 2159-63
 Lappin, A. Graham, 721-5, 2172-5
 Laranjeira, Mauro C. M., 721-5
 Larkworthy, Leslie F., 27-33
 Larsen, Nigel G., 1746-52, 2054-8
 Lau, Show-iy, 491-4
 Lau, Tai-Chu, 2556-8
 Laundry, Brian J., 1442-4
 Laurence, Christian, 2144-6
 Laurenson, Graham S., 187-90, 425-30, 472-7, 1047-50
 Lednor, Peter W., 2159-63
 Lee, Choi Chuck, 529-34
 Lehmann, Hans, 191-5
 Leigh, G. Jeffery, 793-9, 800-4
 Leitch, Diana M., 1010-18
 Lemoine, Paul, 2059-62
 Leporati, Enrico, 1531-4, 1961-4
 Levason, William, 2153-8, 2501-7
 Lever, Alfred B. P., 1438-41
 Lewis, Jack, 407-12, 788-92, 1906-17, 2250-7
 Lhoste, Jean Marc, 1729-34
 Licht, Eliahu, 107-10
 Liese, Werner, 1061-3
 Lin, Ivan J. B., 271-5
 Lindoy, Leonard F., 74-9, 2596-8
 Lip, Hyacinth C., 74-9
 Lis, Tadeusz, 251-4
 Livage, Jacques, 64-8
 Lohmeyer, Philippa J., 962-7
 Longoni, Giuliano, 1735-7
 Louie, Hon Way, 2596-8
 Lucas, Jeremy, 783-7
 Luong-Thi, N. Tuyet, 1593-605
 Mabbs, Frank E., 142-9, 1812-19, 1820-4
 McAlees, Alan, 481-90
 McAlees, Alan J., 986-91, 1406-14
 McArdle, Patrick, 586-9
 Macartney, Donald H., 1780-7
 McAteer, Colin H., 1481-5
 McAuley, Alexander, 1780-7, 2172-5
 McAuliffe, Charles A., 2098-104
 McCann, Malachy, 1669-77, 1868-78
 McCleverty, Jon A., 2021-2
 McCrindle, Robert, 481-90, 986-91, 1406-14
 McDonald, Walter S., 121-5, 575-80, 1415-29, 1572-7, 2573-84, 2589-91
 McFarlane, William, 658-60, 1645-50, 2014-16
 McGlinchey, Michael J., 1278-82
 Mackay, Kenneth M., 80-4, 381-4
 Mackay, Maureen F., 1798-801
 McKee, Vickie, 1492-7
 McKie, Gregory, 1360-5
 McLaren, Mary, 1459-62
 McLaughlin, George M., 701-4
 McNulty, Gregory S., 2017-20
 McPartlin, Mary, 2357-64
 McPhail, Donald B., 822-7
 MacQuitty, Jonathan J., 1583-92
 2159-63
 Mahmoud, Khalil A., 2199-2204
 Maiti, Gobinda C., 949-55
 Maitlis, Peter M., 1997-2002, 2003-8, 2335-8, 2339-41, 2342-52
 Malatesta, Maria C., 2395-404
 Maleki, Luke, 1294-9
 Malik, K. M. Abdul, 705-16, 1204-11
 Manassero, Mario, 150-4, 515-18
 Manning, A. R., 322-4, 1057-60
 Manning, Anthony R., 1251-9
 Manohar, Hattikudur, 599-603
 Manojlovic-Muir, Ljubica, 873-83, 2192-8
 Manotti-Lanfredi, Anna Maria, 2280-7
 Manthiram, Araumugam, 668-72
 Marais, Isaac L., 1918-23
 Marangoni, Giampaolo, 357-61
 Marchal, Daniel, 2484-8
 Marchetti, Fabio, 2523-8
 Marcotriggiano, Giuseppe, 8-12, 909-13, 1753-9
 Markopoulos, John, 1635-44
 Martin, Raymond L., 1069-73
 Martinengo, Secondo, 519-23, 717-20
 Martinez, Francisco, 463-5
 Martinho Simoes, Jose A., 1174-7, 1178-9
 Maruta, Takami, 2405-8
 Maruyama, Kazuhiro, 1486-91
 Mascharak, Pradip K., 623-7
 Mason, Ronald, 734-42, 1837-45
 Mason, Stephen F., 976-80, 1268-73, 2565-72
 Mathur, Pradeep, 1251-9
 Matsuda, Yoshihisa, 855-61
 Matsumoto, Keiji, 2045-8
 Matsuura, Teruo, 1504-14
 Matthews, Ray W., 132-6
 Mavani, Ishwerlal P., 2523-8
 Mawby, Roger J., 2112-18
 Mays, Martin J., 771-6, 1535-9
 Mazzocchin, Gian Antonio, 2127-31
 Mead, Kevin A., 743-50
 Mehrotra, Raj Narain, 581-5, 897-901
 Mehta, Mahendra, 581-5
 Menabue, Ledi, 8-12, 909-13, 1665-8, 1753-9
 Meneer, Stephen L., 678-82
 Mentasti, Edoardo, 137-41, 2331-4
 Merrill, Connie L., 1951-6
 Merts, Konstantinos, 705-16
 Mews, Ruediger, 61-3
 Micera, Giovanni, 535-8
 Micheloni, Mauro, 336-41, 1438-41
 Middleton, A. Robert, 1898-905
 Mignani, Gerard, 1278-82
 Miguel, Jesus A., 2049-53
 Milic, Nikola B., 1445-9
 Milicev, Svetozar, 1802-6
 Miller, Jack M., 1152-6
 Miller, Richard M., 1664
 Millington, Peter L., 2011-13
 Mills, Owen S., 2119-26
 Mills, Rona M., 1317-26
 Milne, Charles R. C., 180-6
 Milone, Luciano, 1535-9, 2023-8
 Mingos, D. Michael P., 1515-19, 1788-97
 Mishra, Shuddhodan P., 2183-7, 2258-62
 Mispelter, Joel, 1729-34
 Mitra, Samresh, 13-22
 Mitropachachon, Pachanee, 1274-7
 Mitprachachon, Pachanee, 155-61, 162-70, 171-9, 1134-45
 Miyake, Shinichi, 292-6
 Moensted, Ole, 2599
 Mohd-Nor, A. Rahim, 609-22
 Momenteau, Michel, 1729-34
 Monacelli, Fabrizio, 1120-3
 Moore, Peter, 1481-5, 2137-40
 Morando, Pedro J., 435-40
 Morazzoni, Franca, 535-8, 1735-7
 Mori, Wasuke, 2045-8
 Moriyama, Hiroshi, 639-44
 Morigio, Giorgio Oscar, 111-17
 Morris, George E., 1481-5
 Morris, Robert H., 800-4
 Morrison, Ian E. G., 609-22
 Mosini, Valeria, 111-17
 Moss, John R., 743-50
 Mueller, E. Wolfgang, 441-6
 Muir, Kenneth W., 873-83, 2192-8
 Muir, Lauraine, 2434-8, 2596-8
 Murakami, Yukito, 855-61
 Murdoch, James D., 1349-51
 Murphy, Bridget, 2271-9
 Murray, Elaine K., 1501-3
 Murthy, A. R. Vasudeva, 1928-34
 Muth, Horst, 1825-30
 Myers, Ron, 481-90
 Nagori, Ratan Raj, 581-5
 Nair, Madhavan Sivasankaran, 992-6
 Naish, Pamela J., 2235-44
 Nakahara, Akitsugu, 2045-8
 Nakao, Yasuo, 2045-8
 Narayanaswamy, Ramaier, 2199-2204, 2311-16, 2501-7
 Nardin, Giorgio, 2288-91
 Natarajan, P., 478-80
 Natile, Giovanni, 2280-7
 Navarro, Rafael, 743-50, 751-62
 2471-8
 Nelson, Jane, 942-8, 1678-84, 1685-90, 1691-6
 Nelson, S. Martin, 942-8, 1034-40, 1492-7, 1669-77, 1678-84, 1685-90, 1691-6, 1868-78, 1965-72
 Newton, William J., 466-71
 Ng, Wee Kong, 1101-4
 Nicholson, Brian K., 80-4, 381-4
 2159-63
 Nicholson, David G., 2083-7
 Niedernhoefer, Beate, 1825-30
 Nielson, Alastair J., 205-11
 Nisbet, Martin P., 212-18
 Nishinaga, Akira, 1504-14
 Nishizawa, Kanji, 1504-14
 Nivellini, Giandomenico, 1024-7
 Noltemeyer, Mathias, 61-3
 Nord, Gwyneth, 2599
 Nour, El Metwally, 939-41
 Nowell, Derek V., 385-9
 Nowogrocki, Guy, 1856-62, 2419-22, 2423-8
 Nutton, Andrew, 1997-2002, 2335-8, 2339-41, 2342-52
 Nyathi, Jeffery Z., 377-80
 Nyburg, Stanley C., 1935-7
 O'Brien, Paul, 1540-3
 Odiaka, Timothy I., 1162-8, 2489-95
 Ogden, J. Steven, 456-62, 2501-7
 Ogino, Hiroshi, 894-6
 Okolow-Zubkowska, Monika, 2009-10
 Olejnik, Zofia, 251-4
 Oliva, Leone, 539-42
 Olsher, Uriel, 501-5
 Ooi, Shunichiro, 1504-14, 2045-8
 Orto, Angelo A., 2127-31
 Orpen, A. Guy, 788-92
 Orrell, Keith G., 1846-55, 1944-50, 2439-46
 Osella, Domenico, 1535-9
 Oskam, Ad, 1124-33, 1524-30
 Overbeck, Ok, 342-52
 Overill, Richard E., 783-7, 1219-22
 Page, Elizabeth M., 2409-13
 Pannetier, Jean, 1831-6, 2296-9
 Paoletti, Angelo, 909-13
 Paoletti, Piero, 336-41, 1438-41
 Paolucci, Gino, 357-61
 Parish, R. V., 2098-104
 Parkins, Adrian W., 262-6
 Parry, Owen, 2098-104
 Pasimeni, Luigi, 604-8
 Pasini, Alessandro, 902-8, 2147-52
 Pastor, Jose-Maria, 2544-9
 Patel, Kantilal S., 1241-5
 Patel, Vikram D., 506-10
 Patin, Henri, 1278-82
 Peacock, Raymond D., 726-33
 Peacock, Robert D., 976-80
 Pearson, Anthony J., 884-91
 Pelgrims, Jozefien, 914-22
 Pelin, W. Kevin, 546-51
 Pelizzzi, Giancarlo, 1024-7
 Pellacani, Gian Carlo, 8-12, 909-13, 1665-8, 1753-9

- Pellinghelli, Maria Angela, 1531-4, 1961-4
 Peloso, Arnaldo, 2429-33
 Penavic, Maja, 311-13
 Pennesi, Giovanna, 1120-3
 Peppe, Clovis, 2592
 Perkins, Duncan C. L., 1738-45
 Perkins, Ian, 2593-5
 Perotti, Angelo, 1768-9
 Perry, Dale L., 1294-9
 Pesavento, Maria, 2559-64
 Pettit, Leslie D., 1331-5
 Pfeffer, Michel, 276-83, 284-91
 Phillips, Ian G., 2132-6
 Phillips, Stephen, 306-10
 Pickett, Christopher J., 419-24, 800-4, 805-13, 892-3
 Pidcock, Alan, 933-8, 1223-32, 1918-23
 Pilbrow, John R., 2365-9
 Pina, Fernando J. S., 314-16
 Pinkerton, A. Alan, 1470-4, 1475-80
 Pippard, David A., 407-12
 Plaisted, Richard J., 1260-3
 Platt, Andrew W. G., 413-18, 2292-5
 Plowman, Jeffrey E., 1701-7
 Poggi, Antonio, 1438-41
 Pojer, Peter M., 1798-801
 Peli, Rinaldo, 1004-9
 Pombeiro, Armando J. L., 1629-34
 Poon, Chung-Kwong, 495-500, 1019-23, 1336-41, 1697-700, 2556-8
 Porta, Piero, 111-17
 Porzio, William, 1753-9
 Poveda, Manuel L., 777-82
 Powell, H. Kipton J., 822-7
 Power, Mary, 1556-64
 Praharaj, Somnath, 2063-9
 Prest, David W., 771-6
 Price, Michael G., 1067-8
 Price, Raymond, 559-66, 2119-26
 Pring, Graham M., 1846-55, 1944-50
 Prosperi, Tommaso, 2565-72
 Puddephatt, Richard J., 1738-45
 Puxeddu, Anna, 1115-19
 Pye, Peter L., 701-4, 1583-92
 Queignec-Cabanetos, Michele, 2144-6
 Quick, Geoffrey R., 2137-40
 Raithby, Paul R., 771-6, 788-92, 884-91, 2250-7
 Randaccio, Lucio, 2288-91
 Rankin, David W. H., 187-90, 425-30, 472-7, 840-2, 1010-18, 1028-33, 1047-50, 1349-51, 1501-3, 1988-93, 2465-70
 Raston, Colin L., 13-22, 962-7, 1352-9, 1360-5, 1366-8, 1369-71, 1372-8, 1379-82, 1383-8, 1389-91, 1392-7
 Ray, Neil H., 1260-3
 Ray, Noel J., 1463-9
 Raynes, William T., 1237-8
 Raynor, J. Barrie, 1-7, 56-60, 590-8
 Razay, Hayat, 2471-8
 Rea, John H., 74-9
 Real, Fernando Mayor, 126-31
 Rees, Lovat V. C., 609-22
 Regan, Catrionia M., 1034-40
 Rendle, Melvyn C., 1238-45
 Rest, Antony J., 1157-61, 2199-2204, 2311-16, 2501-7
 Reynolds, Philip A., 371-6, 997-1003
 Ribeiro da Silva, Manuel A. V., 99-102
 Rice, David A., 1304-9, 2409-13
 Riccivuto, Vittorio, 302-5, 1722-5
 Richards, Raymond L., 1629-34, 1973-80
 Riera, Victor, 2049-53
 Riley, Paul I., 805-13, 814-21
 Riolo, Carla, 2559-64
 Ripamonti, Alberto, 329-30
 Roberts, Paul J., 661-7, 1406-14
 Robertson, Heather E., 1501-3
 Robinson, Edward A., 2373-5
 Robinson, Stephen D., 1327-30
 Robinson, Valerie, 1169-73
 Robinson, Ward T., 80-4, 381-4
 Rodig, Oscar R., 196-9
 Rogers, Anthony J., 701-4
 Rogers, David A., 1146-51
 Rogers, John H., 726-33
 Rogers, Robin D., 777-82, 1004-9, 1061-3, 2523-8
 Ros, Josep, 852-4
 Rosenberg, Edward, 2023-8
 Rossi, Gentilina, 1120-3
 Rothwell, Ian P., 91-8, 1718-21, 1879-85, 2039-44
 Rouse, Keith D., 788-92
 Rowan, Anthony J., 297-301, 325-7, 1251-9
 Rowbottom, Graham L., 13-22, 1352-9, 1360-5, 1366-8, 1369-71, 1372-8, 1379-82, 1383-8, 1389-91, 1392-7
 Rowland, Keith A., 1515-19
 Ruebenbauer, Krzysztof, 1831-6, 2296-9
 Ruhl, Barbara L., 986-91
 Russell, David R., 1067-8, 1212-18
 Ruzic, Ivan M., 2365-9
 Rycroft, David S., 2192-8
 Sabatini, Antonio, 1246-50
 Sabo, Sylviane, 2328-30
 Sadeh, Uri, 103-6
 Sadler, Peter J., 1657-63
 Safari, Mohammad, 1918-23
 Sahajpal, Arvind, 1327-30
 Said, Farouq F., 118-20
 Saini, Agya R., 1773-9
 Saito, Yasukazu, 639-44, 1082-8
 Saladini, Monica, 1665-8, 1753-9
 Sala-Pala, Jean, 64-8
 Salema, Margarida S., 1174-7
 Salthouse, John A., 1812-19
 Sameshima, Kenji, 240-4
 Samuel, Edmond, 2353-6
 Sanchez, Clement, 64-8
 Sanger, Alan R., 228-33
 Santappa, Muchi, 992-6
 Sappa, Enrico, 2023-8
 Sapre, Niteen Y., 2585-6
 Sarhan, Jamil K. K., 1565-71
 Sarkar, Bibudhendra, 491-4
 Sasaki, Ryoichi, 628-34
 Savage, Sonia, 2565-72
 Savoia, Diego, 329-30
 Sbriziolo, Carmelo, 2414-18
 Schaefer-Stahl, H., 328-9
 Schiavon, Gilberto, 1074-81
 Schlatter, Robert K., 196-9
 Schmidpeter, Alfred, 413-18
 Schoemaker, Gerard C., 1524-30
 Schoonheydt, Robert A., 914-22
 Schwarzenbach, Dieter, 1470-4
 Scrivanti, Alberto, 661-7
 Seeber, Renato, 2127-31
 Segal, John A., 234-9
 Segev, Miriam, 103-6
 Shakir, Riz, 1061-3
 Shaw, Bernard L., 121-5, 319-21, 575-80, 1572-7, 2589-91
 Shaw, Robert A., 599-603, 1928-34
 Sheahan, Robert, 1463-9, 1556-64
 Sheldrick, George M., 61-3, 366-70, 655-7
 Sheldrick, William S., 413-18
 Sherry, A. Dean, 2078-82
 Shimizu, Kiyoshi, 1300-3
 Shimura, Makoto, 894-6
 Shinoda, Sumio, 639-44, 1082-8
 Sidahmed, Ibrahim M., 2034-8
 Siew, Pik Y., 481-90
 Sik, Vladimir, 1846-55, 2439-46
 Silver, Jack, 609-22
 Sinn, Ekk, 196-9
 Sironi, Angelo, 519-23, 902-8
 Skea, Donald C. J., 1349-51
 Skelton, Brian W., 74-9, 652-4, 956-61, 962-7, 1398-405, 1770-2, 2105-11, 2205-11
 Small, Ronald W. H., 2188-91
 Smets, Marie Noelle, 2479-83
 Smith, J. David, 377-80
 Smith, Kenneth G., 2153-8
 Smith, Kevin M., 1726-8
 Smith, Peter J., 552-8
 Smith, Thomas D., 2365-9
 Snell, Mark S., 325-7
 Snoeck, Theo L., 1524-30
 Soares, Ana Maria, 1886-91
 Soldi, Teresa, 2559-64
 Sostero, Silvano, 302-5
 Soulard, Michel, 2300-10
 Sowerby, D. Bryan, 2011-13
 Spalding, Trevor R., 546-51, 2515-22
 Spencer, John L., 276-83, 284-91, 1051-6, 1981-7
 Squire, Jacqueline M., 400-6
 Stanley, David R., 800-4
 Stansfield, Robert F. D., 51-5, 1317-26
 Staples, Peter J., 981-5
 Stark, Cynthia A., 2078-82
 Staves, John, 2573-84
 Stead, Martin J., 1760-7
 Stedman, Geoffrey, 331-5
 Steele, Barry R., 529-34
 Stephens, Frederic S., 1251-9
 Stephenson, Martin, 2112-18
 Stephenson, T. Anthony, 2508-14
 Stewart, Brian, 976-80
 Stone, F. Gordon A., 155-61, 162-70, 171-9, 219-27, 276-83, 284-91, 743-50, 751-62, 763-70, 862-72, 1051-6, 1134-45, 1274-7, 1981-7, 2471-8
 Storey, Anthony E., 1475-80
 Stufkens, Derk J., 1124-33, 1524-30
 Sueur, Stephane, 1856-62
 Suner, Carmen, 852-4
 Sutherland, Ronald G., 529-34
 Sweigart, Dwight A., 923-7
 Symons, Martyn C. R., 2183-7, 2258-62
 Tabner, Brian J., 466-71
 Tamaura, Yutaka, 1807-11, 2217-19
 Tanaka, Koji, 292-6
 Tanaka, Nobuyuki, 894-6
 Tanaka, Toshio, 292-6
 Tang, Tin-Wu, 1697-700, 2556-8
 Taylor, Graham E., 1169-73, 2321-7
 Taylor, Michael J., 928-32
 Tazzoli, Vittorio, 1768-9
 Teixeira, Clementina, 1178-9
 Thompson, David W., 1235-6
 Thomson, Andrew J., 1180-9
 Thomson, Mary A., 2508-14
 Thorneley, Roger N. F., 40-50
 Thornton-Pett, Mark, 2496-500
 Tipper, Charles F. H., 1738-45
 Tirpicchio, Antonio, 2023-8, 2280-7
 Tomas, Milagros, 463-5
 Tomita, Haruo, 1504-14
 Tomlinson, Anthony A. G., 2376-84
 Tosi, Lucia, 2544-9
 Totani, Tetsushi, 1190-5, 1196-203
 Tranter, George E., 2565-72
 Traverso, Orazio, 302-5
 Tresoldi, Giuseppe, 1651-6
 Trogue, Emanuele F., 1294-9
 Trollope, Lynda, 873-83
 Trombini, Claudio, 329-30
 Tsay, Yi-Hung, 661-7
 Tsukube, Hiroshi, 1486-91
 Tubino, Matthieu, 1064-6
 Tuck, Dennis G., 118-20, 928-32, 2592
 Turff, Jeremy W., 2501-7
 Turgoose, Steve, 2489-95
 Tyagi, Suresh, 2029-33, 2070-7, 2271-9
 Uchida, Akira, 1089-92, 1111-14
 Ugo, Renato, 2147-52
 Umani-Ronchi, Achille, 329-30
 Usón, Rafael, 366-70, 463-5, 655-7
 Vacca, Alberto, 1246-50
 Van der Poel, Henk, 2164-71
 Van Koten, Gerard, 342-52, 1342-8, 2164-71
 Van Stein, Gerard C., 2164-71
 Venable, T. Leon, 196-9
 Viard, Bernard, 64-8
 Vicente, Jose, 655-7, 1981-7
 Vichi, Eduardo J. S., 1064-6
 Victoriano, Luis, 928-32, 2592
 Vitali, Dario, 1004-9, 2523-8
 Vivien, Daniel, 64-8, 2353-6
 Wada, Masanori, 240-4
 Waddington, Thomas C., 212-18, 413-18, 2292-5
 Wade, Steven R., 1264-7
 Wademan, R. J., 2599-600
 Wadepohl, Hubert, 862-72, 2220-9
 Wallis, Helen L., 2009-10
 Wallis, Robert C., 1169-73, 2205-11
 Walsh, Andrew, 2271-9
 Walsh, Bernadette, 2271-9
 Walsh, John D., 956-61
 Walters, Robert, 234-9
 Wannowius, Klaus J., 1825-30
 Wautier, Henry, 2479-83, 2484-8
 Webb, Maurice, 1593-605
 Webber, Craig T., 1515-19
 Webster, Michael, 2263-70
 Welch, Alan J., 2235-44
 Wells, Cecil F., 431-4, 1863-7, 2034-8

- Weng, Ng Seik, 552-8
 Whelan, Tom, 2515-22
 White, Allan H., 13-22, 74-9, 371-6, 652-4, 956-61, 962-7, 997-1003, 1352-9, 1360-5, 1366-8, 1369-71, 1372-8, 1379-82, 1383-8, 1389-91, 1392-7, 1398-405, 1770-2, 2105-11, 2205-11
 White, Nicholas D., 2321-7
 White, Nicholas J., 400-6
 Whiteley, Mark W., 34-9, 1317-26
 Whitelock, John D., 840-2, 1028-33
 Whiting, Susan M., 1317-26
 Wilkinson, Geoffrey, 126-31, 191-5, 705-16, 1204-11, 1892-7, 1898-905, 2088-97, 2496-500
 Willey, Gerald R., 1264-7
 Williams, Bruce L., 2439-46
 Williams, Geoffrey A., 371-6, 734-42, 997-1003, 1798-801, 1837-45
 Williams, Peter A., 200-4, 2489-95
 Williams, Stephen J., 456-62
 Willis, Sheila, 322-4
 Willsher, Charles J., 833-5
 Wilson, Lon J., 1294-9, 1951-6
 Wimmer, Franz L., 635-8
 Winfield, John M., 2172-5
 Winter, George, 1392-7
 Wisbey, Simon J., 763-70
 Włodarczyk, Andrzej, 2021-2
 Wolfbeis, Otto S., 661-7
 Wolsey, Wayne C., 219-27
 Wong, Fook Sin, 1398-405
 Wong, Wai-Kwok, 2496-500
 Wong-Ng, Winnie, 1935-7
 Wood, David L., 2452-61, 2462-4
 Woods, Michael, 1928-34
 Woodward, Peter, 51-5, 155-61, 162-70, 171-9, 284-91, 743-50, 763-70, 1134-45, 1169-73, 1274-7, 1317-26
 Woolley, R. Guy, 1714-17
 Wozniak, Michel, 2419-22, 2423-8
 Wright, Steven, 997-1003
 Yabuno, Kazuhide, 1300-3
 Yadav, Kapil D. S., 2370-2
 Yamada, Sunao, 855-61
 Yamaguchi, Osamu, 1300-3
 Yamaguchi, Takanori, 2405-8
 Yamamoto, Shigeru, 1300-3
 Yamamoto, Toshihiko, 1089-92
 Yamase, Toshihiro, 628-34
 Yarrow, Paul I. W., 805-13, 814-21
 Yavari, Ahmad, 27-33
 Yoshida, Satoshiro, 2529-36
 Youde-Owei, Lawson, 721-5
 Yuasa, Yoshifumi, 2212-16
 Zanderighi, Gian Maria, 902-8
 Zaworotko, Michael J., 814-21
 Zellweger, Jean Michel, 1475-80
 Zoroddu, Maria Antonietta, 535-8
 Zuccaro, Camillo, 234-9
 Zwaschka, Franz, 413-18

SUBJECT INDEX, 1981

ABSTRACTION

Carbon-oxygen and -hydrogen cleavage in the reaction of $[\text{Fe}_2(\text{CO})_3(\eta\text{-C}_5\text{H}_5)_2\text{L}][\text{L} = \text{P}(\text{OR})_3 \text{ or } \text{PR}_3]$ with phosphite and phosphine ligands, 325-7

ACETALDEHYDE

Complexes of organoaluminum compounds. Part 12. Preparation, nuclear magnetic resonance spectra, and the crystal and molecular structure of bis(μ -isopropylamidodimethylaluminum), 377-80

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 33. The metal-catalyzed disproportionation of acetaldehyde into acetic acid and ethanol, 2342-52

ACETAMIDE

Isomerism in adducts of tin(IV) tetrahalides with $\text{NN}^{\text{--}}$ -dimethylacetamide, $\text{NN}^{\text{--}}$ -dimethylformamide, and dimethyl sulfoxide in the solid state, 843-6

ACETATE

Influence of temperature on the thallium-205 chemical shift of dimethylthallium(III) derivatives, 132-6

Preparation and crystal structure of hexa- μ -acetatodichloro- μ_3 -oxotetraoxotetramolybdenum(V)-acetic anhydride (1/1), 311-13

Crystal structure of sodium dihydrogen triacetate, 1768-9

Crystal structures of silyl acetate at 150 K and methyl acetate at 145 K, and the molecular structure of silyl acetate in the gas phase, 1988-93

Phosphite complexes of copper(II) carboxylates and their derivatives. Crystal structure of a penta- μ -acetato-bis(triethyl phosphite)tricopper(II), 2119-26

ACETATO

Oxo-centered triruthenium formate complexes. Diphasic adducts of oxo-centered triruthenium acetates, 191-5

ACETATOCYCLOPENTADIENYLTRIMETHYLPHOSPHINE

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 30. Trimethylphosphinechloro-, -acetato-, and -hydrido complexes and related compounds of (hexamethylbenzene)ruthenium, 2003-8

ACETONE

Rates and activation parameters for solvent exchange with $[\text{M}(\text{PR}_3)_2(\text{solvent})_2\text{H}_2]^+$ ($\text{M} = \text{Rh}(\text{III}) \text{ or } \text{Ir}(\text{III})$, $\text{R} = \text{cyclohexyl or phenyl}$) cations, 1481-5

ACETONITRILE

Direct electrochemical synthesis of cationic complexes, 118-20

Reactions of coordinated ligands. Part 24. Reaction of bis(but-2-ynyl)carbonyl(η -cyclopentadienyl or η^5 -indenyl)molybdenum tetrafluoroborate with acetonitrile and phosphines; crystal structures of $[\text{Mo}(\text{CO})(\text{MeC}_2\text{Me})(\eta^5\text{-C}_9\text{H}_7)(\text{PEt}_3)][\text{BF}_4]$ and $[\text{Mo}(\text{MeC}_2\text{Me})(\eta^5\text{-C}_9\text{H}_7)(\text{PMc}_2)_2][\text{BF}_4]$, 873-83

Rates and activation parameters for solvent exchange with $[\text{M}(\text{PR}_3)_2(\text{solvent})_2\text{H}_2]^+$ ($\text{M} = \text{Rh}(\text{III}) \text{ or } \text{Ir}(\text{III})$, $\text{R} = \text{cyclohexyl or phenyl}$) cations, 1481-5

Substitution of acetonitrile coordinated to iron(II) by trimethyl phosphite. A kinetic study of the formation and disappearance of tetrakis(acetonitrile)bis(trimethyl phosphite)iron(II), 2172-5

ACETYL

Synthesis, reactivity, and crystal and molecular structures of $[\mu\text{-}1,4\text{-bis}(\text{diphenylphosphino})\text{butane}]_2\text{-dicarbonylbis}(\eta\text{-cyclopentadienyl})\text{dirhodium(I)}$, 1651-6

Photochemistry of methyl- and acetyldicarbonyl(η -cyclopentadienyl)iron in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of tricarbonyl(η -cyclopentadienyl)methyliron and acetylmmonocarbonyl(η -cyclopentadienyl)iron, 2311-16

ACETYLACETONATE

Chemistry of the metal carbonyls. Part 78. Synthesis and x-ray crystal structures of $[\text{NiO}_3(\mu\text{-H})(\mu\text{-CO})_2(\text{CO})_2(\text{PPh}_3)_2]$ and $[\text{Os}_2\text{Rh}(\mu\text{-H})_2(\text{acac})(\text{CO})_{10}]$ (acac = acetylacetonate), 171-9

Ternary complexes of copper(I) with 2,9-dimethyl-1,10-phenanthroline and some oxygen-donor ligands, 452-5

ACETYLATION

Reactions of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_4(\text{CNR})_n]$ ($n = 1 \text{ or } 2$; $\text{R} = \text{Me, Et, or } \text{CH}_2\text{Ph}$) with acetyl and benzoyl chlorides, 322-4

ACETYLENE

Reaction of $[(\text{Ir}(\text{CO})_3(\text{PPh}_3))_2]$ with substituted acetylenes. Part 1.

Synthesis and crystal and molecular structure of $[\eta\text{-}1,1\text{-dicarbonyl-}2,3,4,5\text{-tetrakis}(\text{ethoxycarbonyl})\text{-}1\text{-triphenylphosphine}]\text{neiridacyclopentadienyl}]\text{dicarbonyliridium}$, 150-4

Dirhenium complexes containing two, three, and four linked acetylene molecules derived from the reaction of $[\text{Re}_2(\text{CO})_{10}]$ with RC_2R ($\text{R} = \text{Ph or Me}$); the x-ray crystal structure of $[\text{Re}_2(\text{CO})_8(\text{PhCCPh})_2(\text{CNCH}_2\text{SO}_2\text{C}_6\text{H}_4\text{Me-p})_2]\cdot\text{CH}_2\text{Cl}_2$, 771-6

Platinum-195 nuclear magnetic resonance study of platinum(0) complexes containing a series of acetylenes, 1082-8

Interpretation of bond length data for transition metal-acetylene complexes, in particular the complex $[\text{C}_5\text{H}_5\text{NH}][\text{TaCl}_4(\text{PhC}_2\text{CPh})(\text{NC}_2\text{H}_5)]$, 2373-5

Reactions of acetylenes with noble-metal carbonyl halides. Part 4. The formation of a platinaoxacyclopentenone ring, 2395-404

ACETYLFERRATE

Synthesis and crystal structures of tetraethylammonium μ_3 -acetyl- $\text{Cl}^-(\text{Fe}^1\text{Fe}^2)\text{O}(\text{Fe}^1\text{Fe}^3)$ -nonacarbonyl-triangulo-triferrate and tetraethylammonium μ -carbonylnonacarbonyl- μ_3 -2,4-dioxapentylidene-triangulo-triferrate, 2496-500

ACETYLIRON

Photochemistry of methyl- and acetyldicarbonyl(η -cyclopentadienyl)iron in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of tricarbonyl(η -cyclopentadienyl)methyliron and acetylmmonocarbonyl(η -cyclopentadienyl)iron, 2311-16

ACETYLPYRIDINE

Reactivity of uranyl ion with quinquedentate chelating hydrazine derivatives. Part 3. 2,6-Diacetylpyridine (2'-pyridylhydrazine) (4"-toluoylhydrazine), 357-61

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 1. Reactions of 2,6-diacetylpyridine and dicarbonyl compounds with 3,6-dioxaoctane-1,8-diamine, 1669-77

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-coordinate barium(II) complex, 1678-84

ACID

The behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 1. Monophenyl derivatives, 212-18

Model compounds for microbial iron-transport compounds. Part 1. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22

Nuclear magnetic shift and relaxation effects resulting from complexation of lanthanide ions with endo-cis-bicyclo[2.2.1]hept-5-ene-2,3-dicarboxylic acid, 678-82

The potassium fluoride-boric acid system. Hydrogen bonding in $\text{KF}\cdot\text{H}_3\text{BO}_3$, 783-7

Electron spin resonance study of copper(II)-amino-acid complexes: evidence for cis and trans isomers and the structures of copper(II)-histidine complexes in aqueous solution, 822-7

Kinetics and mechanisms of redox reactions in aqueous solution. Part 7. Decarboxylation of aliphatic acids by aquasilver(II) ions, 897-901

Binary and ternary complexes of copper(II) containing some potentially tridentate ligands, 992-6

Kinetics of the formation and dissociation of pentacyanoferrate(II) complexes of cysteine, penicillamine, glutathione, and 2-mercaptoethylamine, 1780-7

Equilibria of some α -amino acids containing sulfur atoms in the chain with metal(II) ions. Part 2. S,S'-methylenebis(L-cysteine) with cobalt(II), nickel(II), and zinc(II) in aqueous solution, 1961-4

The acid strength of iodine cyanide, 2144-6

Esterification of amino acids chelated to cobalt(III), molybdenocene, and platinum(II). Stability of chelated esters versus dechelation, 2479-83

CH-acidity of amino acid esters coordinated to cobalt(III).

Racemization during the formation of peptides, 2484-8

ACIDITY

Ketoximate complexes. Part 3. Structure and properties of tris

ACIDITY(contd)

- chelates of cobalt(III), iron(II), and ruthenium(II), 1856-62
 Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of N-salicylidene-2-aminothiazole, 2063-9
 CH-acidity of amino acid esters coordinated to cobalt(III). Racemization during the formation of peptides, 2484-8
 A pseudo-base of pyridine. Reply to comments, 2599-600
 A pseudo-base of pyridine. A refutation, 2599

ACYL

- Triosmium clusters derived from aldehydes, ketones, and ketens and their interconversions, 91-8
 Reactions of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_4(\text{CNR})_n]$ ($n = 1$ or 2 ; $\text{R} = \text{Me}$, Et , or CH_2Ph) with acetyl and benzoyl chlorides, 322-4
 Metallocene derivatives of early transition metals. Part 4. Chemistry of the complexes $[\text{M}(\eta\text{-C}_5\text{H}_5)_2\text{RR}']$ [$\text{M} = \text{Ti}$, Zr , or Hf ; $\text{R} = \text{CH}_2\text{M}'\text{Me}_3$ ($\text{M}' = \text{C}$, Si , Ge , or Sn) or $\text{CH}(\text{SiMe}_3)_2$; $\text{R}' = \text{Cl}$ or alkyl] and the x-ray structures of $[\text{Zr}(\eta\text{-C}_5\text{H}_5)_2(\text{CH}_2\text{M}'\text{Me}_3)_2]$ ($\text{M}' = \text{C}$ or Si), 1593-605
 Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17
 Photolytic homolysis of the metal-carbon (sp^3 or sp^2) bond of alkyl or acyl transition metal complexes. An electron spin resonance study using spin trapping; and a note on aminyl oxides $[\text{ML}_n(\text{N}(\text{O})\text{R})]\text{ML}_n = \text{Ru}(\text{CO})_4(\text{SiMe}_3)$, $\text{Os}(\text{CO})_4(\text{SiMe}_3)$ or $\text{Fe}(\eta\text{-C}_5\text{H}_5)(\text{CO})_3$; $\text{R} = \text{aryl}$], 2159-63

ACYLALKYLTHIOBICYCLOOCTADIENETRICARBONYLIRON

- Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17

ACYLATION

- Reactions of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_4(\text{CNR})_n]$ ($n = 1$ or 2 ; $\text{R} = \text{Me}$, Et , or CH_2Ph) with acetyl and benzoyl chlorides, 322-4
 Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17

ACYLBICYCLOOCTADIENYLIRON

- Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17

ACYLBICYCLOOCTADIENYLTRICARBONYLIRON

- Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17

ACYLIMMONIUM

- Reactions of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_4(\text{CNR})_n]$ ($n = 1$ or 2 ; $\text{R} = \text{Me}$, Et , or CH_2Ph) with acetyl and benzoyl chlorides, 322-4

ADDN

- Triosmium clusters derived from aldehydes, ketones, and ketens and their interconversions, 91-8
 Kinetics of nucleophilic attack on coordinated organic moieties. Part 15. Addition of p-toluidine to tricarbonyl(1-5- η -dienyl)iron cations, 200-4
 Direct oxidative addition-reductive elimination reactions between trans- $[\text{MCl}(\text{CO})_2\text{L}_2]$ and $[\text{MCl}_2(\text{CO})\text{L}_2]$ or trans- $[\text{PtCl}_4(\text{PEt}_3)_2]$ ($\text{M} = \text{Rh}$ or Ir , $\text{L} =$ tertiary phosphine), 319-21
 Coordination chemistry of sulfoxides. Part 3. Oxidative addition of the carbon-chlorine bond of (E)-(RS)CICSO to tetrakis(triphenylphosphine)platinum(0) and of a carbon-sulfur bond in $[\text{PtO}(\text{PPh}_3)_2(\text{RS})_2\text{CSO}]$ by an intramolecular process. X-ray crystal and molecular structure of cis-(E)- $[\text{Pt}(\text{PhS})(\text{PhSCSO})(\text{PPH}_3)_2]$, C_6H_6 , 342-52
 Reactions of coordinated ligands. Part 23. Metalla-ring-forming reactions between hexafluoroacetone and η^4 -1,3-diene(η^5 -indenyl)rhodium complexes; the crystal and molecular structures of rhodium η^5 -indenyl methyloxidohexenyl-O and η^4 -diene oxidoethylindene-O complexes, 400-6
 Transition metal-carbon bonds. Part 49. Action of amines on cis- $[\text{PtCl}_2(\text{PPh}_3)(\text{C}_6\text{H}_5)]$: crystal structures of chloro(1-methylene-2-tert-butylaminoethyl-C \equiv N)(tri-n-propylphosphine)platinum (4-membered ring) and trans-bis- μ -(1-methylene-2-methylaminoethyl-C \equiv N)bis(chloro(tri-n-propylphosphine)platinum) (8-membered ring), 575-80
 The rate and mechanism of tetracyanoethylene addition of cycloheptatriene and related complexes of tricarbonyliron, 586-9
 Bis(arylazooximate)palladium(II); synthesis, palladium-nitrogen

bond lability, and redox activity, 623-7

Reactions of silanes and germanes with iridium complexes. Part 3.

Reactions of some silyl derivatives of oxygen, sulfur, selenium, nitrogen, and phosphorus with trans-carbonylidoobis(triethylphosphine)iridium(I), 836-9

Kinetics of nucleophilic attack on coordinated organic moieties.

Part 17. Addition of pyridines to $[\text{Fe}(\text{1-5-}\eta\text{-dienyl})(\text{CO})_3]^+$ cations (dienyl = C_6H_7 , 2-MeOC $_6\text{H}_6$, or C_7H_9), 1162-8

Oxidative-addition and reductive-elimination reactions involving platinum complexes and tetraorganotin compounds, 1223-32

Coordination chemistry of sulfoxides. Part 4. Influence of the phosphine cone angle on both the oxidative addition of carbon-sulfur and carbon-chlorine side bonds in $[\text{Pt}(\text{PR}_3)_2(\text{XYC}=\text{S}=\text{O})]$ complexes and the (E)-(Z) isomerization, 1342-8

Nucleophilic attack on olefins coordinated to platinum. Part 3. Effect of substituents on the olefins on the formation of 2-ammonioethanide compounds ($\text{H}_3\text{NCH}_2\text{CHR}'\text{-Pt}$), of four-membered ring complexes, and of five-coordinate species, 1565-71

Synthesis, reactivity, and crystal and molecular structures of $[\mu\text{-1,4-bis(diphenylphosphino)butane}]$ -dicarbonylbis(η -cyclopentadienyl)dirhodium(I), 1651-6

Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17

Patterns of nucleophilic attack on ethene complexes of ruthenium(I-I), 2112-18

Evidence for asymmetrical cleavage of halide-bridged platinum(II) complexes by nucleophiles, 2132-6

Kinetics of nucleophilic attack on coordinated organic moieties.

Part 19. Addition of anilines to tricarbonyl(1-5- η -dienyl)iron cations, 2489-95

Influence of light on the oxidative addition of bromine to trans-dichlorobis(triethylphosphine)platinum. Crystal structure of all-trans-dibromodichlorobis(triethylphosphine)platinum, 2589-91

ADDUCT

Preparation of tertiary arsine sulfides. Crystal and molecular structures of the adduct of methylidiphenylarsine sulfide and tris(dimethylamino)phosphine oxide, 1459-62

A study of substituent and base effects on the electron spin resonance spectra of the molecular oxygen adducts of cobalt(II) porphyrin chelates, 2365-9

Calorimetric titration studies of adduct formation between lanthanide β -diketonates and organic bases in benzene solution, 2434-8

Calorimetric titration and proton nuclear magnetic resonance studies of adduct formation between cobalt(III) β -diketonates and a lanthanide shift reagent, 2596-8

AFFINITY

Thermochemistry of hexafluoroanions of M(IV) ($\text{M} = \text{Si}$, Ti , Mn , or Re) and lattice energy calculations for their salts, 726-33

ALC

Reaction of diiodonitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum with α,ω -alkanediols, 2-chloro-, and 2-methoxyethanol 2021-2

ALDEHYDE

Triosmium clusters derived from aldehydes, ketones, and ketens and their interconversions, 91-8

ALK

Electron spin resonance spectra and conformations of group 2 ion complexes with a semidione ligand, 604-8

Kinetics and mechanisms of dissociation of metal chelates. Part 3. Effects of ions on the acid hydrolysis of tris(1,10-phenanthroline)iron(II) perchlorate, 1064-6

Use of alkali and alkaline-earth metal ions in the template synthesis of 12-crown-4, 15-crown-5, and 18-crown-6, 1157-61

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-coordinate barium(II) complex, 1678-84

ALKADIENE

Reduction-oxidation properties of organotransition metal complexes. 12. Formation of carbon-carbon bonds via oxidative dimerization of $[\text{Fe}(\text{CO})_3(\eta^4\text{-C}_6\text{H}_8)]$ and reduction of $[\text{Fe}_2(\text{CO})_9(\eta^5\text{-}\eta^5\text{-C}_{10}\text{H}_{16})]^2+$. Structures of $[\text{Fe}_2(\text{CO})_9(\text{P}(\text{OPh})_3)_2(\eta^5\text{-}\eta^5\text{-C}_{10}\text{H}_{16})]$ and $[\text{Fe}(\text{CO})_5(\eta^4\text{-C}_{10}\text{H}_{16})]$, 1317-26

ALKALI

Matrix isolation studies on cesium, rubidium, and potassium carbonates. The shape of molecular potassium carbonate, 456-62

ALKALI(contd)

- Complexation and solvent extraction of lithium salts with 2,3,6,7,9,10-hexahydro-5H-1,4,8,11-benzotetraoxacyclotridecin (benzo-13-crown-4), 501-5
- Spectrochemistry of solutions. Part 12. Cyano complexes of silver(I) in solution in liquid ammonia, 968-75
- Kinetics and mechanisms of dissociation of metal chelates. Part 3. Effects of ions on the acid hydrolysis of tris(1,10-phenanthroline-jiron(II) perchlorate, 1064-6
- Strong hydrogen bonding in aliphatic diol solutions of alkali metal fluorides, 1152-6
- Use of alkali and alkaline-earth metal ions in the template synthesis of 12-crown-4, 15-crown-5, and 18-crown-6, 1157-61
- Linear free-energy relationships in the hydrolysis of metal ions. The effect of the ionic medium, 1445-9
- The direct synthesis of alkali-metal pentafluoromanganates(III), 2587-8

ALKANECARBOXYLATE

- Phosphite complexes of copper(II) carboxylates and their derivatives. Crystal structure of a penta- μ -acetato-bis(triethyl phosphite)tricopper(II), 2119-26

ALKENE

- Interaction of H_2 with $Re_3(\mu-Cl)_3(CH_2SiMe_3)_6$, its CO, PPh_3 , and pyridine adducts, and with $Re_3(\mu-Cl)_3Cl(CH_2SiMe_3)_5$. Crystal structures of $H[Re_3(\mu-Cl)_3](CH_2SiMe_3)_6$, $Re_3(\mu-Cl)_3ClH(CH_2SiMe_3)_4(PPh_3)_2$, and $Re_3Cl_3(\mu-CH_2SiMe_3)_3(CH_2SiMe_3)_3$, 705-16
- Synthesis and reactivity of trinuclear osmium and dinuclear and trinuclear ruthenium compounds derived from hydroxyalkynes, 828-32
- Nucleophilic attack on olefins coordinated to platinum. Part 3. Effect of substituents on the olefins on the formation of 2-ammonioethanide compounds ($H_3NCH_2RCH_2R'-Pt$), of four-membered ring complexes, and of five-coordinate species, 1565-71

ALKENYL

- Transition metal-carbon bonds. Part 49. Action of amines on cis- $[PtCl_2(PPh_3)(C_3H_5)]$: crystal structures of chloro(1-methylene-2-tert-butylaminoethyl-C'N)(tri-n-propylphosphine)platinum (4-membered ring) and trans-bis- μ -(1-methylene-2-methylaminoethyl-C'N)bis(chloro(tri-n-propylphosphine)platinum) (8-membered ring), 575-80

ALKOXIDE

- Reaction of diiodonitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum with α,ω -alkanediols, 2-chloro-, and 2-methoxyethanol 2021-2

ALKYL

- Metalocene derivatives of early transition elements. Part 1. Niobium(IV) chlorides, chloroalkyls, and dialkyls $[Nb(\eta-C_5H_4X)_2RR']$, and the crystal and molecular structure of $[Nb(\eta-C_5H_5)_2(CH_2Ph)_2]$, 180-6
- Assignment of vibrational spectra of some dialkylamido derivatives of boron, 306-10
- Metalocene derivatives of early transition metals. Part 2. Substituted cyclopentadienyl group 4A dichlorometalocene complexes $M(\eta-C_5H_4R)_2Cl_2$ ($M = Zr, Hf; R = Me, Et, CHMe_2, CMe_3, SiMe_3$), mono- and dialkyl derivatives $M(\eta-C_5H_4R)_2R'X$ ($X = Cl, R'; R' = CH_2SiMe_3, CH_2CMe_3$), and d^1 reduction products, 805-13
- Coupling of organic halides electrocatalyzed by the $Ni^{II}/Ni^I/Ni^0-PPh_3$ system. A mechanistic study based on an electroanalytical approach, 1074-81
- Preparation and properties of alkyl- and aryl-substituted closo-closo- and closo-nido-hydrazocaboranes, 1196-203
- Metalocene derivatives of early transition metals. Part 4. Chemistry of the complexes $[M(\eta-C_5H_5)_2RR']$ ($M = Ti, Zr, or Hf; R = CH_2M'Me_3$ ($M' = C, Si, Ge, or Sn$) or $CH(SiMe_3)_2$; $R' = Cl$ or alkyl) and the x-ray structures of $[Zr(\eta-C_5H_5)_2(CH_2M'Me_3)_2]$ ($M' = C$ or Si), 1593-605
- Further studies on the interaction of nitric oxide with transition metal alkyls, 1898-905
- Phosphite complexes of copper(II) carboxylates and their derivatives. Crystal structure of a penta- μ -acetato-bis(triethyl phosphite)tricopper(II), 2119-26
- Photolytic homolysis of the metal-carbon (sp^3 or sp^2) bond of alkyl or acyl transition metal complexes. An electron spin resonance study using spin trapping; and a note on aminyl oxides $[ML_n(N(O)R)]$ ($ML_n = Ru(CO)_4(SiMe_3)$, $Os(CO)_4(SiMe_3)$ or $Fe(\eta-C_5H_5)(CO)_3$; $R = aryl$), 2159-63
- Dialkyl sulfoxides as starting materials for the preparation of alkyl-

transition metal complexes. Formation of pentaquaamethylchromium(III) and pentacyanomethylcobaltate(III) salts, and the reduction of methyl radicals by vanadium(II), 2462-4

ALKYLAMINE

- Preparation, properties, and crystal and molecular structures of bis(dialkylamine) complexes of rhenium(I), 2523-8

ALKYLDITHIOCARBAMATE

- Magnetic and structural studies on copper(II) dialkyldithiocarbamates, 13-22

ALKYLIDENE

- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 6. Synthesis of platinum-chromium and -tungsten compounds. X-ray crystal structure of degtetracarbonyl- $c-\mu$ -(methoxy- p -tolylmethylidene)- $ab\eta$ -tris(trimethylphosphine)platinumtungsten($Pt-W$), 743-50

ALKYLIDENEPLATINUM

- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 7. Interconversion of carbene and carbyne ligands at a dimetal center. X-ray crystal structures of $[CrPt(\mu-C(CO_2Me)Ph)(CO)_4(PMe_3)_3]$ and $[MnPt(\mu-CC_6H_4Me-4)(CO)_2(PMe_3)_2(\eta-C_5H_5)]$ $[BF_4]$ CH_2Cl_2 , 751-62

ALKYLIMIDAZOLIDINYLIDENE

- Carbene complexes. Part 17. Crystal structure of trans-tetracarbonylbis(1,3-dimethylimidazolidin-2-ylidene)molybdenum(0), structural comparison with the cis isomer, and a kinetic study of the trans \rightarrow cis isomerization, 701-4

ALKYLMETAL

- Dialkyl sulfoxides as starting materials for the preparation of alkyl-transition metal complexes. Formation of pentaquaamethylchromium(III) and pentacyanomethylcobaltate(III) salts, and the reduction of methyl radicals by vanadium(II), 2462-4

ALKYLPHENOL

- Regioselective formation of peroxyquinolatocobalt(III) complexes in the oxygenation of 2,6-di-tert-butylphenols with cobalt(II) Schiff base complexes, 1504-14

ALKYLPHOSPHINE

- Photochemical preparation of the cis isomers of dichlorobis(tri-n-alkylphosphine)palladium(II) (alkyl = Et, Pr, or Bu); the crystal structure analysis of the overcrowded n -propyl homolog, 635-8

ALKYLSALICYLIDENEIMINATO

- Ligand substitution in bis(N -alkylsalicylideneiminato)copper(II) complexes: comparison of activation and transfer data obtained from solvent mixtures, 1825-30

ALKYLSALICYLIDENEIMINATOCOPPER

- Ligand substitution in bis(N -alkylsalicylideneiminato)copper(II) complexes: comparison of activation and transfer data obtained from solvent mixtures, 1825-30

ALKYLTHIO

- Organosulfur-transition metal chemistry. Part 6. Reactions of cyclooctatetraenyl and cycloheptatrienyl thioethers with metal carbonyls, 2230-4

ALKYLTHIOBICYCLOOCTADIENETRICARBONYLIRON

- Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17

ALKYLTRIMETHYLSILOLIVINE

- Preparation of alkyl-substituted partial trimethylsilyl silicates from olivine, 1957-60

ALKYNE

- Mono- η -cyclopentadienylmolybdenum chemistry: 1,2-bis(dimethylphosphino)ethanehydrido-, -halo-, -alkyne, and -oxo derivatives, 353-6
- Synthesis and reactivity of trinuclear osmium and dinuclear and trinuclear ruthenium compounds derived from hydroxyalkynes, 828-32
- Alkyne complexes of platinum. Part 5. Di- and triplatinum complexes with bridging trimethylsilyl-substituted alkyne ligands; crystal structure of bis(η -cycloocta-1,5-diene)- μ -phenyl(trimethylsilyl)acetylenediplatinum, 862-72
- Reactions of coordinated ligands. Part 24. Reaction of bis(but-2-ynyl)carbonyl(η -cyclopentadienyl or η^3 -indenyl)molybdenum tetrafluoroborate with acetonitrile and phosphines; crystal structures of $[Mo(CO)(MeC_2Me)(\eta^3-C_9H_7)(PEt_3)]$ $[BF_4]$ and $[Mo(MeC_2Me)(\eta^3-C_9H_7)(PMe_3)_2]$ $[BF_4]$, 873-83
- Alkyne complexes of platinum. Part 6. The synthesis of compounds containing platinacyclopenta-2,4-diene and diplatinacyclohexa-2,5-diene rings, 1981-7
- Synthesis and some reactions of the rhodacyclopentadiene complex

ALKYNE(contd)

tetracarbonyl(tetra(methoxycarbonyl)butadienediyl)triphenylphosphineiridium(Rh-Rh), 2593-5

ALKYNEONACARBONYL

Reaction of ethylene with dodecacarbonyltriruthenium and the dynamic processes of $[\text{Ru}_3\text{H}_2(\text{CO})_9(\text{C}_2\text{R}_2)]$ (R = H, Me, and Et) 2017-20

ALKYNEONACARBONYLTRIRUTHENIUM

Reaction of ethylene with dodecacarbonyltriruthenium and the dynamic processes of $[\text{Ru}_3\text{H}_2(\text{CO})_9(\text{C}_2\text{R}_2)]$ (R = H, Me, and Et) 2017-20

ALLENE

Transition metal-carbon bonds. Part 48. Allene complexes from halo-bridged platinum(II) complexes: crystal structures of *cis*- $[\text{PtCl}_2(\text{PPr}_3)(\text{C}_3\text{H}_4)]$ and *cis*- $[\text{PtCl}_2(\text{PMe}_2\text{Ph})(\text{C}_3\text{H}_4)]$, 121-5

Transition metal-carbon bonds. Part 49. Action of amines on *cis*- $[\text{PtCl}_2(\text{PPr}_3)(\text{C}_3\text{H}_4)]$: crystal structures of chloro(1-methylene-2-tert-butylaminoethyl-C'N)(tri-n-propylphosphine)platinum (4-membered ring) and *trans*-bis- μ -(1-methylene-2-methylaminoethyl-C'N)bis(chloro(tri-n-propylphosphine)platinum) (8-membered ring), 575-80

Reactions of coordinated ligands. Part 25. The synthesis of μ -allenedicarbonylbis(η^5 -indenyl)dirhodium and protonation to form a bridged cationic vinyl complex. Molecular structures of μ -allenedicarbonylbis(η^5 -indenyl)dirhodium and dicarbonylbis(η^5 -indenyl)- μ -(1-methylvinyl)dirhodium(Rh-Rh) tetrafluoroborate 2321-7

ALLYL

Reactions of coordinated ligands. Part 23. Metalla-ring-forming reactions between hexafluoroacetone and η^4 -1,3-diene(η^5 -indenyl)rhodium complexes; the crystal and molecular structures of rhodium η^5 -indenyl methyloxidohexenyl-O and η^4 -diene oxidoethylindene-O complexes, 400-6

ALLYLPYRIDYLTHIOUREA

Structural investigations on bismuth-thiourea derivative adducts: crystal structures of tetra[1-allyl-3-(2-pyridyl)thiourea-S]di- μ -chloro-tetrachlorodibismuth(III) and hexa[1-allyl-3-(2-pyridyl)thiourea-S]bismuth(III) nitrate, 23-6

ALLYLSALICYLIDENEIMINATO

Crystal and molecular structure of bis(N-allylsalicylideneiminato)nickel(II) and -copper(II), 1773-9

ALLYLSALICYLIDENEIMINATOCOPPER

Crystal and molecular structure of bis(N-allylsalicylideneiminato)nickel(II) and -copper(II), 1773-9

ALLYLSALICYLIDENEIMINATONICKEL

Crystal and molecular structure of bis(N-allylsalicylideneiminato)nickel(II) and -copper(II), 1773-9

ALUM

Structural studies on the cesium alums, $\text{CsM(III)}[\text{SO}_4]_2 \cdot 12\text{H}_2\text{O}$, 2105-11

ALUMINUM

Complexes of organoaluminum compounds. Part 12. Preparation, nuclear magnetic resonance spectra, and the crystal and molecular structure of bis(μ -isopropylamidodimethylaluminum), 377-80

Reaction of bicyclo[n.1.0]alkanes (n = 3-6) with the olefin-metathesis catalysts tungsten hexachloride-tetraphenyltin and tungsten hexachloride-ethylaluminum dichloride, 1111-14

Hydrolysis of hexaquaaluminum(III) in organic media, 1233-4

Trimethylsilylation of zeolites. Evidence for the presence of adjacent aluminum atoms, 1260-3

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 2. Gel-permeation chromatography, 1606-8

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 3. Stopped-flow kinetic studies, 1609-14

Aluminum-27 nuclear magnetic resonance studies of heteropolyanions containing aluminum as heteroatom, 1615-16

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 4. Hydrolysis using sodium carbonate, 1617-23

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 5. Slow hydrolysis using aluminum metal, 1624-8

Formation of aluminum-bearing ferrite in aqueous suspension by air oxidation, 2217-19

Molecular structures of dimethylaluminum octahydrotriborate and dimethylgallium octahydrotriborate in the gas phase as determined by electron diffraction, 2465-70

AMIDE

Assignment of vibrational spectra of some dialkylamido derivatives of boron, 306-10

Macro-inorganics. Part 6. Protonation and complex formation of a new series of polymers whose repeating units behave independently, 539-42

AMINATION

Studies in cyclophosphazenes. Part 9. Influence of the steric requirements of the amino substituents on the rates of amination of 2-amino-2,4,4,6,6-pentachlorocyclotriphosphazene, 107-10

Studies in cyclophosphazenes. Part 10. The mechanism for trans-isomer preference in the nongeminal diamination of hexachlorocyclotriphosphazene, 1283-8

Studies in cyclophosphazenes. Part 11. Geminal amination of (alkylamino)pentachlorocyclotriphosphazenes via a conjugate-base mechanism, 1456-8

AMINE

Synthesis, spectroscopic, and structural properties of 2,2-dimethylpropane-1,3-diaminecopper(II) complexes. Temperature-dependent tetragonal distortion in some thermochromic complexes. Crystal and molecular structure of bis(2,2-dimethylpropane-1,3-diamine)diperchloratocopper(II), 8-12

Studies involving nitrogen-oxygen donor macrocyclic ligands. Interaction of copper(II) with new O_2N_3 -donor macrocycles and the x-ray analysis of aqua(1,12,16-triaza-3,4,9,10-dibenzo-5,8-dioxacyclooctadecane)copper(II) diperchlorate hydrate, 74-9

Crystal structure and spectroscopic properties of a polynuclear complex between [bis(2-aminoethyl)amine]copper(II) and hexacyanoferrate(III), 111-17

The molecular structures of difluorophosphino(disilyl)amine and bis(difluorophosphino)silylamine in the gas phase, determined by electron diffraction, 425-30

Macro-inorganics. Part 6. Protonation and complex formation of a new series of polymers whose repeating units behave independently, 539-42

Transition metal-carbon bonds. Part 49. Action of amines on *cis*- $[\text{PtCl}_2(\text{PPr}_3)(\text{C}_3\text{H}_4)]$: crystal structures of chloro(1-methylene-2-tert-butylaminoethyl-C'N)(tri-n-propylphosphine)platinum (4-membered ring) and *trans*-bis- μ -(1-methylene-2-methylaminoethyl-C'N)bis(chloro(tri-n-propylphosphine)platinum) (8-membered ring), 575-80

Square planar coordination of the 12-membered macrocyclic tetraamine ligand 1,4,7,10-tetraazacyclododecane-2,6-dione, 694-700

Reactions of silanes and germanes with iridium complexes. Part 3. Reactions of some silyl derivatives of oxygen, sulfur, selenium, nitrogen, and phosphorus with *trans*-carbonyliodobis(triethylphosphine)iridium(I), 836-9

Structural and mechanistic studies of coordination compounds.

Part 28. Some octahedral ruthenium complexes of 5,5',7,7',12,12',14-hexamethyl-1,4,8,11-tetraazacyclotetradeca-1,3,8,10-tetraene produced by oxidative dehydrogenation reactions, 1019-23

Molecular structure of bis(difluorophosphino)germylamine in the gas phase, determined by electron diffraction, 1047-50

Structural and mechanistic studies of coordination compounds.

Part 29. Synthesis and characterization of some *cis*-macrocyclic secondary amine complexes of ruthenium, 1336-41

High-spin nickel(II) complexes of pentaaza macrocycles: characterization, electronic spectra, and thermodynamic properties, 1438-41

Cation distortion isomerism in three five-coordinate diethylenetriamine(di-2-pyridylamine)copper(II) complexes, 1463-9

Molecular structure of tris(methylsilyl)amine in the gas phase determined by electron diffraction, 1501-3

Nucleophilic attack on olefins coordinated to platinum. Part 3.

Effect of substituents on the olefins on the formation of 2-ammonioethanide compounds ($\text{H}_3\text{NCH}_2\text{CHR}'\text{-Pt}$), of four-membered ring complexes, and of five-coordinate species, 1565-71

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-coordinate barium(II) complex, 1678-84

Synthesis of some pentagonal-bipyramidal complexes of manganese(II), iron(II), cobalt(II), nickel(II), copper(II), and zinc(II) with a heptadentate Schiff-base ligand and the crystal and molecular structures of a copper(II) complex, 1685-90

Structural and mechanistic studies of coordination compounds.

AMINE(contd)

Part 30. Synthesis and characterization of some octahedral haloamine complexes of osmium(III), 1697-700

Small molecule analogs for the specific metal-binding site of lactoferrin. Part 2. Phenolato complexes of copper(II) and the nature of the charge-transfer transition in the visible region, 1701-7

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 32. Reactions of tri- μ -hydroxo complexes with aniline and aliphatic amines, 2339-41

Protonation and complex formation with heavy-metal ions of two tetrafunctional amines and of a new structurally related ion exchange resin, 2559-64

AMINERUTHENIUM

Structural and mechanistic studies of coordination compounds.

Part 31. The chromium(II) reduction of some trans-tetraaminedichlororuthenium(III) cations, 2556-8

AMINO

Studies in cyclophosphazenes. Part 8. The equilibria between isomeric nongeminal aminochlorocyclotriphosphazenes, 103-6

Hydrolysis of α -amino acid esters in mixed-ligand complexes with ethylenediaminepalladium(II), 362-5

Electron spin resonance study of copper(II)-amino-acid complexes: evidence for cis and trans isomers and the structures of copper(II)-histidinate complexes in aqueous solution, 822-7

Preparation and crystal structure analysis of a vinyl ether chelate, dichloro[4-methoxy-2,2,N,N-tetramethylbut-(Z)-3-enylamine]-palladium(II), and its conversion into di- μ -chloro-bis[3-(dimethylamino)-1-formyl-2,2-dimethylpropyl-C,N]dipalladium(II), 986-91

Binary and ternary complexes of copper(II) containing some potentially tridentate ligands, 992-6

Complexation and exchange reactions of some dimethylamino-substituted Group 4 compounds, 1264-7

Kinetics of the formation and dissociation of pentacyanoferrate(II) complexes of cysteine, penicillamine, glutathione, and 2-mercaptoethylamine, 1780-7

Equilibria of some α -amino acids containing sulfur atoms in the chain with metal(II) ions. Part 2. S,S'-methylenebis(L-cysteine) with cobalt(II), nickel(II), and zinc(II) in aqueous solution, 1961-4

Esterification of amino acids chelated to cobalt(III), molybdenocene, and platinum(II). Stability of chelated esters versus dechelation, 2479-83

CH-acidity of amino acid esters coordinated to cobalt(III).

Racemization during the formation of peptides, 2484-8

AMINOBTYL

Preparation and crystal structure analysis of a vinyl ether chelate, dichloro[4-methoxy-2,2,N,N-tetramethylbut-(Z)-3-enylamine]-palladium(II), and its conversion into di- μ -chloro-bis[3-(dimethylamino)-1-formyl-2,2-dimethylpropyl-C,N]dipalladium(II), 986-91

AMINOCARBABORANE

Preparation, characterization, and properties of 1,1'-azo-o-carbaboranes, 1190-5

AMINOCHLOROCYCLOTRIPHOSPHAZENE

Studies in cyclophosphazenes. Part 8. The equilibria between isomeric nongeminal aminochlorocyclotriphosphazenes, 103-6

Studies in cyclophosphazenes. Part 9. Influence of the steric requirements of the amino substituents on the rates of amination of 2-amino-2,4,4,6,6-pentachlorocyclotri(1,5-phosphazenes), 107-10

AMINOCYCLOTRIPHOSPHAZENE

Studies in cyclophosphazenes. Part 9. Influence of the steric requirements of the amino substituents on the rates of amination of 2-amino-2,4,4,6,6-pentachlorocyclotri(1,5-phosphazenes), 107-10

Studies in cyclophosphazenes. Part 11. Geminal amination of (alkylamino)pentachlorocyclotriphosphazenes via a conjugate-base mechanism, 1456-8

AMINOPENTACHLOROCYCLOTRIPHOSPHAZENE

Studies in cyclophosphazenes. Part 11. Geminal amination of (alkylamino)pentachlorocyclotriphosphazenes via a conjugate-base mechanism, 1456-8

AMINOPHENYLBUTENONE

Palladium(II) complexation of ambidentate cis-*s*-cis-enaminones: synthesis of some bis(4-anilinopent-3-en-2-onato) and bis(3-amino-1-phenylbut-2-en-1-onato) complexes of palladium(II) and x-ray crystal structure of bis[4-(2-bromoanilino)pent-3-en-

2-onato]palladium(II), 2212-16

AMINOPROPANAL

Preparation and crystal structure analysis of a vinyl ether chelate, dichloro[4-methoxy-2,2,N,N-tetramethylbut-(Z)-3-enylamine]-palladium(II), and its conversion into di- μ -chloro-bis[3-(dimethylamino)-1-formyl-2,2-dimethylpropyl-C,N]dipalladium(II), 986-91

AMINOSILANE

Complexation and exchange reactions of some dimethylamino-substituted Group 4 compounds, 1264-7

AMINOTHIAZOLE

Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of N-salicylidene-2-aminothiazole, 2063-9

AMINYL

Photolytic homolysis of the metal-carbon (sp^3 or sp^2) bond of alkyl or acyl transition metal complexes. An electron spin resonance study using spin trapping; and a note on aminyl oxides [ML_n(N(O)R)] [ML_n = Ru(CO)₄(SiMe₃), Os(CO)₄(SiMe₃) or Fe(η -C₃H₅)(CO)₃; R = aryl], 2159-63

AMMINE

Flash-photolysis studies of the electron-transfer reactions of dioxygen complexes of cobalt(III) with tris(2,2'-bipyridyl)ruthenium(III), 478-80

Electronic, infrared, and resonance-Raman spectra of mixed-valence iodide-bridged linear-chain complexes of platinum, 524-8

The aquation of trans-bis(ethylenediamine)difluorochromium(III) and related ions in aqueous solutions of strong acids, 981-5

The magnetic, spectral, and structural properties of trans-tetraamminedinitronickel(II), 997-1003

Water-ammonia exchange at amminerrhodium(III) complexes in aqueous ammoniacal solution, 1289-93

Electronic, infrared, and resonance-Raman spectroscopic study of pyridine complexes of ruthenium(II) and -(III), 1760-7

AMMONIA

Water-ammonia exchange at amminerrhodium(III) complexes in aqueous ammoniacal solution, 1289-93

Hydrazido(2-) complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80

Diagrams of existence of chloroamines and bromoamines in aqueous solution, 2300-10

AMMONIUM

Crystal structures of dextrorotatory and racemic sodium ammonium tartrate, 1268-73

AMORPHOUS

Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Comments, 328-9

ANALINE

Lanthanide ethylenediaminetetraacetate chelates as aqueous shift reagents: evidence for effective axial symmetry in bidentate cytidine 5'-monophosphate and alanine complexes, 2078-82

ANGULAR

Is the angular overlap model chemically significant?, 1714-17

ANILINE

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 32. Reactions of tri- μ -hydroxo complexes with aniline and aliphatic amines, 2339-41

Kinetics of nucleophilic attack on coordinated organic moieties. Part 19. Addition of anilines to tricarbonyl(1-5- η -dienyl)iron cations, 2489-95

ANILINOPENTENONE

Palladium(II) complexation of ambidentate cis-*s*-cis-enaminones: synthesis of some bis(4-anilinopent-3-en-2-onato) and bis(3-amino-1-phenylbut-2-en-1-onato) complexes of palladium(II) and x-ray crystal structure of bis[4-(2-bromoanilino)pent-3-en-2-onato]palladium(II), 2212-16

ANION

Thermochemistry of hexafluoroanions of M(IV) (M = Si, Ti, Mn, or Re) and lattice energy calculations for their salts, 726-33

ANTIFERROMAGNETISM

Crystal structure and magnetic properties of bis(di- μ -ethoxobis[4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato]dicopper(II)), 251-4

ANTIMONATE

Low-frequency vibrational spectra of some 4-benzylpiperidinium and N-benzylpiperazinium pentahalooantimonates(III) and pentahalobismuthates(III). Partial crystal structure determination

- ANTIMONATE**(contd)
of 4-benzyl-piperidinium pentachloroantimonate(III), 909-13
- ANTIMONY**
Transition metal tetrafluoride oxide-antimony pentafluoride adducts; preparation and characterization of the adducts $\text{MF}_4\text{O.SbF}_5$ (M = Mo, W, or Re) and crystal structures of $\text{MoF}_4\text{O.SbF}_5$ and $\text{ReF}_4\text{O.SbF}_5$, 1212-18
Structural studies of Group 5A-halide-dithio-ligand complexes. Part 2. Crystal structures of 1:1 adducts of bis(N,N-diethyldithiocarbamato)iidoantimony(III) with chloroform and molecular iodine, 1360-5
Antimony-121 Moessbauer study of the effects of calcination on the structure of tin-antimony oxides, 1442-4
Crystal structure of biphenyl-2,2'-diyltriphenylantimony, 2011-13
Stereochemical role of lone pairs in main-group elements. Part 2. Structure and bonding in trichloro(tetramethylthiourea)antimony(III) studied by means of x-ray crystallography and antimony-121 Moessbauer spectroscopy, 2083-7
Tin-119 Moessbauer spectroscopic study of a single crystal of $\alpha\text{-SnF}_2$ and partially oriented $\alpha\text{-PbSnF}_4$, 2296-9
A neutron diffraction investigation of the defect rutile structure of tin-antimony oxide, 2447-51
- APATITE**
Influence of fluorine substitution on the proton conductivity of hydroxyapatite, 949-55
- AQ**
Heterogeneous equilibrium of calcium silicate hydrate in water at 30°C, 645-51
Diagrams of existence of chloroamines and bromoamines in aqueous solution, 2300-10
- AQUA**
The aquation of trans-bis(ethylenediamine)difluorochromium(III) and related ions in aqueous solutions of strong acids, 981-5
The mechanism and kinetics of the substitution of azide, thiocyanate, and cyanide ions in aquapentacyanocobaltate(III) and pentacyanohydroxocobaltate(III), 1578-82
Solvent isotope effects in the acidolysis and other electrophilic substitution reactions of pentaquaorganochromium(III) ions in aqueous solution, 2452-61
- AQUACOPPER**
Mechanism of water substitution in the trigonal-bipyramidal complex $[\text{Cu}(\text{tren})(\text{OH}_2)]^{2+}$ (tren = 2,2',2''-triiminotriethylamine); evidence for an associative mechanism, 2370-2
- AQUACYANOCOBALTATE**
The mechanism and kinetics of the substitution of azide, thiocyanate, and cyanide ions in aquapentacyanocobaltate(III) and pentacyanohydroxocobaltate(III), 1578-82
- AQUAMETHYLCHROMIUM**
Dialkyl sulfoxides as starting materials for the preparation of alkyl-transition metal complexes. Formation of pentaquamethylchromium(III) and pentacyanomethylcobaltate(III) salts, and the reduction of methyl radicals by vanadium(II), 2462-4
- AQUAORGANOCHROMIUM**
Solvent isotope effects in the acidolysis and other electrophilic substitution reactions of pentaquaorganochromium(III) ions in aqueous solution, 2452-61
- AQUAPENTACYANOCOBALTATE**
The mechanism and kinetics of the substitution of azide, thiocyanate, and cyanide ions in aquapentacyanocobaltate(III) and pentacyanohydroxocobaltate(III), 1578-82
- AQUATION**
The aquation of trans-bis(ethylenediamine)difluorochromium(III) and related ions in aqueous solutions of strong acids, 981-5
- ARENE**
A carbon-13 nuclear magnetic resonance study of (arene)(cyclopentadienyl)iron salts, 529-34
- ARENENIOBIUM**
Synthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43
- ARENETANTALUM**
Synthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43
- ARENETRIMETHYLPHOSPHINEHAFNIUM**
Synthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43
- ARENETRIMETHYLPHOSPHINEZIRCONIUM**
Synthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43
- ARENETUNGSTEN**
Synthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43
- ARGENTATE**
Spectrochemistry of solutions. Part 12. Cyano complexes of silver(I) in solution in liquid ammonia, 968-75
- AROM**
Cyclopalladation of 1-tetralone (3,4-dihydronaphthalen-1-one) oximes, 205-11
- ARSINE**
Chemistry of the metal carbonyls. Part 77. Some reactions of the platinumtriosmium complexes $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{PR}_3)]$ with donor molecules; x-ray crystal structures of $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{PPh}_3)_2]$ and $[\text{Os}_3\text{Pt}(\text{CO})_5(\text{PPh}_3)_2(\mu_3\text{-MeC}_2\text{Me})]$, 162-70
Complexes of rhodium(I) with carbon monoxide, bis(diphenylphosphino)methane, or bis(diphenylarsino)methane, and various anionic ligands, 228-33
Crystal structure of tetrachlorobis(o-phenylenebis(dimethylarsine))-niobium(IV), 652-4
Preparation of three- and four-coordinate gold(I) complexes; crystal structure of bis(o-phenylenebis(dimethylarsine))gold(I) bis(pentafluorophenyl)aurate(I), 655-7
Chemistry of the Group 1B metals. Part 16. Crystal and molecular structures of [ortho-phenylenebis(dimethylarsine)][tetraakis(1-pyrazolyl)-borato- $\text{N}_2\text{N}_2'$]copper(I) and bis[ortho-phenylenebis(dimethylarsine)]copper(I) hexafluorophosphate(V), 962-7
Preparation and spectra of a series of tautomeric compounds, $[\text{NiCo}(\eta\text{-dienyl})(\text{CO})_4\text{L}]$ (dienyl = C_5H_5 or $\text{C}_5\text{H}_4\text{Me}$; L = tertiary phosphine or arsine), 1057-60
Preparation of tertiary arsine sulfides. Crystal and molecular structures of the adduct of methylidiphenylarsine sulfide and tris(dimethylamino)phosphine oxide, 1459-62
Coordination chemistry of higher oxidation states. Part 2. Neutral and cationic complexes of platinum(IV) with bi- and multidentate ligands, 2153-8
Kinetics and equilibria of reversible chelate ring-opening nucleophilic substitution reactions of [(o-dimethylaminophenyl)-dimethylarsine]rhodium(III) complexes, 2429-33
- ARSINERHODIUM**
Kinetics and equilibria of reversible chelate ring-opening nucleophilic substitution reactions of [(o-dimethylaminophenyl)-dimethylarsine]rhodium(III) complexes, 2429-33
- ARSONIUM**
Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoosmate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoosmate(VI), 1812-19
Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoruthenate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoruthenate(VI), 1820-4
- ARYL**
Bis(arylazooximate)palladium(II); synthesis, palladium-nitrogen bond lability, and redox activity, 623-7
Synthesis of platinum(II) alkyl and aryl complexes from dipotassium tetrachloroplatinate and tetraorganotin compounds in dimethyl sulfoxide, 933-8
Preparation and properties of alkyl- and aryl-substituted closo-closo- and closo-nido-hydrazocarbaboranes, 1196-203
Oxidative-addition and reductive-elimination reactions involving platinum complexes and tetraorganotin compounds, 1223-32
Effect of organic groups on the carbonyl insertion reaction of platinum(II), 2317-20
- ARYLAZO**
Studies of chelation. Part 9. Cobalt complexes of 1-[(substituted phenyl)azo]-2-naphthol and 1-[(substituted phenylimino)methyl]-2-naphthol ligands. Tautomerism and reactivity, 559-66
Bis(arylazooximate)palladium(II); synthesis, palladium-nitrogen bond lability, and redox activity, 623-7
- ARYLAZONAPHTHOL**
Studies of chelation. Part 9. Cobalt complexes of 1-[(substituted phenyl)azo]-2-naphthol and 1-[(substituted phenylimino)methyl]-2-naphthol ligands. Tautomerism and reactivity, 559-66

ARYLAZOOXIMATE

Bis(arylazooximate)palladium(II); synthesis, palladium-nitrogen bond lability, and redox activity, 623-7

ARYLIMINOMETHYL

Studies of chelation. Part 9. Cobalt complexes of 1-[(substituted phenyl)azo]-2-naphthol and 1-[(substituted phenylimino)methyl]-2-naphthol ligands. Tautomerism and reactivity, 559-66

ARYLIMINOMETHYLNAPHTHOL

Studies of chelation. Part 9. Cobalt complexes of 1-[(substituted phenyl)azo]-2-naphthol and 1-[(substituted phenylimino)methyl]-2-naphthol ligands. Tautomerism and reactivity, 559-66

ARYLPHENOL

Regioselective formation of peroxyquinolatocobalt(III) complexes in the oxygenation of 2,6-di-tert-butylphenols with cobalt(II) Schiff base complexes, 1504-14

ASCORBATE

Kinetics and mechanisms of reduction of a nickel(IV) complex by ascorbate ion, 721-5

AURATE

Kinetics and mechanism of the reaction between tetrachloro- and tetrabromoaurate(III) and thiocyanate, 1093-100

AXIAL

Lanthanide ethylenediaminetetraacetate chelates as aqueous shift reagents: evidence for effective axial symmetry in bidentate cytidine 5'-monophosphate and alanine complexes, 2078-82

AZACYCLODODECANEDIONE

Square planar coordination of the 12-membered macrocyclic tetraamine ligand 1,4,7,10-tetraazacyclododecane-2,6-dione, 694-700

AZIDE

The mechanism and kinetics of the substitution of azide, thiocyanate, and cyanide ions in aquapentacyanocobaltate(III) and pentacyanohydroxocobaltate(III), 1578-82

Bicopper(I) and bicopper(II) complexes of a 30-membered macrocyclic ligand: the inclusion of substrate molecules and the crystal and molecular structures of a μ -hydroxo- and a μ -imidazolato-complex, 1868-78

Reactions of alkali metal azides with some organophosphorus(V) compounds, 2292-5

AZIRIDINE

Highly selective membrane transport of copper(II) ion by synthetic linear oligomer carriers, 1486-91

AZO

Preparation, characterization, and properties of 1,1'-azo-o-carboranes, 1190-5

AZOCARBORANE

Preparation, characterization, and properties of 1,1'-azo-o-carboranes, 1190-5

AZONAPHTHOL

Studies of chelation. Part 9. Cobalt complexes of 1-[(substituted phenyl)azo]-2-naphthol and 1-[(substituted phenylimino)methyl]-2-naphthol ligands. Tautomerism and reactivity, 559-66

AZOOXIMATE

Bis(arylazooximate)palladium(II); synthesis, palladium-nitrogen bond lability, and redox activity, 623-7

BARIUM

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 1. Reactions of 2,6-diacetylpyridine and dicarbonyl compounds with 3,6-dioxaoctane-1,8-diamine, 1669-77

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-coordinate barium(II) complex, 1678-84

BARRIER

Chemistry of the metal carbonyls. Part 76. Platinum-osmium carbonyl complexes derived from decacarbonyldi- μ -hydridotrisosmium; x-ray crystal structure of $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{P}(\text{C}_6\text{H}_{11})_3)_2]$, 155-61

Metalocene derivatives of early transition elements. Part 3. Synthesis, characterization, conformation, and rotational barriers [for the Zr-C(sp³) bond] of $[\text{Zr}(\eta\text{-C}_5\text{H}_4\text{R})_2(\text{CH}(\text{SiMe}_3)_2\text{Cl})]$ and the crystal and molecular structures of the tert-butyl and trimethylsilyl complexes ($\text{R} = \text{CMe}_3$ or SiMe_3), 814-21

Preparation and properties of alkyl- and aryl-substituted closo-closo- and closo-nido-hydrazocarboranes, 1196-203

Dynamic nuclear magnetic resonance and x-ray diffraction studies of tris(diphenylthiophosphoryl)methane and some related compounds, 1645-50

BASE

Electron spin resonance spectra of dibromo and dichloro complexes of vanadium(IV), 1-7

New adducts of phthalocyaninacocobalt(II) with base molecules.

Part 3. Chemical and spectroscopic relations between mono (low- and high-spin) and bis adducts, 535-8

Dioxomolybdenum(VI) complexes of quadridentate chiral Schiff bases and the crystal and molecular structure of dioxo(2R)propene-1,2-diylbis(salicylideneiminato)jmolymolybdenum(VI), 902-8

Three-, four-, and five-coordination modes of a potentially quinquedentate 'nitrogen-sulfur' macrocyclic ligand: the crystal and molecular structures of two copper(II) complexes, 942-8

Equilibrium and kinetic parameters of the oxygenation reaction of oxygen carriers. Conformational effects in cobalt(II) Schiff-base chelates derived from salicylaldehyde and substituted ethylenediamines, 1115-19

The stereochemistry of oxovanadium(IV) complexes derived from salicylaldehyde and polymethylenediamines, 1241-5

Regioselective formation of peroxyquinolatocobalt(III) complexes in the oxygenation of 2,6-di-tert-butylphenols with cobalt(II) Schiff base complexes, 1504-14

Synthesis of some pentagonal-bipyramidal complexes of manganese(II), iron(II), cobalt(II), nickel(II), copper(II), and zinc(II) with a heptadentate Schiff-base ligand and the crystal and molecular structures of a copper(II) complex, 1685-90

Intramolecular ligand rearrangement in the isomerization of a seven-coordinate to a six-coordinate nickel(II) complex of a multidentate Schiff base. The crystal and molecular structures of the six-coordinate product, 1691-6

Optically active complexes of Schiff bases. Part 6. Palladium(II) and platinum(II) complexes with quadridentate Schiff bases of salicylaldehyde, 2147-52

A study of substituent and base effects on the electron spin resonance spectra of the molecular oxygen adducts of cobalt(II) porphyrin chelates, 2365-9

A pseudo-base of pyridine. A refutation, 2599

A pseudo-base of pyridine. Reply to comments, 2599-600

BASICITY

A proton nuclear magnetic resonance investigation of the protonation of bis(ethylenediamine)glycinatocobalt(III) in strongly acidic media, 317-18

BENZENEDIOL

Mechanism of complex formation between benzene-1,2-diol and aquapalladium(II). Equilibria and kinetics in acidic aqueous perchlorate media, 137-41

BENZENETHIOLATE

Synthesis and low-frequency vibrational spectra of some bis(alkanethiolato)- and bis(benzenethiolato)aurate(I) complexes 267-70

BENZOATO

Enthalpies of formation of $[\text{M}(\eta\text{-C}_5\text{H}_5)_2(\text{OOCR})_2]$ complexes; $\text{M} = \text{Mo, W, or Ti}$ and $\text{R} = \text{C}_6\text{H}_5$ or CF_3 , 1174-7

BENZOCROWN

Complexation and solvent extraction of lithium salts with 2,3,6,7,9,10-hexahydro-5H-1,4,8,11-benzotetraoxacyclotridecin (benzo-13-crown-4), 501-5

BENZOIC

Model compounds for microbial iron-transport compounds. Part 1. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22

BENZOQUINONE

Reactions of bis(cycloocta-1,5-diene)platinum with quinones; crystal structure of (1-2,5-6- η -cycloocta-1,5-diene)(2-3,5-6- η -2,6-di-tert-butylbenzo-1,4-quinone)platinum, 276-83

BENZOTHAZOLE

Ring opening in a nonbasic medium of 2-methyl-6-nitrobenzothiazole and hydrogen-deuterium exchange at the 2-methyl promoted by silver(I), 1520-3

BENZOTRIAZOLE

Spin-spin interactions in polynuclear nickel(II) complexes: a susceptibility and low-temperature magnetization study of the linear trimer hexakis(allylamine)hexakis- μ -benzotriazolylnickel(II)-triphenylphosphine oxide (1/2), 1069-73

BENZOYL

Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17

BENZOYLATION

Reactions of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_4\text{-n}(\text{CNR})_n]$ ($n = 1$ or 2 ; $\text{R} = \text{Me}$,

BENZOYLATION(contd)Et, or CH₂Ph) with acetyl and benzoyl chlorides, 322-4**BENZYL**

Metallocene derivatives of early transition elements. Part 1.

Niobium(IV) chlorides, chloroalkyls, and dialkyls [Nb(η -C₅H₄X)₂RR']₂, and the crystal and molecular structure of [Nb(η -C₅H₄)₂(CH₂Ph)₂]₂, 180-6Reactions of [Fe₂(η -C₅H₅)₂(CO)₄n(CNR)₂] (n = 1 or 2; R = Me, Et, or CH₂Ph) with acetyl and benzoyl chlorides, 322-4

Syntheses and characterization of the cyclopalladated complexes of benzyl butyl sulfides, 2405-8

BENZYLAMINEPentamethylcyclopentadienylrhodium and -iridium complexes. Part 32. Reactions of tri- μ -hydroxo complexes with aniline and aliphatic amines, 2339-41**BENZYL OXYCARBONYL**

Coordination properties of N-protected amino acids. Solution and solid-state behavior of bis(benzyl oxycarbonyl-L-tryptophanato)-nickel(II) and its mixed complexes, 1665-8

BENZYL OXYCARBONYL TRYPTOPHAN

Coordination properties of N-protected amino acids. Solution and solid-state behavior of bis(benzyl oxycarbonyl-L-tryptophanato)-nickel(II) and its mixed complexes, 1665-8

BENZYLPIPERAZINIUM

Spectroscopic and structural investigation of two N-benzylpiperazinium tetrachlorocuprates(II), one hemihydrate and one anhydrous: two compounds containing unequally flattened tetrachlorocuprate(2-) tetrahedrons, 1753-9

BENZYLPIPERIDINIUM

Low-frequency vibrational spectra of some 4-benzylpiperidinium and N-benzylpiperazinium pentahalooantimonates(III) and pentahalobismuthates(III). Partial crystal structure determination of 4-benzyl-piperidinium pentachloroantimonate(III), 909-13

BENZENESolution behavior of some benzyne complexes of osmium and the x-ray crystal structure of μ_3 -benzyne-1,1,1,2,2,2,3,3,3-nonacarbonyl- μ -dimethylarsino- μ -hydrido-triosmium(2Os-Os) 1879-85**BENZYNE NONACARBONYL DIMETHYLARSINOHYDRI DO OSMIUM**Solution behavior of some benzyne complexes of osmium and the x-ray crystal structure of μ_3 -benzyne-1,1,1,2,2,2,3,3,3-nonacarbonyl- μ -dimethylarsino- μ -hydrido-triosmium(2Os-Os) 1879-85**BICYCLOALKANE**

Reaction of bicyclo[n.1.0]alkanes (n = 3-6) with the olefin-metathesis catalysts tungsten hexachloride-tetraphenyltin and tungsten hexachloride-ethylaluminum dichloride, 1111-14

BICYCLOHEPTENEDICARBOXYLIC

Nuclear magnetic shift and relaxation effects resulting from complexation of lanthanide ions with endo-cis-bicyclo[2.2.1]hept-5-ene-2,3-dicarboxylic acid, 678-82

BICYCLOOCTADIENYLReduction-oxidation properties of organotransition metal complexes. 12. Formation of carbon-carbon bonds via oxidative dimerization of [Fe(CO)₃(η^4 -C₈H₈)] and reduction of [Fe₂(CO)₉(η^5 -C₁₀H₁₀)₂]²⁺. Structures of [Fe₂(CO)₉(P(OPh)₃)₂(η^5 -C₁₀H₁₀)]⁺[PF₆]⁻ and [Fe(CO)₃(η^4 -C₁₆H₁₆)]₂, 1317-26**BICYCLOOCTADIENYL TRICARBONYL IRON**

Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17

BIDENTATE

Reaction of bidentate isonitrile ligands with iron carbonyls, 297-301

BIIMIDAZOLINE⁵T₂ = ¹A₁ and ⁶A₁ = ²T₂ spin transitions in iron(II) and iron(III) complexes of 2,2'-bi-2-imidazole and related ligands, 1492-7**BINDING**

Small molecule analogs for the specific metal-binding site of lactoferrin. Part 2. Phenolato complexes of copper(II) and the nature of the charge-transfer transition in the visible region, 1701-7

BINUCLEARNuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 4. Ring reversal, pyramidal inversion, and novel fluxional rearrangements in [PtXMe₃]₂(MeSCH₂SeMe) complexes, 2439-46**BIOXAZOLINE**⁵T₂ = ¹A₁ and ⁶A₁ = ²T₂ spin transitions in iron(II) and iron(III) complexes of 2,2'-bi-2-imidazole and related ligands, 1492-7**BIPHENYLDIYLTRIPHENYL**

Crystal structure of biphenyl-2,2'-diyltriphenylantimony, 2011-13

BIPHENYLDIYLTRIPHENYLANTIMONY

Crystal structure of biphenyl-2,2'-diyltriphenylantimony, 2011-13

BIPYRIDINE

Spectrophotometric investigation of equilibria between silver(II) and 2,2'-bipyridine, 431-4

Cyclopropenyl and oxocyclobutenyl complexes of molybdenum.

Crystal and molecular structures of (2,2'-bipyridine)bromodicarbonyl(1-3- η -1,2,3-triphenylcyclopropenyl)molybdenum(II) and (2,2'-bipyridine)bromodicarbonyl(2-4- η -1-oxo-2,3,4-triphenylcyclobutenyl)molybdenum(II), 1310-16

Kinetics of the oxidation of hydrogen peroxide by bis(2,2'-bipyridine)silver(II) ions, 1863-7

BIPYRIDINESILVER

Spectrophotometric investigation of equilibria between silver(II) and 2,2'-bipyridine, 431-4

Kinetics of the oxidation of hydrogen peroxide by bis(2,2'-bipyridine)silver(II) ions, 1863-7

BIPYRIDYL

Crystal structure and electronic properties of bis(2,2'-bipyridyl)formatecopper(II) tetrafluoroborate-water (2/1), 567-74

Structural studies of Group 5A-halide-dithio-ligand complexes.

Part 7. Crystal structures of the 1:1 adducts of (N,N-diethyldithiocarbamate)diiodobismuth(III) with 2,2'-bipyridyl and 2,2':6',2''-terpyridyl, 1383-8

Reactivity of coordination compounds in the solid state. Part 1.

Mixed-ligand complexes of oxalate and 2,2'-bipyridyl with copper(II): their preparation, interconversion, and novel solid-state reactivity, 1540-3

A structural profile of the bis(2,2'-bipyridyl)monochlorocopper(II) cation. Crystal structures of bis(2,2'-bipyridyl)monochlorocopper(II) perchlorate and the nitrate trihydrate, 1556-64

BIPYRIDYL COPPER

Activation of dioxygen and catalytic oxidation of ethanol to acetaldehyde and hydrogen peroxide by copper(I) complexes containing 2,2'-bipyridyl and tertiary phosphine ligands, 2585-6

BIPYRIDYLTHIOCYANATOCOPPER

Crystal structure and electronic properties of bis(2,2'-bipyridyl)thiocyanatocopper(II) tetrafluoroborate, 2029-33

BISARENESynthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43**BISARENETUNGSTEN**Synthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43**BISBIPYRIDYL**

Crystal structure and electronic properties of bis(2,2'-bipyridyl)thiocyanatocopper(II) tetrafluoroborate, 2029-33

BISDIPHENYLPHOSPHINOALKANE

Syntheses of cationic tri- and dicarbonyl complexes of manganese(I) with diphosphines from the appropriate neutral bromocarbonyls, 2049-53

BISETHYLENEDIAMINE

Studies of mixed-metal hydroxy-bridged complexes. Part 1. Complexes with bis(ethylenediamine)dihydroxocobalt(III) as ligand, 1924-7

BISETHYLENEDIAMINEDIHYDROXYCOBALT

Studies of mixed-metal hydroxy-bridged complexes. Part 1. Complexes with bis(ethylenediamine)dihydroxocobalt(III) as ligand, 1924-7

BISHALODIMETHYLTHIABUTYLPYRIDINECopper coordination to thioether ligands. Spectroscopic studies of dimeric copper(II) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the crystal structure of di- μ -bromobis(bromo[2-(3,3-dimethyl-2-thiabutyl)pyridine-N,S]copper(II)), 2054-8**BISHYDRAZONE**

Reactivity of uranyl ion with quinquedentate chelating hydrazine derivatives. Part 3. 2,6-Diacetylpyridine (2'-pyridylhydrazone) (4''-toluoylhydrazone), 357-61

BISMUTHStructural investigations on bismuth-thiourea derivative adducts: crystal structures of tetra[1-allyl-3-(2-pyridyl)thiourea-S]di- μ -chloro-tetrachlorodibismuth(III) and hexa[1-allyl-3-(2-

BISMUTH(contd)

- pyridyl)thiourea-S]bismuth(III) nitrate, 23-6
- Structural studies of Group 5A-halide-dithio-ligand systems. Part 1. Crystal structures of bis(N,N-diethyldithiocarbamato)iodo- and -bromobismuth(III), 1352-9
- Structural studies of Group 5A-halide-dithio-ligand complexes. Part 3. Crystal structure of polymeric (N,N-diethyldithiocarbamato)diiodobismuth(III), 1366-8
- Structural studies of Group 5A-halide-dithio-ligand complexes. Part 4. Crystal structures of bis(tetraethylammonium) di- μ -iodobis[(N,N-diethyldithiocarbamato)diiodobismuthate(III)] and a partially brominated analog, 1369-71
- Structural studies of Group 5A-halide-dithio-ligand complexes. Part 5. Crystal structures of pentanuclear $[\text{Bi}_5(\text{S}_2\text{CNEt}_2)_8\text{X}]$, X = Cl, Br, or I, and the pyridinium salt of the tetranuclear $[\text{Bi}_4(\text{S}_2\text{CNEt}_2)_4\text{Br}]^{2-}$ anion, 1372-8
- Structural studies of Group 5A-halide-dithio-ligand complexes. Part 6. Crystal structures of dichloro(N,N-diethyldithiocarbamato)tris(pyridine)bismuth(III)-pyridine (1/1) and its diiodo analog 1379-82
- Structural studies of Group 5A-halide-dithio-ligand complexes. Part 7. Crystal structures of the 1:1 adducts of (N,N-diethyldithiocarbamato)diiodobismuth(III) with 2,2'-bipyridyl and 2,2':6',2''-terpyridyl, 1383-8
- Structural studies of Group 5A-halide-dithio-ligand complexes. Part 8. Crystal structure of N',N'-diethyldithiocarbamoylpyridinium pentachloropyridinebismuthate(III), 1389-91

BISMUTHATE

- Low-frequency vibrational spectra of some 4-benzylpiperidinium and N-benzylpiperazinium pentahalobismuthates(III) and pentahalobismuthates(III). Partial crystal structure determination of 4-benzyl-piperidinium pentachloroantimonate(III), 909-13
- Structural studies of Group 5A-halide-dithio-ligand complexes. Part 8. Crystal structure of N',N'-diethyldithiocarbamoylpyridinium pentachloropyridinebismuthate(III), 1389-91

BISPLATINUM

- Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 3. Novel fluxional rearrangements in bis(trimethylhaloplatinum) 1,3-dithian, 1,3,5-trithian, and β -2,4,6-trimethyl-1,3,5-trithian complexes, 1846-55

BITETRAHYDROPYRIMIDINE

- $^5\text{T}_2 = ^1\text{A}_1$ and $^6\text{A}_1 = ^2\text{T}_2$ spin transitions in iron(II) and iron(III) complexes of 2,2'-bi-2-imidazoline and related ligands, 1492-7

BLACKENING

- The light-induced blackening of red mercury(II) sulfide, 833-5

BOND

- Transition metal carbonyl derivatives of the germanes. Part 13. Preparation, spectroscopic properties, and the crystal and molecular structure of bis(μ -carbonyl)bis(tricarbonylcobalto)(C-o-Co)germanium(4Co-Ge), $[\text{Ge}(\text{Co}_2(\text{CO})_7)_2]$; a new type of Group 4-tetracobalt species, 80-4
- Standard enthalpies of formation of bis(pentane-2,4-dionato)copper(II) and tetrakis[bis(pentane-2,4-dionato)cobalt(II)] and an estimation of the metal-oxygen bond energies, 99-102
- Chemistry of the metal carbonyls. Part 76. Platinum-osmium carbonyl complexes derived from decacarbonyl di- μ -hydridotriosmium; x-ray crystal structure of $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{P}(\text{cyclo-C}_6\text{H}_{11})_3)]$, 155-61
- Chemistry of the metal carbonyls. Part 77. Some reactions of the platinumtriosmium complexes $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{PR}_3)]$ with donor molecules; x-ray crystal structures of $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{PPh}_3)_2]$ and $[\text{OsPt}_2(\text{CO})_5(\text{PPh}_3)_2(\mu_3\text{-MeC}_2\text{Me})]$, 162-70
- Chemistry of the metal carbonyls. Part 78. Synthesis and x-ray crystal structures of $[\text{NiOs}_3(\mu\text{-H})_2(\mu\text{-CO})_2(\text{CO})_6(\text{PPh}_3)_2]$ and $[\text{Os}_3\text{Rh}(\mu\text{-H})_2(\text{acac})(\text{CO})_{10}]$ (acac = acetylacetonate), 171-9
- Chemistry of low-valent metal isocyanide complexes. Part 3. The synthesis, structure, and dynamic behavior of nonakis(ethyl and isopropyl isocyanide)diiron and -ruthenium complexes. Crystal structure of $[\text{Fe}_2(\mu\text{-CNEt})_3(\text{CNEt})_6]$, 219-27
- Complexes of rhodium(I) with carbon monoxide, bis(diphenylphosphino)methane, or bis(diphenylarsino)methane, and various anionic ligands, 228-33
- Reactions of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_4(\text{CNR})_n]$ (n = 1 or 2; R = Me, Et, or CH_2Ph) with acetyl and benzoyl chlorides, 322-4
- The crystal structure of di- μ -ethanethiolato- μ -sulfidobis[dichloro-tetrahydrothiophen]tungsten(IV)(W-W); a confacial bioctahedral complex with a tungsten-to-tungsten bond, 506-10

Crystallographic studies of the boron-nitrogen bond in aminoboranes. Part 5. The crystal and molecular structure of 1,5,9-triaza-13-boratricycloclodecane, 511-14

- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 6. Synthesis of platinum-chromium and -tungsten compounds. X-ray crystal structure of degtetracarbonyl-c- μ -(methoxo-p-tolylmethylidene)-abhtis(trimethylphosphine)platinumtungsten(Pt-W), 743-50
- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 7. Interconversion of carbene and carbyne ligands at a dimetal center. X-ray crystal structures of $[\text{CrPt}(\mu\text{-C}(\text{CO}_2\text{Me})\text{Ph})(\text{CO})_4(\text{PMe}_3)_3]$ and $[\text{MnPt}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)][\text{BF}_4]$, CH_2Cl_2 , 751-62
- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 8. Synthesis of the trimetal compounds $[\text{M}(\text{W}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\eta\text{-C}_5\text{H}_5))_2]$ (M = Ni, Pd, or Pt) and crystal structures of the platinum and nickel complexes, 763-70
- Dirhenium complexes containing two, three, and four linked acetylene molecules derived from the reaction of $[\text{Re}_2(\text{CO})_{10}]$ with RC_2R (R = Ph or Me); the x-ray crystal structure of $[\text{Re}_2(\text{CO})_4(\text{PhCCPh})_2](\text{CNCH}_2\text{SO}_2\text{C}_6\text{H}_4\text{Me-p})_2$, CH_2Cl_2 , 771-6
- The potassium fluoride-boric acid system. Hydrogen bonding in $\text{KF}\cdot\text{H}_3\text{BO}_3$, 783-7
- Diene-metal π bonding. Some unexpected effects of group 5 donor ligands on carbon-13 nuclear magnetic resonance parameters and x-ray crystal structures, 884-91
- Preparation and spectra of a series of tautomeric compounds, $[\text{NiCo}(\eta\text{-dienyl})(\text{CO})_4\text{L}]$ (dienyl = C_5H_5 or $\text{C}_5\text{H}_4\text{Me}$; L = tertiary phosphine or arsine), 1057-60
- Characterization of metal-to-ligand charge-transfer and intraligand transitions of fac- $[\text{Re}(\text{CO})_3\text{L}(\text{X})]$ complexes [L = diimine; X = halide or $\text{Mn}(\text{CO})_5$] and explanation of the photochemistry of $[\text{Re}(\text{CO})_3\text{L}(\text{Mn}(\text{CO})_5)]$ using the resonance Raman effect, 1124-33
- Strong hydrogen bonding in aliphatic diol solutions of alkali metal fluorides, 1152-6
- Enthalpies of formation of $[\text{M}(\eta\text{-C}_5\text{H}_5)_2(\text{OOCR})_2]$ complexes; M = Mo, W, or Ti and R = C_6H_5 or CF_3 , 1174-7
- Enthalpies of formation of $[\text{Mo}(\eta\text{-C}_5\text{H}_5)_2(\text{SR})_2]$ complexes; R = Pr, CHMe_2 , Bu, or CMe_3 , 1178-9
- Strong hydrogen bonding in the polyfluorides: ab initio calculations and a new method of preparing potassium hydrogen difluoride, 1219-22
- Oxidative-addition and reductive-elimination reactions involving platinum complexes and tetraorganotin compounds, 1223-32
- Chemistry of the metal carbonyls. Part 80. Diosmiumdiplatinum carbonyl complexes derived from tetracarbonyldihydridoosmium. X-ray crystal structure of 1,2,2,3,4,4,4-octacarbonyl-1,2,3,4-di- μ -hydrido-1,3-bis(triphenylphosphine)-tetrahydrodiplatinumdiosmium ($4\text{Pt-Os}(\text{Os-Os})$), 1274-7
- Preparation, properties, and crystal and molecular structures of the cyanomethane adducts of niobium(IV) chloride and di- μ -sulfidobis[dichloroniobium(IV)], 1304-9
- Macrocyclic copper(II) chelate derivatives of 2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioic and 2,2,9,9-tetramethyl-4,7-dithiadecanedioic acids. Crystal structures of aqua, pyridine, and triphenylphosphine adducts of [2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioato]copper(II), 1406-14
- Electron spin resonance behavior of the tricarbonyltris(μ -tetracarbonylferrio)-triangulo-triplatinate(1-) carbonyl cluster anion, 1735-7
- Synthesis and structure of bis(diethyldithiocarbamato)nitridotechnetium(V): a technetium-nitrogen triple bond, 1798-801
- Interpretation of bond length data for transition metal-acetylene complexes, in particular the complex $[\text{C}_5\text{H}_5\text{Ni}][\text{TaCl}_4(\text{PhC}_3\text{CPh})(\text{NC}_5\text{H}_5)]$, 2373-5

BONDING

- Stereochemical role of lone pairs in main-group elements. Part 2. Structure and bonding in trichloro(tetramethylthiourea)antimony(III) studied by means of x-ray crystallography and antimony-121 Moessbauer spectroscopy, 2083-7

BORANE

- Bonding in clusters. Part 3. Protonation of nido-pentaborane(9), nido-hexaborane(10), and closo-hexaborate(6(2-)), 2515-22
- The chemistry of isomers of icosaborane(26), $\text{B}_{20}\text{H}_{126}$: synthesis and nuclear magnetic resonance study of various isomers of platinaheicosaboranes and diplatinadocosaboranes, and the x-ray crystal and molecular structures of 7,7-bis(dimethylphenylph-

- BORANE(contd)**
 osphine)-nido-7-platinaundecaborane and 4-(2'-nido-decaboranyl)-7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane, 2573-84
- BORATE**
 The potassium fluoride-boric acid system. Hydrogen bonding in $\text{KF} \cdot \text{H}_3\text{BO}_3$, 783-7
 Molecular structures of dimethylaluminum octahydrotriborate and dimethylgallium octahydrotriborate in the gas phase as determined by electron diffraction, 2465-70
- BORATOMOLYBDENUM**
 Reaction of diiodonitrosyltris(3,5-dimethylpyrazolyl)borato]molybdenum with α,ω -alkanediols, 2-chloro-, and 2-methoxyethanol 2021-2
- BORIC**
 The potassium fluoride-boric acid system. Hydrogen bonding in $\text{KF} \cdot \text{H}_3\text{BO}_3$, 783-7
- BORON**
 Assignment of vibrational spectra of some dialkylamido derivatives of boron, 306-10
 Crystallographic studies of the boron-nitrogen bond in aminoboranes. Part 5. The crystal and molecular structure of 1,5,9-triaza-13-boratricycloheptadecane, 511-14
 Heteronuclear two-dimensional nuclear magnetic resonance: decaborane, 2014-16
- BRIDGE**
 Crystal structure and magnetic properties of bis(di- μ -ethoxobis[4,4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato]dicopper(II)), 251-4
- BRIDGED**
 Organosulfur-transition metal chemistry. Part 7. Sulfur inversion in dimolybdenum complexes: crystal and molecular structure of dicarbonyl- η -cycloheptatrienyltri- μ -tert-butylthio(trimethyl phosphite)dimolybdenum(Mo-Mo), 2235-44
- BRIDGING**
 Reactions of metal carbonyl derivatives. Part 25. The bridging properties of tetraethyl diphosphite, $(\text{EtO})_2\text{POP}(\text{OEt})_2$, 1918-23
- BROMIDE**
 Kinetics and mechanisms of dissociation of metal chelates. Part 3. Effects of ions on the acid hydrolysis of tris(1,10-phenanthroline)-iron(II) perchlorate, 1064-6
 Cyclopropenyl and oxocyclobutenyl complexes of molybdenum. Crystal and molecular structures of (2,2'-bipyridine)bromodicarbonyl(1-3- η -1,2,3-triphenylcyclopropenyl)molybdenum(II) and (2,2'-bipyridine)bromodicarbonyl(2-4- η -1-oxo-2,3,4-triphenylcyclobutenyl)molybdenum(II), 1310-16
 Hydrazido(2-) complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80
- BROMINATION**
 Reduction-oxidation properties of organotransition-metal complexes. Part 10. Formation and reactivity of the paramagnetic cyclobutadiene-iron and -ruthenium derivatives $[\text{M}(\text{CO})_3 \eta^4\text{C}_4\text{Ph}_4]^+$ ($n = 1-3$, L = phosphorus donor), 34-9
- BROMINE**
 Influence of light on the oxidative addition of bromine to trans-dichlorobis(triethylphosphine)platinum. Crystal structure of all-trans-dibromodichlorobis(triethylphosphine)platinum, 2589-91
- BROMO**
 Electron spin resonance spectra of dibromo and dichloro complexes of vanadium(IV), 1-7
 Zinc complexes of four tetraaza macrocycles: enthalpies of formation in acetonitrile solution, 336-41
 The structures of hypervalent phosphorus(III) anions $\text{P}(\text{CN})_4 \cdot n\text{Br}^-$. Transition from ψ -trigonal-bipyramidal to ψ -octahedral coordination and deviation from valence shell electron pair repulsion theory, 413-18
 Structural studies of Group 5A-halide-dithio-ligand systems. Part 1. Crystal structures of bis(N,N-diethyldithiocarbamate)iodo- and -bromobismuth(III), 1352-9
 Structural studies of Group 5A-halide-dithio-ligand complexes. Part 4. Crystal structures of bis(tetraethylammonium) di- μ -iodobis[(N,N-diethyldithiocarbamate)diiodobismuthate(III)] and a partially brominated analog, 1369-71
 Syntheses of cationic tri- and dicarbonyl complexes of manganese(-I) with diphosphines from the appropriate neutral bromocarbonyls, 2049-53
- BROMOAMINE**
 Diagrams of existence of chloroamines and bromoamines in aqueous solution, 2300-10
- BROMOAUATE**
 Kinetics and mechanism of the reaction between tetrachloro- and tetrabromoaurate(III) and thiocyanate, 1093-100
- BROMOBENZENE**
 Coupling of organic halides electrocatalyzed by the $\text{Ni}^{II}/\text{Ni}^0/\text{Ni}^0\text{-PPh}_3$ system. A mechanistic study based on an electroanalytical approach, 1074-81
- BROMOBISBROMODIMETHYLTHIABUTYLPIRIDINE-COPPER**
 Copper coordination to thioether ligands. Spectroscopic studies of dimeric copper(II) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the crystal structure of di- μ -bromobis(bromo[2-(3,3-dimethyl-2-thiabutyl)pyridine-N,S]copper(II)), 2054-8
- BROMOCHROMATE**
 Chromium(II) chemistry. Part 14. Ferromagnetic and antiferromagnetic tetrabromochromates(II), 27-33
- BROMOCYANOPHOSPHATE**
 The structures of hypervalent phosphorus(III) anions $\text{P}(\text{CN})_4 \cdot n\text{Br}^-$. Transition from ψ -trigonal-bipyramidal to ψ -octahedral coordination and deviation from valence shell electron pair repulsion theory, 413-18
- BROMODICARBONYLBISDIPHENYLPHOSPHINOALKANEMANGANESE**
 Syntheses of cationic tri- and dicarbonyl complexes of manganese(-I) with diphosphines from the appropriate neutral bromocarbonyls, 2049-53
- BROMONITRIDO**
 Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoosmate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoosmate(VI), 1812-19
 Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoruthenate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoruthenate(VI), 1820-4
- BROMONITRIDOMETHANATE**
 Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoruthenate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoruthenate(VI), 1820-4
- BROMONITRIDOOSMATE**
 Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoosmate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoosmate(VI), 1812-19
- BROMOOXOTUNGSTEN**
 Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachlorooxomolybdenum(VI) and -oxotungsten(VI) and tetrabromooxotungsten(VI), 2501-7
- BROMOTRISDIMETHYLPHENYLPHOSPHINEHYDRAZIDOQUINOLINETUNGSTEN**
 Hydrazido(2-) complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80
- BUTANEDIONE**
 Crystal structure and magnetic properties of bis(di- μ -ethoxobis[4,4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato]dicopper(II)), 251-4
- BUTENYL**
 Silver(I) complexes of the potentially chelating olefinic ligands 2,2-dimethylbut-3-enyl methyl sulfide and 2,2-dimethyl-2-silabut-3-enyl methyl sulfide. Crystal structure analysis of $[\text{AgL}_2][\text{BF}_4]$, $[\text{AgL}][\text{ClO}_4]$, $\text{AgL}(\text{NO}_3)$, and $\text{AgL}(\text{O}_2\text{CCF}_3)$ (L = 2,2-dimethylbut-3-enyl methyl sulfide), 481-90
- BUTYL**
 Polymer-supported oxobis(pentane-2,4-dionato)vanadium(IV) catalyst for reactions involving tert-butyl hydroperoxide, 447-51
 Group 4A organometallic compounds. Part 8. Preparation and Moessbauer spectra of five- and six-coordinate di- and triorganotin compounds containing mixed phenyl and butyl groups on tin, 552-8
 Preparation and crystal structure analysis of a vinyl ether chelate, dichloro[4-methoxy-2,2,N,N-tetramethylbut-(Z)-3-enylamine]palladium(II), and its conversion into di- μ -chloro-bis[3-(dimethylamino)-1-formyl-2,2-dimethylpropyl-C,N]dipalladium(II), 986-91
 Crystal structure and spectroscopic properties of mercury(II) halide complexes. Part 3. The di-n-butyl sulfide-mercury(II) chloride (1/1) adduct, 1024-7
 Interaction of tert-butyl isocyanide with methyl compounds of

BUTYL(contd)

tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $W[N(CMe_3)CMe_2](Me)[N(CMe_3)][N(CMe_3)CMe: CMe_2]$ and its hydrogen chloride adduct. *tert*-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97

Syntheses and characterization of the cyclopalladated complexes of benzyl butyl sulfides, 2405-8

BUTYLBENZOQUINONE

Reactions of bis(cycloocta-1,5-diene)platinum with quinones; crystal structure of (1-2,5-6- η -cycloocta-1,5-diene)(2-3;5-6- η -2,6-di-*tert*-butylbenzo-1,4-quinone)platinum, 276-83

BUTYLDITHIOCARBAMATOCOPPER

Magnetic and structural studies on copper(II) dialkyldithiocarbamates, 13-22

BUTYLIMIDOPLATINUM

Alkyne complexes of platinum. Part 6. The synthesis of compounds containing platinumacyclopenta-2,4-diene and diplatinacyclohexa-2,5-diene rings, 1981-7

BUTYLISOCYANOMETHYLPHOSPHINORUTHENIUM

Interaction of *tert*-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $W[N(CMe_3)CMe_2](Me)[N(CMe_3)][N(CMe_3)CMe: CMe_2]$ and its hydrogen chloride adduct. *tert*-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97

BUTYLPHENOL

Regioselective formation of peroxyquinolatoncobalt(III) complexes in the oxygenation of 2,6-di-*tert*-butylphenols with cobalt(II) Schiff base complexes, 1504-14

BUTYLPHOSPHINE

Phosphorus-31, selenium-77, and mercury-199 nuclear magnetic resonance studies of bis(tributylphosphine selenide)mercury(II) complexes, 658-60

BUTYLTHIO

Organosulfur-transition metal chemistry. Part 7. Sulfur inversion in dimolybdenum complexes: crystal and molecular structure of dicarbonyl- η -cycloheptatrienyltri- μ -*tert*-butylthio(trimethyl phosphite)dimolybdenum(Mo-Mo), 2235-44

BUTYLTHIOLATE

Synthesis and low-frequency vibrational spectra of some bis(alkanethiolato)- and bis(benzenethiolato)aurate(I) complexes 267-70

BUTYNE

Mono- η -cyclopentadienyl niobium chemistry: ternary phosphine, carbonyl, 3,4-dimethylhexa-2,4-diene, halo, and hydrido derivatives, 85-90

Chemistry of the metal carbonyls. Part 77. Some reactions of the platinumtriosmium complexes $[Os_3Pt(\mu-H)_2(CO)_{10}(PR_3)]$ with donor molecules; x-ray crystal structures of $[Os_3Pt(\mu-H)_2(CO)_{10}(PPh_3)_2]$ and $[OsPt_2(CO)_3(PPh_3)_2(\mu_3-MeC_2Me)]$, 162-70

Synthesis and reactivity of trinuclear osmium and dinuclear and trinuclear ruthenium compounds derived from hydroxyalkynes, 828-32

Reactions of coordinated ligands. Part 24. Reaction of bis(but-2-ynyl)carbonyl(η -cyclopentadienyl or η^5 -indenyl)molybdenum tetrafluoroborate with acetonitrile and phosphines; crystal structures of $[Mo(CO)(MeC_2Me)(\eta^5-C_9H_7)(PEt_3)][BF_4]$ and $[Mo(MeC_2Me)(\eta^5-C_9H_7)(PMe_3)_2][BF_4]$, 873-83

CADMIUM

Mechanism of cadmium and lead ion exchange by α -zirconium bis(monohydrogenorthophosphate) monohydrate, 385-9

CALCINATION

Antimony-121 Moessbauer study of the effects of calcination on the structure of tin-antimony oxides, 1442-4

CALCIUM

Heterogeneous equilibrium of calcium silicate hydrate in water at 30°C, 645-51

Phosphonate complexes. Part 6. Influence of steric effects, solvation, and chelation on stability, 2423-8

CALCN

Extended Hückel molecular-orbital calculations on dodecahedral metalloboranes which do not conform to the polyhedral skeletal electron-pair theory, 1788-97

CALORIMETRIC

A procedure for the calculation of enthalpy changes from continuous-titration calorimetric experiments, 1246-50

CARBABORANE

Preparation, characterization, and properties of 1,1'-azo-o-carboranes, 1190-5

Preparation and properties of alkyl- and aryl-substituted closo-closo- and closo-nido-hydrazocarbaboranes, 1196-203

CARBAMOYLETHYLTRIMETHYLENEDIAMINE

Copper(II) complexes of N,N' -bis(β -carbamoylthyl)trimethylenediamine in aqueous solution, 683-6

CARBENE

Redox potential-structure relationships in metal complexes. Part 4.

Electron-poor dinitrogen complexes of rhenium(I), 800-4

Paramagnetic carbenemetal complexes. Part 2. Synthesis and spectroscopic studies of stable electron-rich olefin-derived paramagnetic carbenecarbonyl- and carbenenitrosyliron(I) complexes, 1583-92

CARBIDO

New carbide clusters in the cobalt sub-group. Part 7. Preparation and structural characterization of carbidohepta- μ -carbonylhepta-carbonyl-polyhydro-hexahydrodate(2-) as its bis(tetraphenylphosphonium) salt, 717-20

Products of the pyrolysis of undecacarbonyl(trimethyl phosphite)triosmium: the molecular and crystal structure of $[Os_3(CO)_{11}H(OP(OMe)_2)(P(OMe)_3)]$, 2250-7

CARBIDOHEXARUTHENIUM

The reactions of carbidoheptadecacarbonylhexaruthenium with dissolved and anchored phosphines. Crystal and molecular structure of μ_6 -carbido- μ -carbonyl-pentadecacarbonyl(ethylidiphenylphosphine)-octahedro-hexaruthenium, 2263-70

CARBIDOPENTAOSMIUM

Products of the pyrolysis of undecacarbonyl(trimethyl phosphite)triosmium: the molecular and crystal structure of $[Os_3(CO)_{11}H(OP(OMe)_2)(P(OMe)_3)]$, 2250-7

CARBODIIMIDE

Reactions of diisopropylcarbodiimide with some ruthenium and osmium hydrides, leading to ready dehydrogenation of an isopropyl group; crystal and molecular structure of carbonylchloro(N -isopropenyl- N' -isopropylformamidinato)bis(triphenylphosphine)ruthenium(II), 1327-30

CARBON

Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9

Behavior of cyclooctatetraene- and cycloheptatrienetricarbonyliron under olefin-metathesis conditions, 262-6

Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Comments, 328-9

Reactivity of uranyl ion with quinquevalent chelating hydrazine derivatives. Part 3. 2,6-Diacetylpyridine (2'-pyridylhydrazone) (4''-toluoylhydrazone), 357-61

Equilibrium and kinetic study of the reaction between phthalocyaninatoiron(II) and carbon monoxide in dimethyl sulfoxide, 1120-3

Interaction of *tert*-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $W[N(CMe_3)CMe_2](Me)[N(CMe_3)][N(CMe_3)CMe: CMe_2]$ and its hydrogen chloride adduct. *tert*-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97

Photolytic homolysis of the metal-carbon (sp^3 or sp^2) bond of alkyl or acyl transition metal complexes. An electron spin resonance study using spin trapping; and a note on aminyl oxides $[ML_n(N(O)R)] [ML_n = Ru(CO)_4(SiMe_3), Os(CO)_4(SiMe_3)$ or $Fe(\eta-C_3H_5)(CO)_3$; $R = aryl$], 2159-63

CARBONATE

Reactions of nitrogen monoxide with dicyclopentadienyltitanium complexes, including the formation of isocyanate from nitrogen monoxide and carbon monoxide, 271-5

The electronic structure of copper in the polymer potassium bis(carbonato)cuprate(II) as determined from precise x-ray diffraction data, 371-6

Matrix isolation studies on cesium, rubidium, and potassium carbonates. The shape of molecular potassium carbonate, 456-62

Solid-state reaction between strontium carbonate and silica, 1300-3

Crystal structure and infrared spectrum of anhydrous guanidinium copper(II) carbonate, 1770-2

CARBONATO

Crystal structure and absolute configuration of an isomer of potassium carbonatobis(L-valinato)cobaltate(III) dihydrate, 1067-8

CARBONYL

- Reduction-oxidation properties of organotransition-metal complexes. Part 10. Formation and reactivity of the paramagnetic cyclobutadiene-iron and -ruthenium derivatives $[M(CO)_3 \eta^5-C_4Ph_4]^+$ ($n = 1-3$, $L =$ phosphorus donor), 34-9
- η^2 Complexes of cyclic polyolefins: crystal structure of dicarbonyl(1-2- η -cyclo-octatetraene)(η -cyclopentadienyl)manganese, 51-5
- Transition metal carbonyl derivatives of the germanes. Part 13. Preparation, spectroscopic properties, and the crystal and molecular structure of bis(μ -carbonyl)bis(tricarbonylcobaltio)(C-o-Co)germanium(4Co-Ge), $[Ge(CO_2(CO)_7)_2]$; a new type of Group 4-tetracobalt species, 80-4
- Mono- η -cyclopentadienyl niobium chemistry: ternary phosphine, carbonyl, 3,4-dimethylhexa-2,4-diene, halo, and hydrido derivatives, 85-90
- Triosmium clusters derived from aldehydes, ketones, and ketens and their interconversions, 91-8
- Further chemistry of trimethylphosphine complexes of rhodium(I): x-ray crystal structures of: dodeca(trimethylphosphine)tetrarhodiumhexamercury, $Hg_4Rh_4(PMe_3)_{12}$, and trans-chlorobis(trimethylphosphine)(triphenylphosphine)rhodium(I), 126-31
- Reaction of $[Ir(CO)_3(PPh_3)_2]$ with substituted acetylenes. Part 1. Synthesis and crystal and molecular structure of $[\eta-1,1-dicarbonyl-2,3,4,5-tetrakis(ethoxycarbonyl)-1-triphenylphosphine]dicyclopentadienylidicarbonyliridium$, 150-4
- Chemistry of the metal carbonyls. Part 76. Platinum-osmium carbonyl complexes derived from decacarbonyldi- μ -hydridotriosmium; x-ray crystal structure of $[Os_3Pt(\mu-H)_2(CO)_{10}(P(cyclo-C_6H_{11})_3)_2]$, 155-61
- Chemistry of the metal carbonyls. Part 77. Some reactions of the platinumtriosmium complexes $[Os_3Pt(\mu-H)_2(CO)_{10}(PR_3)]$ with donor molecules; x-ray crystal structures of $[Os_3Pt(\mu-H)_2(CO)_{10}(PMe_3)_2]$ and $[OsPt_2(CO)_5(PPh_3)_2(\mu-MeC_2Me)]$, 162-70
- Chemistry of the metal carbonyls. Part 78. Synthesis and x-ray crystal structures of $[NiOs_3(\mu-H)_2(\mu-CO)_2(CO)_8(PPh_3)_2]$ and $[Os_3Rh(\mu-H)_2(acac)(CO)_{10}]$ ($acac =$ acetylacetonate), 171-9
- Oxo-centered triruthenium formate complexes. Diposphine adducts of oxo-centered triruthenium acetates, 191-5
- Kinetics of nucleophilic attack on coordinated organic moieties. Part 15. Addition of *p*-toluidine to tricarbonyl(1-5- η -dienyl)iron cations, 204-4
- Complexes of rhodium(I) with carbon monoxide, bis(diphenylphosphine)methane, or bis(diphenylarsino)methane, and various anionic ligands, 228-33
- Behavior of cyclooctatetraene- and cycloheptatrienetricarbonyliron under olefin-metathesis conditions, 262-6
- Reactions of nitrogen monoxide with dicyclopentadienyltitanium complexes, including the formation of isocyanate from nitrogen monoxide and carbon monoxide, 271-5
- Reaction of bidentate isonitrile ligands with iron carbonyls, 297-301
- Direct oxidative addition-reductive elimination reactions between trans- $[MCl(CO)L_2]$ and $[MCl_2(CO)L_2]$ or trans- $[PtCl_4(PEt_3)_2]$ ($M = Rh$ or Ir , $L =$ tertiary phosphine), 319-21
- Reactions of $[Fe_2(\eta-C_5H_5)_2(CO)_4(CNR)_n]$ ($n = 1$ or 2 ; $R = Me$, Et , or CH_2Ph) with acetyl and benzoyl chlorides, 322-4
- Carbon-oxygen and -hydrogen cleavage in the reaction of $[Fe_2(CO)_3(\eta-C_5H_5)_2L]$ [$L = P(OR)_3$ or PR_3] with phosphite and phosphine ligands, 325-7
- Novel compounds with gold-transition metal bonds; crystal and molecular structure of bis(triphenylphosphine)iminium bis(tetracarbonylcobaltio)aurate(I), 366-70
- Preparation and the crystal and molecular structure of $[NEt_4][Ge(CO_2(CO)_7)(CO_2(CO)_4)HgCo(CO)_4]$, an anion containing a mercury-bridged cobalt-cobalt bond, 381-4
- The preparation, characterization, and some reactions of undecacarbonyl(methyl cyanide)triosmium ($3Os-Os$), 407-12
- Crystal and molecular structure of tetra- μ_3 -carbonyloctacarbonyltetrakis(triphenyl phosphite)-octahedro-hexarhodium, 515-18
- High nuclearity carbonyl clusters of rhodium. Part 2. Crystal and molecular structure of the tetramethylammonium salt of dodeca- μ -carbonyldodecacarbonylhydrido-polyhedro-tridecarhodate(4-)-1-methylpyrrolidin-2-one(1/3), 519-23
- Bonding in clusters. Part 2. Hexaborane(10) and related metalboranes, 546-51
- The rate and mechanism of tetracyanoethylene addition of cycloheptatriene and related complexes of tricarbonyliron, 586-9
- Metal carbonyl photochemistry. Part 3. Behavior of tricarbonyl(η -cyclopentadienyl)manganese and related species at 77 K, 673-7
- Carbene complexes. Part 17. Crystal structure of trans-tetracarbonylbis(1,3-dimethylimidazolidin-2-ylidene)molybdenum(0), structural comparison with the cis isomer, and a kinetic study of the trans \rightarrow cis isomerization, 701-4
- New carbide clusters in the cobalt sub-group. Part 7. Preparation and structural characterization of carbidohepta- μ -carbonylheptacarbonyl-polyhedro-hexarhodate(2-) as its bis(tetraphenylphosphonium) salt, 717-20
- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 6. Synthesis of platinum-chromium and -tungsten compounds. X-ray crystal structure of degtetracarbonyl- $c-\mu$ -(methoxy-*p*-tolylmethylidene)-ab-tris(trimethylphosphine)platinumtungsten(Pt-W), 743-50
- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 7. Interconversion of carbene and carbyne ligands at a dimetal center. X-ray crystal structures of $[CrPt(\mu-C(CO_2Me)Ph)(CO)_4(PMe_3)_3]$ and $[MnPt(\mu-CC_6H_4Me-4)(CO)_2(PMe_3)_2(\eta-C_5H_5)]BF_4 \cdot CH_2Cl_2$, 751-62
- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 8. Synthesis of the trimetal compounds $[M(W(\mu-CC_6H_4Me-4)(CO)_2(\eta-C_5H_5))_2]$ ($M = Ni, Pd$, or Pt) and crystal structures of the platinum and nickel complexes, 763-70
- Dirhenium complexes containing two, three, and four linked acetylene molecules derived from the reaction of $[Re_2(CO)_{10}]$ with RC_2R ($R = Ph$ or Me); the x-ray crystal structure of $[Re_2(CO)_4(PhCCPh)_2](CNCH_2SO_2C_6H_4Me-p)_2 \cdot CH_2Cl_2$, 771-6
- Combined x-ray and neutron diffraction study of $[Os_4(CO)_{11}H_3(C-HCHPh)]$, 788-92
- Carbonyl complexes of niobium and tantalum and evidence of a niobium dinitrogen complex: the structure of carbonyldichlorocyclopentadienylbis(dimethylphenylphosphine)tantalum, 793-9
- Redox potential-structure relationships in metal complexes. Part 4. Electron-poor dinitrogen complexes of rhenium(I), 800-4
- Synthesis and reactivity of trinuclear osmium and dinuclear and trinuclear ruthenium compounds derived from hydroxyalkynes, 828-32
- Reactions of silanes and germanes with iridium complexes. Part 3. Reactions of some silyl derivatives of oxygen, sulfur, selenium, nitrogen, and phosphorus with trans-carbonylido-bis(triethylphosphine)iridium(I), 836-9
- Reactions of coordinated ligands. Part 24. Reaction of bis(but-2-ynyl)carbonyl(η -cyclopentadienyl or η^5 -indenyl)molybdenum tetrafluoroborate with acetonitrile and phosphines; crystal structures of $[Mo(CO)(MeC_2Me)(\eta^5-C_5H_7)(PEt_3)]BF_4$ and $[Mo(MeC_2Me)(\eta^5-C_9H_7)(PMe_3)]BF_4$, 873-83
- Diene-metal π bonding. Some unexpected effects of group 5 donor ligands on carbon-13 nuclear magnetic resonance parameters and x-ray crystal structures, 884-91
- Open-shell molybdenum carbonyl complexes and the binding of π -acid ligands to higher-oxidation-state molybdenum sites, 892-3
- Studies on organometallic hetero-multiple-bridged molecules. Part 7. Synthesis and properties of dichalcogenide-bridged complexes of rhenium(I) and the crystal and molecular structures of the diphenyl ditelluride-bridged complex, $[Re_2Br_2(CO)_6(Te_2Ph_2)]$, 1004-9
- Reactions of silanes and germanes with iridium complexes. Part 4. Reactions with carbonylhydridotris(triphenylphosphine)iridium(I), 1010-18
- Preparation and spectra of a series of tautomeric compounds, $[NiCo(\eta$ -dienyl)(CO) $_4L]$ (dienyl = C_5H_5 or C_5H_4Me ; $L =$ tertiary phosphine or arsine), 1057-60
- Characterization of metal-to-ligand charge-transfer and intraligand transitions of fac- $[Re(CO)_3L(X)]$ complexes [$L =$ diimine; $X =$ halide or $Mn(CO)_5$] and explanation of the photochemistry of $[Re(CO)_3L(Mn(CO)_5)]$ using the resonance Raman effect, 1124-33
- Chemistry of the metal carbonyls. Part 79. Synthesis and x-ray crystal structures of $[N(PPh_3)_2][Fe_2Pt_2(\mu-H)(\mu-CO)_3(CO)_5(PPh_3)_2]$, $[Fe_2Pt_2(\mu-H)_2(CO)_8(PPh_3)_2]$, and $[Fe_2Pt(CO)_8(cyclo-C_5H_{12})]$, 1134-45
- Kinetics of nucleophilic attack on coordinated organic moieties. Part 17. Addition of pyridines to $[Fe(1-5-\eta$ -dienyl)(CO) $_3]^+$ cations (dienyl = C_5H_5 , 2-MeOC $_6$ H $_4$, or C_7H_9), 1162-8
- Spectroscopic study of the structures of $[M_2(\eta-C_5H_5)_2(CO)_4(CNR)_{4-n}]$ complexes ($n = 1$ or 2 ; $M = Fe$ or Ru) in solution. The structure of cis- $[\eta-C_5H_5](OC)Fe(\mu-CO)(\mu-CNCHMe_2)Fe(CNCHMe_2)(\eta-C_5H_5)]$ in the solid state, 1251-9

CARBONYL(contd)

- Chemistry of the metal carbonyls. Part 80. Diosmiumdiplatinum carbonyl complexes derived from tetracarbonyldihydroosmium. X-ray crystal structure of 1,2,2,3,4,4,4-octacarbonyl-1,2,3,4-di- μ -hydrido-1,3-bis(triphenylphosphine)-tetrahydrodiplatinumdiosmium (4Pt-Os)(Os-Os), 1274-7
- Carbon-13 nuclear magnetic resonance study of dinuclear iron carbonyl xanthate complexes: dynamic behavior and local scrambling of the carbonyls at one iron atom, 1278-82
- Cyclopropenyl and oxocyclobutenyl complexes of molybdenum. Crystal and molecular structures of (2,2'-bipyridine)bromodicarbonyl(1-3- η -1,2,3-triphenylcyclopropenyl)molybdenum(II) and (2,2'-bipyridine)bromodicarbonyl(2-4- η -1-oxo-2,3,4-triphenylcyclobutenyl)molybdenum(II), 1310-16
- Reduction-oxidation properties of organotransition metal complexes. 12. Formation of carbon-carbon bonds via oxidative dimerization of $[\text{Fe}(\text{CO})_2(\eta^4\text{-C}_6\text{H}_6)]$ and reduction of $[\text{Fe}_2(\text{CO})_9(\eta^5\text{-}\eta^5\text{-C}_{10}\text{H}_6)]^{2+}$. Structures of $[\text{Fe}_2(\text{CO})_9(\text{P}(\text{OPh})_2)_2(\eta^5\text{-}\eta^5\text{-C}_{10}\text{H}_6)]$ and $[\text{Fe}(\text{CO})_2(\eta^4\text{-C}_6\text{H}_6)]$, 1317-26
- Reactions of diisopropylcarbodiimide with some ruthenium and osmium hydrides, leading to ready dehydrogenation of an isopropyl group; crystal and molecular structure of carbonylchloro(N-isopropenyl-N'-isopropylformamidinato)bis(triphenylphosphine)ruthenium(II), 1327-30
- Cyclopentadienylruthenium and -osmium chemistry. Part 11. Reactions and structures of chloro(η -cyclopentadienyl)bis(triphenylphosphine)ruthenium and its trimethylphosphine analog, 1398-405
- A vibrational spectroscopic study of dodecacarbonyltetrahodium, 1498-500
- Metal-to-ligand charge-transfer excited-state photochemistry of pentacarbonyl(pyridazine-N)chromium and tetracarbonyl(isopropyl(2-pyridylmethylene)amine-N,N')chromium. The difference between the photochemical behavior of the former in solution at 243 K and in an argon matrix at 10 K, 1524-30
- The structures and fluxional behavior of the binary carbonyls; a new approach. Part 3. The fluxional behavior of $[\text{Fe}_3(\text{CO})_{11}\text{L}]$, L = PR_3 or $\text{P}(\text{OR})_3$, 1535-9
- Tetracarbonyl diazaphosphole complexes of Group 6B metals: the role of steric effects, 1544-9
- Paramagnetic carbenemetal complexes. Part 2. Synthesis and spectroscopic studies of stable electron-rich olefin-derived paramagnetic carbenecarbonyl- and carbenenitrosyliron(I) complexes, 1583-92
- Synthesis, reactivity, and crystal and molecular structures of $[\mu\text{-}1,4\text{-bis(diphenylphosphino)butane}]$ -dicarbonylbis(η -cyclopentadienyl)dirhodium(I), 1651-6
- Thermal degradation of dimethylvinylarsine in triosmium clusters to give bridging vinyl, vinylidene, and acetylene ligands, 1718-21
- Electron spin resonance behavior of the tricarbonyltri(μ -tetracarbonylferrio)-triangulo-triplatinat(1-) carbonyl cluster anion, 1735-7
- Solution behavior of some benzyne complexes of osmium and the x-ray crystal structure of μ_3 -benzyne-1,1,1,2,2,2,3,3,3-nonacarbonyl- μ -dimethylarsino- μ -hydrido-triosmium(2Os-Os) 1879-85
- Reactions of metal carbonyl derivatives. Part 25. The bridging properties of tetraethyl diphosphite, $(\text{EtO})_2\text{P}(\text{OEt})_2$, 1918-23
- Ortho-metalation products of phenol and aniline with dodecacarbonyltri-osmium. X-ray crystal structure of nonacarbonyl(μ_3 -5-fluoro-2-iminophenyl)di- μ -hydrido-triangulo-triosmium, 2039-44
- Patterns of nucleophilic attack on ethene complexes of ruthenium(I), 2112-18
- Photochemistry of tricarbonyl(η -cyclopentadienyl)methylmolybdenum in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of dicarbonyl(η -cyclopentadienyl)methylmolybdenum and dicarbonyl(η -cyclopentadienyl)(dinitrogen)methylmolybdenum, 2199-2204
- Organosulfur-transition metal chemistry. Part 6. Reactions of cyclooctatetraenyl and cycloheptatrienyl thioethers with metal carbonyls, 2230-4
- Products of the pyrolysis of undecacarbonyl(trimethyl phosphite)triosmium: the molecular and crystal structure of $[\text{Os}_3(\text{CO})_{11}\text{H}(\text{OP}(\text{OMe})_2)_2(\text{P}(\text{OMe})_3)]$, 2250-7
- The reactions of carbidoheptadecacarbonylhexaruthenium with dissolved and anchored phosphines. Crystal and molecular structure of μ_6 -carbido- μ -carbonyl-pentadecacarbonyl(ethyldiphenylphosphine)-octahydro-hexaruthenium, 2263-70
- Photochemistry of methyl- and acetyldicarbonyl(η -cyclopentadienyl)iron in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of tricarbonyl(η -cyclopentadienyl)methyliron and acetylmonocarbonyl(η -cyclopentadienyl)iron, 2311-16
- Effect of organic groups on the carbonyl insertion reaction of platinum(II), 2317-20
- Reactions of coordinated ligands. Part 25. The synthesis of μ -allenedicarbonylbis(η^5 -indenyl)dirhodium and protonation to form a bridged cationic vinyl complex. Molecular structures of μ -allenedicarbonylbis(η^5 -indenyl)dirhodium and dicarbonylbis(η^5 -indenyl)- μ -(1-methylvinyl)dirhodium(Rh-Rh) tetrafluoroborate 2321-7
- Isolation of the anions $[\text{M}(\text{CO})_5(\text{SH})]^-$ and $[\text{M}_2(\text{CO})_{10}(\mu\text{-SH})]^-$ (M = Cr, Mo, and W) as salts of the sodium (18-crown-6-ether) cation. X-ray analysis of the sodium carbonyl linked polymeric structures of the tungsten species, 2357-64
- Reactions of acetylenes with noble-metal carbonyl halides. Part 4. The formation of a platinaoxacyclopentenone ring, 2395-404
- Synthesis and crystal structures of tetraethalammonium μ_3 -acylchloro-(Fe^IFe²)O(Fe^IFe³)-nonacarbonyl-triangulo-triferrate and tetraethalammonium μ -carbonylnonacarbonyl- μ_3 -2,4-dioxapentylidene-triangulo-triferrate, 2496-500
- Synthesis and some reactions of the rhodacyclopentadiene complex tetracarbonyltetra(methoxycarbonyl)butadienediyltriphenylphosphinedirhodium(Rh-Rh), 2593-5
- CARBONYLATION**
- Cyclopalladation of 1-tetralone (3,4-dihydronaphthalen-1-one) oximes, 205-11
- Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9
- Equilibrium and kinetic study of the reaction between phthalocyaninatoiron(II) and carbon monoxide in dimethyl sulfoxide, 1120-3
- Kinetics of nucleophilic attack on coordinated organic moieties. Part 19. Addition of anilines to tricarbonyl(1-5- η -dienyl)iron cations, 2489-95
- CARBONYLBISDIPHENYLPHOSPHINOALKANEMAN-GANESE**
- Syntheses of cationic tri- and dicarbonyl complexes of manganese(-I) with diphosphines from the appropriate neutral bromocarbonyls, 2049-53
- CARBONYLCOBALTATE**
- Transition metal carbonyl derivatives of the germanes. Part 13. Preparation, spectroscopic properties, and the crystal and molecular structure of bis(μ -carbonylbis(tricarbonylcobaltio)(C-o-Co))germanium(4Co-Ge), $[\text{Ge}(\text{Co}_2(\text{CO})_7)_2]$; a new type of Group 4-tetracobalt species, 80-4
- CARBONYLCYCLOOCTATETRAENEIRON**
- Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienylum)-tricarbonyliron hexafluorophosphates, 1906-17
- CARBONYLIRON**
- Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienylum)-tricarbonyliron hexafluorophosphates, 1906-17
- Organosulfur-transition metal chemistry. Part 6. Reactions of cyclooctatetraenyl and cycloheptatrienyl thioethers with metal carbonyls, 2230-4
- CARBONYLMETAL**
- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 9. Reactivity of the cations $[\text{MPt}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{PR}_3)_2(\eta\text{-C}_5\text{H}_5)]^+$ (M = Mn or Re, PR_3 = PMe_3 or PMe_2Ph) towards tertiary phosphines and the toluene-p-thiolate anion: x-ray crystal structures of $[\text{MnPt}(\mu\text{-C}(\text{PMe}_3)_2\text{C}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)][\text{BF}_4]$ and $[\text{MnPt}(\text{SC}_6\text{H}_4\text{Me-4})(\mu\text{-C}(\text{PMe}_3)_2\text{C}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\text{CO})(\text{PMe}_3)(\eta\text{-C}_5\text{H}_5)]$, 2471-8
- CARBONYLMOLYBDENUM**
- Organosulfur-transition metal chemistry. Part 7. Sulfur inversion in dimolybdenum complexes: crystal and molecular structure of dicarbonyl- η -cycloheptatrienyltri- μ -tert-butylthio(trimethyl phosphite)dimolybdenum(Mo-Mo), 2235-44
- CARBONYLPHENYLPHOSPHINECOBALTA PLATINUM**
- Electrochemistry of platinum(II) coordination compounds. Part 3. Redox behavior of triangular platinum-cobalt clusters. Electrochemically induced generation of the tetranuclear cluster $[\text{Pt}_2\text{Co}_2(\mu\text{-CO})_3(\text{CO})_5(\text{PPh}_3)_2]$, 2059-62

CARBONYLRHENIUM

Preparation, properties, and crystal and molecular structures of bis(dialkylamine) complexes of rhenium(I), 2523-8

CARBONYLRUTHENIUM

Organosulfur-transition metal chemistry. Part 6. Reactions of cyclooctatetraenyl and cycloheptatrienyl thioethers with metal carbonyls, 2230-4

CARBONYLTHIANECHROMIUM

Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50

CARBONYLTHIANETUNGSTEN

Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50

CARBONYLTRIRUTHENIUM

Reaction of ethylene with dodecacarbonyltriruthenium and the dynamic processes of $[\text{Ru}_3\text{H}_2(\text{CO})_9(\text{C}_2\text{R}_2)]$ ($\text{R} = \text{H}, \text{Me}, \text{and Et}$) 2017-20

Reaction of 4-methylpent-2-yne with dodecacarbonyltriruthenium. The structure of a novel alkyne dimerization dehydrogenation product, 2023-8

CARBOXYLATE

Ternary complexes of copper(II) with 2,9-dimethyl-1,10-phenanthroline and some oxygen-donor ligands, 452-5

Macrocyclic copper(II) chelate derivatives of 2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioic and 2,2,9,9-tetramethyl-4,7-dithiadecanedioic acids. Crystal structures of aqua, pyridine, and triphenylphosphine adducts of [2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioato]copper(II), 1406-14

CARBOXYLIC

Kinetics and mechanisms of redox reactions in aqueous solution. Part 7. Decarboxylation of aliphatic acids by aquasilver(II) ions, 897-901

CARBENE

Chemistry of di- and trimetal complexes with bridging carbene or carbene ligands. Part 8. Synthesis of the trimetal compounds $[\text{M}(\text{W}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\eta\text{-C}_5\text{H}_5))_2]$ ($\text{M} = \text{Ni}, \text{Pd}, \text{or Pt}$) and crystal structures of the platinum and nickel complexes, 763-70

Preparation of the isocyanide complexes $\text{trans-}[\text{ReCl}(\text{CNR})(\text{dppe})_2]$ ($\text{R} = \text{Me or CMe}_3$) and their reactions with acid to give carbene complexes. X-ray crystal structure of $\text{trans-}[\text{ReCl}(\text{CNH-Me})(\text{dppe})_2][\text{BF}_4]$, 1629-34

CARRIER

Highly selective membrane transport of copper(II) ion by synthetic linear oligomer carriers, 1486-91

CATALYSIS

Reaction of bicyclo[n.1.0]alkanes ($n = 3-6$) with the olefin-metathesis catalysts tungsten hexachloride-tetraphenyltin and tungsten hexachloride-ethylaluminum dichloride, 1111-14

CATALYST

The reaction of cysteine with the pentacyanonitrosylferrate(2-) ion, 435-40

Polymer-supported oxobis(pentane-2,4-dionato)vanadium(IV) catalyst for reactions involving tert-butyl hydroperoxide, 447-51

Interaction of H_2 with $\text{Re}_3(\mu\text{-Cl})_3(\text{CH}_2\text{SiMe}_3)_6$, its CO, PPh_3 , and pyridine adducts, and with $\text{Re}_3(\mu\text{-Cl})_3\text{Cl}(\text{CH}_2\text{SiMe}_3)_5$. Crystal structures of $\text{H}[\text{Re}_3(\mu\text{-Cl})_3(\text{CH}_2\text{SiMe}_3)_6]$, $\text{Re}_3(\mu\text{-Cl})_3\text{ClH}(\text{CH}_2\text{SiMe}_3)_4(\text{PPh}_3)$, and $\text{Re}_3\text{Cl}_3(\mu\text{-CH}_2\text{SiMe}_3)_3(\text{CH}_2\text{SiMe}_3)_3$, 705-16

The aquation of trans-bis(ethylenediamine)difluorochromium(III) and related ions in aqueous solutions of strong acids, 981-5

Coupling of organic halides electrocatalyzed by the $\text{Ni}^{II}/\text{Ni}^I/\text{Ni}^0\text{-PPh}_3$ system. A mechanistic study based on an electroanalytical approach, 1074-81

Stereoselectivity in the cross-metathesis of oct-1-ene and cis- or trans-oct-2-ene, 1089-92

Reaction of bicyclo[n.1.0]alkanes ($n = 3-6$) with the olefin-metathesis catalysts tungsten hexachloride-tetraphenyltin and tungsten hexachloride-ethylaluminum dichloride, 1111-14

Oxidative-addition and reductive-elimination reactions involving platinum complexes and tetraorganotin compounds, 1223-32

Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of N-salicylidene-2-aminothiazole, 2063-9

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 33. The metal-catalyzed disproportionation of acetaldehyde into acetic acid and ethanol, 2342-52

Activation of dioxygen and catalytic oxidation of ethanol to

acetaldehyde and hydrogen peroxide by copper(I) complexes containing 2,2'-bipyridyl and tertiary phosphine ligands, 2585-6

CATALYTIC

Polymer-supported oxobis(pentane-2,4-dionato)vanadium(IV) catalyst for reactions involving tert-butyl hydroperoxide, 447-51

Coupling of organic halides electrocatalyzed by the $\text{Ni}^{II}/\text{Ni}^I/\text{Ni}^0\text{-PPh}_3$ system. A mechanistic study based on an electroanalytical approach, 1074-81

CATALYZED

Activation of dioxygen and catalytic oxidation of ethanol to acetaldehyde and hydrogen peroxide by copper(I) complexes containing 2,2'-bipyridyl and tertiary phosphine ligands, 2585-6

CATECHOL

Model compounds for microbial iron-transport compounds. Part 1. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22

CATION

Reduction-oxidation properties of organotransition-metal complexes. Part 10. Formation and reactivity of the paramagnetic cyclobutadiene-iron and -ruthenium derivatives $[\text{M}(\text{CO})_3 \eta\text{-L}_n(\text{C}_4\text{Ph}_4)]^+$ ($n = 1-3$, $\text{L} = \text{phosphorus donor}$), 34-9

An electron spin resonance study of crown ethers containing copper(II), with a d_{z^2} ground state, and silver atoms, 56-60

Mechanism of cadmium and lead ion exchange by α -zirconium bis(monohydrogenorthophosphate) monohydrate, 385-9

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 4. Hydrolysis using sodium carbonate, 1617-23

Synthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43

Crystal and molecular structure of the (2,6-bis[1-(2-imidazol-4-ylethylimino)ethyl]pyridine)zinc(II) and -copper(II) cations: five-coordinate relatives of a copper(II) oxygen carrier, 1951-6

Characterization of cationic coordination complexes using field desorption mass spectrometry, 1994-6

Solubility of salts of hexachlororhenate(IV) ions with complex cations in water and in water + alcohol mixtures: free energies of transfer of the complex ions, 2034-8

Syntheses of cationic tri- and dicarbonyl complexes of manganese(-I) with diphosphines from the appropriate neutral bromocarbonyls, 2049-53

Location of cations in metal ion-exchanged zeolites. Part 2. Crystal structures of a fully silver-exchanged heulandite, 2288-91

Zirconium phosphates partially exchanged with transition metal ions: characterization and stereochemical changes induced by heat treatment, 2376-84

CD

Dioxomolybdenum(VI) complexes of quadridentate chiral Schiff bases and the crystal and molecular structure of dioxo(2R)prop-ane-1,2-diylbis(salicylideneiminato)molybdenum(VI), 902-8

The d-electron optical activity of tetrahedral dichloro[(-)-spartein]cobalt(II), 976-80

Spectrophotometric studies of the copper(II)-D-o-tyrosine complex. Assignment of the 330-nm dichroic band in copper(II) and iron(III) transferrins, 2544-9

Solid-state absorption and circular-dichroism spectra of five-coordinate trigonal copper(II) complexes: anisotropic contributions to the d-d transition probabilities, 2565-72

CEMENT

Heterogeneous equilibrium of calcium silicate hydrate in water at 30°C, 645-51

CENTER

Unstable intermediates. Part 197. Electron-gain and -loss centers in irradiated periodates: an electron spin resonance study, 2183-7

CESIUM

Matrix isolation studies on cesium, rubidium, and potassium carbonates. The shape of molecular potassium carbonate, 456-62

Structural studies on the cesium alums, $\text{CsM(III)(SO}_4)_2 \cdot 12\text{H}_2\text{O}$, 2105-11

CHALCOGENIDE

Studies on organometallic hetero-multiple-bridged molecules. Part 7. Synthesis and properties of dichalcogenide-bridged complexes of rhenium(I) and the crystal and molecular structures of the diphenyl ditelluride-bridged complex, $[\text{Re}_2\text{Br}_2(\text{CO})_6(\text{Te}_2\text{Ph}_2)]$, 1004-9

CHARGE

Spectrophotometric studies of the copper(II)-D-o-tyrosine complex. Assignment of the 330-nm dichroic band in copper(II)

CHARGE(contd)

and iron(III) transferrins, 2544-9

CHELATE

Synthesis, spectroscopic, and structural properties of 2,2-dimethylpropane-1,3-diaminecopper(II) complexes. Temperature-dependent tetragonal distortion in some thermochromic complexes. Crystal and molecular structure of bis(2,2-dimethylpropane-1,3-diamine)dichloratocopper(II), 8-12

Studies of chelation. Part 9. Cobalt complexes of 1-[(substituted phenyl)azo]-2-naphthol and 1-[(substituted phenylimino)methyl]-2-naphthol ligands. Tautomerism and reactivity, 559-66

Transition metal-carbon bonds. Part 49. Action of amines on cis-[PtCl₂(PPr₃)(C₃H₄)]₂: crystal structures of chloro(1-methylene-2-tert-butylaminoethyl-C⁺N⁻)(tri-n-propylphosphine)platinum (4-membered ring) and trans-bis-μ-(1-methylene-2-methylaminoethyl-C⁺N⁻)bis(chloro(tri-n-propylphosphine)platinum) (8-membered ring), 575-80

Preparation and crystal structure analysis of a vinyl ether chelate, dichloro[4-methoxy-2,2,N,N-tetramethylbut-(Z)-3-enylamine]-palladium(II), and its conversion into di-μ-chloro-bis[3-(dimethylamino)-1-formyl-2,2-dimethylpropyl-C,N]dipalladium(II), 986-91

Equilibrium and kinetic parameters of the oxygenation reaction of oxygen carriers. Conformational effects in cobalt(II) Schiff-base chelates derived from salicylaldehyde and substituted ethylenediamines, 1115-19

Cyclopentadienylruthenium and -osmium chemistry. Part 14. The reaction between chloro(cyclopentadienyl)bis(triphenylphosphine)ruthenium and trifluoroacetonitrile: crystal structure of [1,3-bis(trifluoromethyl)-2,4-diazabutadienylamido-N,N'][(η-cyclopentadienyl)(trimethyl phosphite)ruthenium, 1169-73

Macrocyclic copper(II) chelate derivatives of 2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioic and 2,2,9,9-tetramethyl-4,7-dithiadecanedioic acids. Crystal structures of aqua, pyridine, and triphenylphosphine adducts of [2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioato]copper(II), 1406-14

Fast reactions at planar four-coordinate complexes. Part 4. The reaction of chelate dichloropalladium(II) complexes with some bidentate ligands, 1722-5

Lanthanide ethylenediaminetetraacetate chelates as aqueous shift reagents: evidence for effective axial symmetry in bidentate cytidine 5'-monophosphate and alanine complexes, 2078-82

Novel ligational behavior of thiosalicylhydrazide and its derivatives with cobalt(II), nickel(II), copper(II), and palladium(II), 2385-94

CHELATION

Mechanism of complex formation between benzene-1,2-diol and aquapalladium(II). Equilibria and kinetics in acidic aqueous perchlorate media, 137-41

High-spin nickel(II) complexes of pentaaza macrocycles: characterization, electronic spectra, and thermodynamic properties, 1438-41

Equilibria of some α-amino acids containing sulfur atoms in the chain with metal(II) ions. Part 2. S,S'-methylenebis(L-cysteine) with cobalt(II), nickel(II), and zinc(II) in aqueous solution, 1961-4

Novel ligational behavior of thiosalicylhydrazide and its derivatives with cobalt(II), nickel(II), copper(II), and palladium(II), 2385-94

Evidence for contribution of intermediate steps to the limiting rate in iron(III) monomandelate complex formation, 2414-18

Phosphonate complexes. Part 6. Influence of steric effects, solvation, and chelation on stability, 2423-8

CHLORIDE

Characterization of inner- and outer-sphere complexes by thermodynamics and absorption spectra. Part 2. Chloro complexes of copper(II), 245-50

Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Comments, 328-9

Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Reply to comments, 329-30

Crystal structure of tetrachlorobis[o-phenylenebis(dimethylarsine)]-niobium(IV), 652-4

Kinetics and mechanisms of dissociation of metal chelates. Part 3. Effects of ions on the acid hydrolysis of tris(1,10-phenanthroline)-iron(II) perchlorate, 1064-6

Reaction of bicyclo[n.1.0]alkanes (n = 3-6) with the olefin-

metathesis catalysts tungsten hexachloride-tetraphenyltin and tungsten hexachloride-ethylaluminum dichloride, 1111-14

Linear free-energy relationships in the hydrolysis of metal ions. The effect of the ionic medium, 1445-9

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 5. Slow hydrolysis using aluminum metal, 1624-8

Hydrazido(2-) complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 30. Trimethylphosphinechloro-, -acetato-, and -hydrido complexes and related compounds of (hexamethylbenzene)ruthenium, 2003-8

Reactions of alkali metal azides with some organophosphorus(V) compounds, 2292-5

CHLORINATION

Reduction-oxidation properties of organotransition-metal complexes. Part 10. Formation and reactivity of the paramagnetic cyclobutadiene-iron and -ruthenium derivatives [M(CO)₃-nL_n(C₄Ph₄)]⁺ (n = 1-3, L = phosphorus donor), 34-9

The behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 1. Monophenyl derivatives, 212-18

Interaction of tert-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of W[N(CMe₃)CMe₂](Me)[N(CMe₃)] [N(CMe₃)CMe₂]-CMe₂ and its hydrogen chloride adduct. tert-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97

CHLORITE

Kinetics of the reaction between chlorite and hexacyanoferrate(II) in aqueous solution; evidence for an interfacial redox reaction, 2537-43

CHLORO

Electron spin resonance spectra of dibromo and dichloro complexes of vanadium(IV), 1-7

Studies in cyclophosphazenes. Part 8. The equilibria between isomeric nongeminal aminochlorocyclotriphosphazenes, 103-6

Characterization of inner- and outer-sphere complexes by thermodynamics and absorption spectra. Part 2. Chloro complexes of copper(II), 245-50

Reactions of nitrogen monoxide with dicyclopentadienyltitanium complexes, including the formation of isocyanate from nitrogen monoxide and carbon monoxide, 271-5

Photochemistry of planar four-coordinate palladium(II) complexes. Part 2. Trans-cis isomerization of dihalobis(tri-n-propylphosphine)palladium(II) in solution, 302-5

Mono-η-cyclopentadienylmolybdenum chemistry: 1,2-bis(dimethylphosphino)ethanehydrido-, -halo-, -alkyne, and -oxo derivatives, 353-6

Photochemical preparation of the cis isomers of dichlorobis(tri-n-alkylphosphine)palladium(II) (alkyl = Et, Pr, or Bu); the crystal structure analysis of the overcrowded n-propyl homolog, 635-8

Tin-119 Fourier-transform nuclear magnetic resonance study of rhodium-tin complexes formed in aqueous hydrochloric acid solutions of rhodium trichloride and tin dichloride, 639-44

Evidence for asymmetrical cleavage of halide-bridged platinum(II) complexes by nucleophiles, 2132-6

Reactions of stable dichloroplatinum η²-olefin α-diimine complexes. Retention of the five-coordinate structure upon halogen exchange and ligand substitution with olefins, α-diimines, and N,N'-disubstituted 1,2-diaminoethanes, 2164-71

Reactions of acetylenes with noble-metal carbonyl halides. Part 4. The formation of a platinaoxacyclopentenone ring, 2395-404

A pseudo-base of pyridine. Reply to comments, 2599-600

A pseudo-base of pyridine. A refutation, 2599

CHLOROAMINE

Diagrams of existence of chloroamines and bromoamines in aqueous solution, 2300-10

CHLOROAUATE

Kinetics and mechanism of the reaction between tetrachloro- and tetrabromoaurate(III) and thiocyanate, 1093-100

CHLOROCUPRATE

Spectroscopic and structural investigation of two N-benzylpiperazinium tetrachlorocuprates(II), one hemihydrate and one anhydrous: two compounds containing unequally flattened tetrachlorocuprate(2-) tetrahedrons, 1753-9

CHLOROCYCLOPENTADIENYLIRIDIUM

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 30. Trimethylphosphinechloro-, -acetato-, and -hydrido

CHLOROCYCLOPENTADIENYLIRIDIUM(contd)

complexes and related compounds of (hexamethylbenzene)iridium, 2003-8

CHLOROCYCLOTRIPHOSPHAZENE

Studies in cyclophosphazenes. Part 10. The mechanism for trans-isomer preference in the nongeminal diamination of hexachlorocyclotriphosphazene, 1283-8

CHLOROETHYL

Use of alkali and alkaline-earth metal ions in the template synthesis of 12-crown-4, 15-crown-5, and 18-crown-6, 1157-61

CHLOROMETHYLBUTYLAMIDOETHYLBUTYLIMIDOTUNGSTATE

Interaction of tert-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $W[N(CMe_3)CMe_2](Me)[N(CMe_3)]$, $[N(CMe_3)CMe_2]$ and its hydrogen chloride adduct. tert-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97

CHLOROMETHYLTHIOUREAANTIMONY

Stereochemical role of lone pairs in main-group elements. Part 2. Structure and bonding in trichloro(tetramethylthiourea)antimony(III) studied by means of x-ray crystallography and antimony-121 Moessbauer spectroscopy, 2083-7

CHLOROMOLYBDENUM

Redox potential-structure relationships in metal complexes. Part 3. The electrochemical activation of coordinated hydrazido(2-) ligands, 419-24

CHLOROXYMOXYLBENDEUM

Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachlorooxomolybdenum(VI) and -oxotungsten(VI) and tetrabromooxotungsten(VI), 2501-7

CHLOROPHOSPHINEDIPLATINUM

Evidence for asymmetrical cleavage of halide-bridged platinum(II) complexes by nucleophiles, 2132-6

CHLOROPLATINUM

Reactions of stable dichloroplatinum η^2 -olefin α -diimine complexes. Retention of the five-coordinate structure upon halogen exchange and ligand substitution with olefins, α -diimines, and N,N' -disubstituted 1,2-diaminoethanes, 2164-71

Influence of light on the oxidative addition of bromine to trans-dichlorobis(triethylphosphine)platinum. Crystal structure of all-trans-dibromodichlorobis(triethylphosphine)platinum, 2589-91

CHLORORHENATE

Solubility of salts of hexachlororhenate(IV) ions with complex cations in water and in water + alcohol mixtures: free energies of transfer of the complex ions, 2034-8

CHLORORUTHENIUM

Metal complexes of sulfur ligands. Part 21. Reactions of $[Ru(SOClPh)_2(PMe_2Ph)_2]$ with $Ph_2P(CH_2)_nPPH_2$ ($n = 1$ or 2) and PMe_2Ph and of cis- $[RuCl_2(PMe_2Ph)_4]$ with ammonium monothioacetate. Crystal and molecular structure of $[Ru(SOClPh)_2(PMe_2Ph)(Ph_2P(CH_2)_2PPH_2)]$. MeOH, 2508-14

Structural and mechanistic studies of coordination compounds. Part 31. The chromium(II) reduction of some trans-tetraaminedichlororuthenium(III) cations, 2556-8

CHLOROSULFIDOTUNGSTATE

Crystal structure of benzyltriphenylphosphonium pentachlorosulfidotungstate(VI) and a study of the vibrational spectra of salts containing $[WCl_5Y]^-$ ($Y = O$ or S) ions, 2409-13

CHLOROSULFINE

Coordination chemistry of sulfines. Part 3. Oxidative addition of the carbon-chlorine bond of (E)-(RS)CICSO to tetrakis(triphenylphosphine)platinum(0) and of a carbon-sulfur bond in $[PtO(PPh_3)_2](RS)_2CSO$ by an intramolecular process. X-ray crystal and molecular structure of cis-(E)- $[Pt(PhS)(PhSCSO)(PPH_3)_2]$. C_6H_6 , 342-52

CHLOROSULFURIC

The behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 1. Monophenyl derivatives, 212-18

CHROMATE

Chromium(II) chemistry. Part 14. Ferromagnetic and antiferromagnetic tetrabromochromates(II), 27-33

Isolation of the anions $[M(CO)_5(SH)]^-$ and $[M_2(CO)_{10}(\mu-SH)]^-$ ($M = Cr, Mo, W$) as salts of the sodium(18-crown-6-ether) cation. X-ray analysis of the sodium carbonyl linked polymeric structures of the tungsten species, 2357-64

CHROMATOG

Preparation of alkyl-substituted partial trimethylsilyl silicates from olivine, 1957-60

CHROMIUM

Chemical synthesis with metal atoms. The preparation and structure of cyclooctadiene trifluorophosphine complexes of chromium. The crystal structure of $(\eta^5\text{-cycloocta-1,3-dienyl})hydrotis(trifluorophosphine)chromium$, 661-7

Metal carbonyl photochemistry. Part 3. Behavior of tricarbonyl(η^5 -cyclopentadienyl)manganese and related species at 77 K, 673-7

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 6. Synthesis of platinum-chromium and -tungsten compounds. X-ray crystal structure of degtetracarbonyl-c- μ -(methoxy-p-tolylmethylidene)-ab-tris(trimethylphosphine)platinumtungsten($Pt-W$), 743-50

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 7. Interconversion of carbene and carbyne ligands at a dimetal center. X-ray crystal structures of $[CrPt(\mu-C(CO)_2Me)(Ph)(CO)_4(PMe_3)_2]$ and $[MnPt(\mu-CC_6H_4Me-4)(CO)_2(PMe_3)_2-(\eta-C_5H_5)] [BF_4]$. CH_2Cl_2 , 751-62

Transition metal complexes of pyrrole pigments. Part 20. Redox behavior of chromium complexes with macrocyclic tetrapyrroles, 855-61

Kinetics of the reduction of (ethylenediamine)tetraacetato)cobaltate(III) and related complexes by chromium(II) ions, 894-6

The aquation of trans-bis(ethylenediamine)difluorochromium(III) and related ions in aqueous solutions of strong acids, 981-5

Metal-to-ligand charge-transfer excited-state photochemistry of pentacarbonyl(pyridazine-N)chromium and tetracarbonyl(isopropyl(2-pyridyl)methylene)amine-N,N'-chromium. The difference between the photochemical behavior of the former in solution at 243 K and in an argon matrix at 10 K, 1524-30

Small molecule analogs for the specific metal-binding site of lactoferrin. Part 2. Phenolato complexes of copper(II) and the nature of the charge-transfer transition in the visible region, 1701-7

Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50

Reduction of nitroamine (NH_2NO_2) by vanadium(II) and chromium(II) in acid solution, 2009-10

Solvent isotope effects in the acidolysis and other electrophilic substitution reactions of pentaquaqueorganochromium(III) ions in aqueous solution, 2452-61

Structural and mechanistic studies of coordination compounds.

Part 31. The chromium(II) reduction of some trans-tetraaminedichlororuthenium(III) cations, 2556-8

CHROMOPHORE

Crystal structure and electronic properties of bis(2,2'-bipyridyl)nitratocopper(II) nitrate monohydrate, 2070-7

CINNABAR

The light-induced blackening of red mercury(II) sulfide, 833-5

CIRCULAR DICHROISM

Optically active complexes of Schiff bases. Part 6. Palladium(II) and platinum(II) complexes with quadridentate Schiff bases of salicylaldehyde, 2147-52

CLEAVAGE

Reactions of $[Fe_2(\eta-C_5H_5)_2(CO)_4(CNR)_n]$ ($n = 1$ or 2 ; $R = Me, Et, \text{ or } CH_2Ph$) with acetyl and benzoyl chlorides, 322-4

Carbon-oxygen and -hydrogen cleavage in the reaction of $[Fe_2(CO)_2(\eta-C_5H_5)_2L]$ [$L = P(OR)_3$ or PR_3] with phosphite and phosphine ligands, 325-7

Ring opening in a nonbasic medium of 2-methyl-6-nitrobenzothiazole and hydrogen-deuterium exchange at the 2-methyl promoted by silver(I), 1520-3

Reactions and properties of some trimethyleneplatinum(IV) complexes. Part 11. Platinacyclobutanes derived from methylcyclopropane, 1738-45

Evidence for asymmetrical cleavage of halide-bridged platinum(II) complexes by nucleophiles, 2132-6

Reactions of methylmercury(II), mercury(II), and zinc(II) ions with 2-methyl-2-(2-pyridyl)thiazolidine, including stopped-flow rapid-scanning spectrophotometric studies, 2137-40

CLOSURE

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-coordinate barium(II) complex, 1678-84

CLUSTER

Transition metal carbonyl derivatives of the germanes. Part 13.

Preparation, spectroscopic properties, and the crystal and molecular structure of bis(μ -carbonylbis(tricarbonylcobalto)(C-

CLUSTER(contd)

- o-Co]]germanium(4Co-Ge), $[\text{Ge}(\text{Co}_2(\text{CO})_7)_2]$; a new type of Group 4-tetracobalt species, 80-4
- Triosmium clusters derived from aldehydes, ketones, and ketenes and their interconversions, 91-8
- Further chemistry of trimethylphosphine complexes of rhodium(I): x-ray crystal structures of dodeca(trimethylphosphine)tetrarhodiumhexamercury, $\text{Hg}_6\text{Rh}_4(\text{PMe}_3)_{12}$, and trans-chlorobis(trimethylphosphine)(triphenylphosphine)rhodium(I), 126-31
- Chemistry of the metal carbonyls. Part 76. Platinum-osmium carbonyl complexes derived from decacarbonyldi- μ -hydridotriosmium; x-ray crystal structure of $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{P}(\text{cyclo-C}_6\text{H}_{11})_3)]$, 155-61
- Chemistry of the metal carbonyls. Part 77. Some reactions of the platinumtriosmium complexes $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{PR}_3)]$ with donor molecules; x-ray crystal structures of $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{PPh}_3)_2]$ and $[\text{Os}_3\text{Pt}(\text{CO})_5(\text{PPh}_3)_2(\mu_3\text{-MeC}_2\text{Me})]$, 162-70
- Chemistry of the metal carbonyls. Part 78. Synthesis and x-ray crystal structures of $[\text{NiOs}_3(\mu\text{-H})_2(\mu\text{-CO})_2(\text{CO})_8(\text{PPh}_3)_2]$ and $[\text{Os}_3\text{Rh}(\mu\text{-H})_2(\text{acac})(\text{CO})_{10}]$ (acac = acetylacetonate), 171-9
- Preparation and crystal structure of hexa- μ -acetatodichlorodioxotetraoxotetramolybdenum(V)-acetic anhydride (1/1), 311-13
- The preparation, characterization, and some reactions of undecacarbonyl(methyl cyanide)triosmium (3Os-Os), 407-12
- Crystal and molecular structure of tetra- μ_3 -carbonyloctacarbonyl-tetrakis(triphenyl phosphite)-octahedro-hexarhodium, 515-18
- High nuclearity carbonyl clusters of rhodium. Part 2. Crystal and molecular structure of the tetramethylammonium salt of dodeca- μ -carbonyldodecacarbonylhydrido-polyhedro-tridecarhodate(4-)-1-methylpyrrolidin-2-one (1/3), 519-23
- Interaction of H_2 with $\text{Re}_3(\mu\text{-Cl})_3(\text{CH}_2\text{SiMe}_3)_6$, its CO, PPh_3 , and pyridine adducts, and with $\text{Re}_3(\mu\text{-Cl})_3\text{Cl}(\text{CH}_2\text{SiMe}_3)_5$. Crystal structures of $\text{H}[\text{Re}_3(\mu\text{-Cl})_3(\text{CH}_2\text{SiMe}_3)_6]$, $\text{Re}_3(\mu\text{-Cl})_3\text{ClH}(\text{CH}_2\text{SiMe}_3)_4(\text{PPh}_3)$, and $\text{Re}_3\text{Cl}_3(\mu\text{-CH}_2\text{SiMe}_3)_3(\text{CH}_2\text{SiMe}_3)_3$, 705-16
- New carbide clusters in the cobalt sub-group. Part 7. Preparation and structural characterization of carbidohepta- μ -carbonylheptacarbonyl-polyhedro-hexarhodate(2-) as its bis(tetraphenylphosphonium) salt, 717-20
- Combined x-ray and neutron diffraction study of $[\text{Os}_4(\text{CO})_{11}\text{H}_3(\text{C-HCHPh})]$, 788-92
- Synthesis and reactivity of trinuclear osmium and dinuclear and trinuclear ruthenium compounds derived from hydroxyalkynes, 828-32
- Chemistry of the metal carbonyls. Part 79. Synthesis and x-ray crystal structures of $[\text{N}(\text{PPh}_3)_2]\text{Fe}_2\text{Pt}_2(\mu\text{-H})(\mu\text{-CO})_3(\text{CO})_5(\text{PPh}_3)_2]$, $[\text{Fe}_2\text{Pt}_2(\mu\text{-H})_2(\text{CO})_8(\text{PPh}_3)_2]$, and $[\text{Fe}_2\text{Pt}(\text{CO})_8(\text{cyclo-C}_6\text{H}_{12})]$, 1134-45
- The electronic states of the tetrahedral iron clusters of iron-sulfur proteins. A theoretical model, 1180-9
- A vibrational spectroscopic study of dodecacarbonyltetrarhodium, 1498-500
- The structures and fluxional behavior of the binary carbonyls; a new approach. Part 3. The fluxional behavior of $[\text{Fe}_3(\text{CO})_{11}\text{L}]$, $\text{L} = \text{PR}_3$ or $\text{P}(\text{OR})_3$, 1535-9
- Electrochemical behavior of $[\text{Fe}_6\text{M}_2\text{S}_8(\text{SR})_6]^{3-}$ ($\text{M} = \text{Mo}$ or W) and the roles of molybdenum and tungsten in nitrogenases, 1664
- Thermal degradation of dimethylvinylarsine in triosmium clusters to give bridging vinyl, vinylidene, and acetylene ligands, 1718-21
- Electron spin resonance behavior of the tricarbonyltris(μ -tetracarbonylferrio)-triangular-triplatinate(1-) carbonyl cluster anion, 1735-7
- Electrochemistry of platinum(II) coordination compounds. Part 3. Redox behavior of triangular platinum-cobalt clusters. Electrochemically induced generation of the tetranuclear cluster $[\text{Pt}_2\text{Co}_2(\mu\text{-CO})_3(\text{CO})_5(\text{PPh}_3)_2]$, 2059-62
- Organosulfur-transition metal chemistry. Part 5. Face bonding of cycloheptatrienyl and cyclooctatetraene ligands in sulfur-ruthenium clusters: crystal and molecular structure of hexacarbonyl- μ_3 - η^7 -cycloheptatrienyl- μ_3 -tert-butylthio-triangular-triruthenium, 2220-9
- Products of the pyrolysis of undecacarbonyl(trimethyl phosphite)triosmium: the molecular and crystal structure of $[\text{Os}_5\text{C}(\text{CO})_{13}\text{H}(\text{OP}(\text{OMe})_2)_2(\text{P}(\text{OMe})_3)]$, 2250-7
- The reactions of carbidoheptadecacarbonylhexaruthenium with dissolved and anchored phosphines. Crystal and molecular structure of μ_6 -carbido- μ -carbonyl-pentadecacarbonyl(ethyldiphenylphosphine)-octahedro-hexaruthenium, 2263-70

COBALT

- Transition metal carbonyl derivatives of the germanes. Part 13. Preparation, spectroscopic properties, and the crystal and molecular structure of bis(μ -carbonyl)bis(tricarbonylcobalto)(C-o-Co)]germanium(4Co-Ge), $[\text{Ge}(\text{Co}_2(\text{CO})_7)_2]$; a new type of Group 4-tetracobalt species, 80-4
- Standard enthalpies of formation of bis(pentane-2,4-dionato)copper(II) and tetrakis[bis(pentane-2,4-dionato)cobalt(II)] and an estimation of the metal-oxygen bond energies, 99-102
- A proton nuclear magnetic resonance investigation of the protonation of bis(ethylenediamine)glycinatocobalt(III) in strongly acidic media, 317-18
- Novel compounds with gold-transition metal bonds; crystal and molecular structure of bis(triphenylphosphine)iminium bis(tetracarbonylcobalto)aurate(I), 366-70
- Preparation and the crystal and molecular structure of $[\text{NEt}_4][\text{Ge}(\text{Co}_2(\text{CO})_7)(\text{Co}_2(\text{CO})_8[\text{HgCo}(\text{CO})_4])]$; an anion containing a mercury-bridged cobalt-cobalt bond, 381-4
- Flash-photolysis studies of the electron-transfer reactions of dioxygen complexes of cobalt(III) with tris(2,2'-bipyridyl)ruthenium(III), 478-80
- New adducts of phthalocyaninatocobalt(II) with base molecules. Part 3. Chemical and spectroscopic relations between mono (low- and high-spin) and bis adducts, 535-8
- Electron spin resonance studies of axial ligation to cobalt(II) complexes. Part 2. Interaction with phosphorus ligands. Analysis of the cobalt bonding parameters and the phosphorus hyperfine coupling, 590-8
- Spin density and cobalt electronic structure in phthalocyaninatocobalt(II): a polarized neutron diffraction study, 734-42
- Spectroscopy of cobalt-ethylenediamine-oxygen adducts in the supercages of zeolites, 914-22
- The d-electron optical activity of tetrahedral dichloro(-)-spartein[cobalt(II)], 976-80
- Preparation and spectra of a series of tautomeric compounds, $[\text{NiCo}(\eta\text{-dienyl})(\text{CO})_4\text{L}]$ (dienyl = C_5H_5 or $\text{C}_3\text{H}_4\text{Me}$; $\text{L} =$ tertiary phosphine or arsine), 1057-60
- Equilibrium and kinetic parameters of the oxygenation reaction of oxygen carriers. Conformational effects in cobalt(II) Schiff-base chelates derived from salicylaldehyde and substituted ethylenediamines, 1115-19
- Regioselective formation of peroxyquinolatocobalt(III) complexes in the oxygenation of 2,6-di-tert-butylphenols with cobalt(II) Schiff base complexes, 1504-14
- Equilibria of some α -amino acids containing sulfur atoms in the chain with metal(II) ions. Part 1. DL-4,4'-Dithiobis(2-aminobutyric acid) with manganese(II), cobalt(II), and nickel(II) in aqueous solution, 1531-4
- Ketoximate complexes. Part 3. Structure and properties of tris chelates of cobalt(III), iron(II), and ruthenium(II), 1856-62
- Studies of mixed-metal hydroxy-bridged complexes. Part 1. Complexes with bis(ethylenediamine)dihydroxocobalt(III) as ligand, 1924-7
- Equilibria of some α -amino acids containing sulfur atoms in the chain with metal(II) ions. Part 2. S,S'-methylenebis(L-cysteine) with cobalt(II), nickel(II), and zinc(II) in aqueous solution, 1961-4
- Solubility of salts of hexachlororhenate(IV) ions with complex cations in water and in water + alcohol mixtures: free energies of transfer of the complex ions, 2034-8
- Electrochemistry of platinum(II) coordination compounds. Part 3. Redox behavior of triangular platinum-cobalt clusters. Electrochemically induced generation of the tetranuclear cluster $[\text{Pt}_2\text{Co}_2(\mu\text{-CO})_3(\text{CO})_5(\text{PPh}_3)_2]$, 2059-62
- Synthesis, reactivity, and electrochemical behavior of new five-coordinate nitrosyl cobalt complexes, 2127-31
- A study of substituent and base effects on the electron spin resonance spectra of the molecular oxygen adducts of cobalt(II) porphyrin chelates, 2365-9
- Zirconium phosphates partially exchanged with transition metal ions: characterization and stereochemical changes induced by heat treatment, 2376-84
- Novel ligational behavior of thiosalicylhydrazide and its derivatives with cobalt(II), nickel(II), copper(II), and palladium(II), 2385-94
- Esterification of amino acids chelated to cobalt(III), molybdenocenes, and platinum(II). Stability of chelated esters versus dechelation, 2479-83
- CH-acidity of amino acid esters coordinated to cobalt(III).

COBALT(contd)

- Racemization during the formation of peptides, 2484-8
Calorimetric titration and proton nuclear magnetic resonance studies of adduct formation between cobalt(III) β -diketonates and a lanthanide shift reagent, 2596-8

COBALTAHEXABORANE

- Bonding in clusters. Part 2. Hexaborane(10) and related metalloboranes, 546-51

COBALTE

- Transition metal carbonyl derivatives of the germanes. Part 13. Preparation, spectroscopic properties, and the crystal and molecular structure of bis(μ -carbonylbis(tricarbonylcobalto)(C-o-Co))germanium(4Co-Ge), [Ge(Co₂(CO)₃)₂]; a new type of Group 4-tetracobalt species, 80-4
Kinetics of the reduction of (ethylenediaminetetraacetato)cobaltate(III) and related complexes by chromium(II) ions, 894-6
Resonance-Raman and infrared studies of cyanide-bridged dimetal complexes, 939-41
Crystal structure and absolute configuration of an isomer of potassium carbonatobis(L-valinato)cobaltate(III) dihydrate, 1067-8
The mechanism and kinetics of the substitution of azide, thiocyanate, and cyanide ions in aquapentacyanocobaltate(III) and pentacyanohydroxocobaltate(III), 1578-82
Dialkyl sulfoxides as starting materials for the preparation of alkyl-transition metal complexes. Formation of pentaquomethylchromium(III) and pentacyanomethylcobaltate(III) salts, and the reduction of methyl radicals by vanadium(II), 2462-4
Nuclear magnetic resonance and electronic spectral studies on the formation of π -olefin-tetracyanocobaltate(I) complexes, 2529-36

COBALTOBORANE

- Extended Hückel molecular-orbital calculations on dodecahedral metalloboranes which do not conform to the polyhedral skeletal electron-pair theory, 1788-97

COLOR

- Model compounds for microbial iron-transport compounds. Part 1. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22

COMPD

- Chemistry of the metal carbonyls. Part 76. Platinum-osmium carbonyl complexes derived from decacarbonyldi- μ -hydridotrisosmium; x-ray crystal structure of [Os₃Pt(μ -H)₂(CO)₁₀](Pt(cyclo-C₆H₁₁)₃), 155-61
Metallocene derivatives of early transition metals. Part 2. Substituted cyclopentadienyl group 4A dichlorometallocene complexes M(η -C₅H₄R)₂Cl₂ (M = Zr, Hf; R = Me, Et, CHMe₂, CMe₃, SiMe₃), mono- and dialkyl derivatives M(η -C₅H₄R)₂R'X (X = Cl, R', R' = CH₃SiMe₃, CH₂CMe₃), and d¹ reduction products, 805-13
Electron spin resonance spectra of a titanium(IV)/III mixed-valence tetranuclear species [Ti₄(OR)₂O], 2328-30

COMPLEXATION

- Nuclear magnetic shift and relaxation effects resulting from complexation of lanthanide ions with endo-cis-bicyclo[2.2.1]hept-5-ene-2,3-dicarboxylic acid, 678-82
Phosphite complexes of copper(II) carboxylates and their derivatives. Crystal structure of a penta- μ -acetato-bis(triethyl phosphite)tricopper(I,II), 2119-26
Protonation and complex formation with heavy-metal ions of two tetrafunctional amines and of a new structurally related ion exchange resin, 2559-64

COMPUTER

- Phosphonate complexes. Part 5. An improved multiparametric refinement program, MUCOMP, for complex formation studies from potentiometric data, 2419-22

CONCN

- Studies on the oxidation of iron(II) ion during the formation of Fe₃O₄ and α -FeO(OH) by air oxidation of Fe(OH)₂ suspensions, 1807-11

COND

- Ternary complexes of copper(I) with 2,9-dimethyl-1,10-phenanthroline and some oxygen-donor ligands, 452-5
Topochemically controlled hydrogen reduction of scheelite-related rare earth metal molybdates, 668-72
Influence of fluorine substitution on the proton conductivity of hydroxyapatite, 949-55
Iron(II) complexes of a potentially quinque-dentate macrocyclic ligand having an N₃S₂ donor set and the crystal and molecular structures of a high-spin (S = 2) complex and a low-spin (S = 0)

complex, 1965-72

CONDENSATION

- The behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 1. Monophenyl derivatives, 212-18
Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of N-salicylidene-2-aminothiazole, 2063-9

CONFIGURATION

- Coordination chemistry of sulfines. Part 3. Oxidative addition of the carbon-chlorine bond of (E)-(RS)ClCSO to tetrakis(triphenylphosphine)platinum(0) and of a carbon-sulfur bond in [PtO(PPh₃)₂](RS)₂CSO by an intramolecular process. X-ray crystal and molecular structure of cis-(E)-[Pt(PhS)(PhSCSO)(PPH₃)₂].C₆H₆, 342-52

- Electron spin resonance studies of axial ligation to cobalt(II) complexes. Part 2. Interaction with phosphorus ligands. Analysis of the cobalt bonding parameters and the phosphorus hyperfine coupling, 590-8

- Spin density and cobalt electronic structure in phthalocyaninatocobalt(II): a polarized neutron diffraction study, 734-42

- The electronic states of the tetrahedral iron clusters of iron-sulfur proteins. A theoretical model, 1180-9

- Strong hydrogen bonding in the polyfluorides: ab initio calculations and a new method of preparing potassium hydrogen difluoride, 1219-22

- Carbon-13 nuclear magnetic resonance in isotopically enriched high-spin iron(III) porphyrins: π -electron spin distribution, 1729-34

- Spin density and manganese electronic structure in phthalocyaninatomanganese(II), 1837-45

- Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 4. Ring reversal, pyramidal inversion, and novel fluxional rearrangements in [PtXMe₃]₂(MeSCH₂SeMe) complexes, 2439-46

CONFORMATION

- Coordination chemistry of sulfines. Part 3. Oxidative addition of the carbon-chlorine bond of (E)-(RS)ClCSO to tetrakis(triphenylphosphine)platinum(0) and of a carbon-sulfur bond in [PtO(PPh₃)₂](RS)₂CSO by an intramolecular process. X-ray crystal and molecular structure of cis-(E)-[Pt(PhS)(PhSCSO)(PPH₃)₂].C₆H₆, 342-52

- Proton and carbon-13 nuclear magnetic resonance studies of gold(I) thiomalate ('Myocrisin') in aqueous solution: dependence of the solution structure on pH and ionic strength, 1657-63

- Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50

- Conformations of diphosphinoamines: variable-temperature nuclear magnetic resonance and x-ray crystallographic studies, 2192-8

CONFORMATIONAL

- Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50

CONST

- Matrix isolation studies on cesium, rubidium, and potassium carbonates. The shape of molecular potassium carbonate, 456-62

- Kinetics and mechanisms of redox reactions in aqueous solution.

- Part 7. Decarboxylation of aliphatic acids by aquasilver(II) ions, 897-901

- A spectroscopic and crystallographic study of the [ReNCI₄] ion, 1061-3

- Synthesis and vibrational spectroscopic study of compounds containing the dithiocyanato-, iodothiocyano-, and diselenocyanatoiodate(I), 1146-51

- Studies of mixed-metal hydroxy-bridged complexes. Part 1. Complexes with bis(ethylenediamine)dihydroxocobalt(III) as ligand, 1924-7

- Equilibria of some α -amino acids containing sulfur atoms in the chain with metal(II) ions. Part 2. S,S'-methylenebis(L-cysteine) with cobalt(II), nickel(II), and zinc(II) in aqueous solution, 1961-4

COORDINATED

- Solid-state absorption and circular-dichroism spectra of five-coordinate trigonal copper(II) complexes: anisotropic contributions to the d-d transition probabilities, 2565-72

COORDINATION

- Preparation of three- and four-coordinate gold(I) complexes; crystal structure of bis[σ -phenylenebis(dimethylarsine)]gold(I)

COORDINATION(contd)

bis(pentafluorophenyl)aurate(I), 655-7

Square planar coordination of the 12-membered macrocyclic tetraamine ligand 1,4,7,10-tetraazacyclododecane-2,6-dione, 694-700

Characterization of cationic coordination complexes using field desorption mass spectrometry, 1994-6

Reactions of stable dichloroplatinum η^2 -olefin α -diimine complexes. Retention of the five-coordinate structure upon halogen exchange and ligand substitution with olefins, α -diimines, and N,N'-disubstituted 1,2-diaminoethanes, 2164-71

COORDINATION NO

Characterization of two-, three-, and four-coordinate gold(II) complexes by gold-197 Moessbauer and proton-decoupled phosphorus-31 nuclear magnetic resonance spectroscopy, 2098-104

COPPER

Synthesis, spectroscopic, and structural properties of 2,2-dimethylpropane-1,3-diaminecopper(II) complexes. Temperature-dependent tetragonal distortion in some thermochromic complexes. Crystal and molecular structure of bis(2,2-dimethylpropane-1,3-diamine)diperchloratocopper(II), 8-12

Magnetic and structural studies on copper(II) dialkyldithiocarbamates, 13-22

An electron spin resonance study of crown ethers containing copper(II), with a d_{z^2} ground state, and silver atoms, 56-60

Studies involving nitrogen-oxygen donor macrocyclic ligands. Interaction of copper(II) with new O_2N_3 -donor macrocycles and the x-ray analysis of aqua(1,12,16-triaza-3,4,9,10-dibenzo-5,8-dioxacyclooctadecane)copper(II) diperchlorate hydrate, 74-9

Standard enthalpies of formation of bis(pentane-2,4-dionato)copper(II) and tetrakis(bis(pentane-2,4-dionato)cobalt(II)) and an estimation of the metal-oxygen bond energies, 99-102

Crystal structure and spectroscopic properties of a polynuclear complex between [bis(2-aminoethyl)amine]copper(II) and hexacyanoferrate(III), 111-17

Relation between structure and spectra of pseudotetrahedral copper(II) complexes. Crystal structure of bis(di-2-pyridylamido)copper(II), 196-9

Characterization of inner- and outer-sphere complexes by thermodynamics and absorption spectra. Part 2. Chloro complexes of copper(II), 245-50

Crystal structure and magnetic properties of bis(di- μ -ethoxobis(4,4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato)dycopper(II)), 251-4

The electronic structure of copper in the polymer potassium bis(carbonato)cuprate(II) as determined from precise x-ray diffraction data, 371-6

Ternary complexes of copper(I) with 2,9-dimethyl-1,10-phenanthroline and some oxygen-donor ligands, 452-5

Electron spin resonance study of some copper(II) dithiocarbamates and their mixed ligand complexes, 466-71

A critical examination of the interaction between copper(II) and glycylglycyl-L-histidine, 491-4

Macro-inorganics. Part 6. Protonation and complex formation of a new series of polymers whose repeating units behave independently, 539-42

Studies of some ternary complexes of copper(II) involving π -bonding ligands, 543-5

Studies of chelation. Part 9. Cobalt complexes of 1-[(substituted phenyl)azo]-2-naphthol and 1-[(substituted phenylimino)methyl]-2-naphthol ligands. Tautomerism and reactivity, 559-66

Crystal structure and electronic properties of bis(2,2'-bipyridyl)formatecopper(II) tetrafluoroborate-water (2/1), 567-74

Copper(II) complexes of N,N'-bis(β -carbamoyl)ethyl(trimethylene)diamine in aqueous solution, 683-6

Square planar coordination of the 12-membered macrocyclic tetraamine ligand 1,4,7,10-tetraazacyclododecane-2,6-dione, 694-700

Electron spin resonance study of copper(II)-amino-acid complexes: evidence for cis and trans isomers and the structures of copper(II)-histidine complexes in aqueous solution, 822-7

Three-, four-, and five-coordinate modes of a potentially quinquedentate 'nitrogen-sulfur' macrocyclic ligand: the crystal and molecular structures of two copper(II) complexes, 942-8

Chemistry of the Group 1B metals. Part 16. Crystal and molecular structures of [ortho-phenylenebis(dimethylarsine)]tetrakis(1-pyrazolyl)-borato-N₂N₂'copper(I) and bis[ortho-phenylenebis(dimethylarsine)]copper(I) hexafluorophosphate(V), 962-7

Binary and ternary complexes of copper(II) containing some potentially tridentate ligands, 992-6

Potentiometric and spectrophotometric study of the coordination compounds formed between copper(II) and dipeptides containing tyrosine, 1331-5

Macrocyclic copper(II) chelate derivatives of 2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioic and 2,2,9,9-tetramethyl-4,7-dithiadecanedioic acids. Crystal structures of aqua, pyridine, and triphenylphosphine adducts of [2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioato]copper(II), 1406-14

Cation distortion isomerism in three five-coordinate diethylenetriamine(di-2-pyridylamine)copper(II) complexes, 1463-9

Highly selective membrane transport of copper(II) ion by synthetic linear oligomer carriers, 1486-91

Reactivity of coordination compounds in the solid state. Part 1.

Mixed-ligand complexes of oxalate and 2,2'-bipyridyl with copper(II): their preparation, interconversion, and novel solid-state reactivity, 1540-3

A structural profile of the bis(2,2'-bipyridyl)monochlorocopper(II) cation. Crystal structures of bis(2,2'-bipyridyl)monochlorocopper(II) perchlorate and the nitrate trihydrate, 1556-64

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-coordinate barium(II) complex, 1678-84

Synthesis of some pentagonal-bipyramidal complexes of manganese(II), iron(II), cobalt(II), nickel(II), copper(II), and zinc(II) with a heptadentate Schiff-base ligand and the crystal and molecular structures of a copper(II) complex, 1685-90

Small molecule analogs for the specific metal-binding site of lactoferrin. Part 2. Phenolato complexes of copper(II) and the nature of the charge-transfer transition in the visible region, 1701-7

Copper coordination to thioether ligands. Chemical, spectroscopic, and crystallographic studies on copper(I) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the 2-(3,3-dimethyl-2-thiabutyl)pyridinium cation, 1746-52

Crystal structure and infrared spectrum of anhydrous guanidinium copper(II) carbonate, 1770-2

Crystal and molecular structure of bis(N-allylsalicylideneiminato)nickel(II) and -copper(II), 1773-9

Ligand substitution in bis(N-allylsalicylideneiminato)copper(II) complexes: comparison of activation and transfer data obtained from solvent mixtures, 1825-30

Bicopper(I) and bicopper(II) complexes of a 30-membered macrocyclic ligand: the inclusion of substrate molecules and the crystal and molecular structures of a μ -hydroxo- and a μ -imidazolato-complex, 1868-78

Studies of mixed-metal hydroxy-bridged complexes. Part 1. Complexes with bis(ethylenediamine)dihydroxocobalt(III) as ligand, 1924-7

Crystal and molecular structure of the (2,6-bis[1-(2-imidazol-4-ylethylimino)ethyl]pyridine)zinc(II) and -copper(II) cations: five-coordinate relatives of a copper(I) oxygen carrier, 1951-6

Crystal structure and electronic properties of bis(2,2'-bipyridyl)thiocyanatocopper(II) tetrafluoroborate, 2029-33

Copper coordination to thioether ligands. Spectroscopic studies of dimeric copper(II) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the crystal structure of di- μ -bromobis(bromo[2-(3,3-dimethyl-2-thiabutyl)pyridine-N,S]copper(II)), 2054-8

Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of N-salicylidene-2-aminothiazole, 2063-9

Crystal structure and electronic properties of bis(2,2'-bipyridyl)nitratocopper(II) nitrate monohydrate, 2070-7

Phosphite complexes of copper(II) carboxylates and their derivatives. Crystal structure of a penta- μ -acetato-bis(triethyl phosphite)tricopper(II), 2119-26

The single-crystal electronic and electron spin resonance spectra of copper(II) doped bis(2,2'-bipyridyl)nitritozinc(II) nitrate and bis(2,2'-bipyridyl)nitritocopper(II) tetrafluoroborate: a fluxional $CuN_2N'_2O_2$ chromophore, 2271-9

Mechanism of water substitution in the trigonal-bipyramidal complex $[Cu(tren)(OH)_2]^{2+}$ ($tren = 2,2',2''$ -tri(aminotriethylamine): evidence for an associative mechanism, 2370-2

Zirconium phosphates partially exchanged with transition metal ions: characterization and stereochemical changes induced by heat treatment, 2376-84

Novel ligational behavior of thiosalicylohydrazide and its

COPPER(contd)

derivatives with cobalt(II), nickel(II), copper(II), and palladium(II), 2385-94

Phosphonate complexes. Part 6. Influence of steric effects, solvation, and chelation on stability, 2423-8

Spectrophotometric studies of the copper(II)-D-o-tyrosine complex. Assignment of the 330-nm dichroic band in copper(II) and iron(III) transferrins, 2544-9

Protonation and complex formation with heavy-metal ions of two tetrafunctional amines and of a new structurally related ion exchange resin, 2559-64

Solid-state absorption and circular-dichroism spectra of five-coordinate trigonal copper(II) complexes: anisotropic contributions to the d-d transition probabilities, 2565-72

Activation of dioxygen and catalytic oxidation of ethanol to acetaldehyde and hydrogen peroxide by copper(I) complexes containing 2,2'-bipyridyl and tertiary phosphine ligands, 2585-6

CORROLATO

Transition metal complexes of pyrrole pigments. Part 20. Redox behavior of chromium complexes with macrocyclic tetrapyrroles, 855-61

COUPLING

Phosphorus-31, selenium-77, and mercury-199 nuclear magnetic resonance studies of bis(tributylphosphine selenide)mercury(II) complexes, 658-60

Coupling of organic halides electrocatalyzed by the $Ni^{II}/Ni^I/Ni^0$ -PPh₃ system. A mechanistic study based on an electroanalytical approach, 1074-81

Platinum-195 nuclear magnetic resonance study of platinum(0) complexes containing a series of acetylenes, 1082-8

CRAFT

Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acetylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17

CROWN

An electron spin resonance study of crown ethers containing copper(II), with a d_{xy} ground state, and silver atoms, 56-60

Complexation and solvent extraction of lithium salts with 2,3,6,7,9,10-hexahydro-5H-1,4,8,11-benzotetraoxacyclotridecin (benzo-13-crown-4), 501-5

Coordination compounds of indium. Part 38. Complexes of indium(I) and indium(III) with macrocyclic ligands, 928-32

Isolation of the anions $[M(CO)_5(SH)]^-$ and $[M_2(CO)_{10}(\mu-SH)]^-$ (M = Cr, Mo, and W) as salts of the sodium(18-crown-6-ether) cation. X-ray analysis of the sodium carbonyl linked polymeric structures of the tungsten species, 2357-64

CRYSTAL

Synthesis, spectroscopic, and structural properties of 2,2-dimethylpropane-1,3-diaminecopper(II) complexes. Temperature-dependent tetragonal distortion in some thermochromic complexes. Crystal and molecular structure of bis(2,2-dimethylpropane-1,3-diamine)diphenylacetylenecopper(II), 8-12

Magnetic and structural studies on copper(II) dialkyldithiocarbamates, 13-22

Structural investigations on bismuth-thiourea derivative adducts: crystal structures of tetra[1-allyl-3-(2-pyridyl)thiourea-S]di-μ-chloro-tetrachlorodibismuth(III) and hexa[1-allyl-3-(2-pyridyl)thiourea-S]bismuth(III) nitrate, 23-6

Chromium(II) chemistry. Part 14. Ferromagnetic and antiferromagnetic tetrabromochromates(II), 27-33

η^2 Complexes of cyclic polyolefins: crystal structure of dicarbonyl(1-2- η -cyclo-octatetraene)(η -cyclopentadienyl)manganese, 51-5

Spectroscopic studies of trans-bis(hexafluoroarsenato)tetrakis(thiazyl trifluoride)metal(II) complexes (M = Mn, Fe, Co, Ni, or Cu); crystal structure of the manganese(II) complex: an example of exceptionally short N-S bonds of AsF₆ as a unidentate ligand, 61-3

Crystal structure of di- μ_3 -oxo-octakis- μ -(trifluoroacetato)ditin(II)-ditin(IV)-benzene (1/1), 69-73

Studies involving nitrogen-oxygen donor macrocyclic ligands.

Interaction of copper(II) with new O₂N₂-donor macrocycles and the x-ray analysis of aqua(1,12,16-triaza-3,4,9,10-dibenzo-5,8-dioxacyclooctadecane)copper(II) diphenylchlorate hydrate, 74-9

Transition metal carbonyl derivatives of the germanes. Part 13. Preparation, spectroscopic properties, and the crystal and molecular structure of bis- μ -carbonylbis(tricarbonylcobaltio)(C-o-Co)germanium(4Co-Ge), $[Ge(CO)_7(CO)_2]_2$: a new type of Group 4-tetracobalt species, 80-4

Crystal structure and spectroscopic properties of a polynuclear

complex between [bis(2-aminoethyl)amine]copper(II) and hexacyanoferrate(III), 111-17

Transition metal-carbon bonds. Part 48. Allene complexes from halo-bridged platinum(II) complexes: crystal structures of cis-[PtCl₂(PPh₃)(C₃H₄)] and cis-[PtCl₂(PMe₂Ph)(C₃H₄)], 121-5

Further chemistry of trimethylphosphine complexes of rhodium(I): x-ray crystal structures of dodeca(trimethylphosphine)tetrarhodiumhexamercury, Hg₆Rh₄(PMe₃)₁₂, and trans-chlorobis(trimethylphosphine)(triphenylphosphine)rhodium(I), 126-31

Single-crystal electron spin resonance spectra of tris(diethyldithiocarbamato)oxomolybdenum(V) and chlorobis(diethyldithiocarbamato)oxomolybdenum(V) diluted in isomorphous host lattices, 142-9

Reaction of $[(Ir(CO)_3(PPh_3)_2)_2]$ with substituted acetylenes. Part 1. Synthesis and crystal and molecular structure of $[\eta^1-1,1$ -dicarbonyl-2,3,4,5-tetrakis(ethoxycarbonyl)-1-triphenylphosphineiridacyclopentadienyl]dicarbonyliridium, 150-4

Chemistry of the metal carbonyls. Part 76. Platinum-osmium carbonyl complexes derived from decacarbonyldi- μ -hydriotriosmium; x-ray crystal structure of $[Os_3Pt(\mu-H)_2(CO)_{10}(P(cyclo-C_6H_{11})_3)]$, 155-61

Chemistry of the metal carbonyls. Part 77. Some reactions of the platinumtriosmium complexes $[Os_3Pt(\mu-H)_2(CO)_{10}(PR_3)]$ with donor molecules; x-ray crystal structures of $[Os_3Pt(\mu-H)_2(CO)_{10}(PPh_3)_2]$ and $[OsPt_2(CO)_5(PPh_3)_2(\mu_3-MeC_2Me)]$, 162-70

Chemistry of the metal carbonyls. Part 78. Synthesis and x-ray crystal structures of $[NiOs_3(\mu-H)_2(\mu-CO)_2(CO)_6(PPh_3)_2]$ and $[Os_3Rh(\mu-H)_2(acac)(CO)_{10}]$ (acac = acetylacetonate), 171-9

Metallocene derivatives of early transition elements. Part 1.

Niobium(IV) chlorides, chloroalkyls, and dialkyls $[Nb(\eta-C_5H_4X)_2RR']$, and the crystal and molecular structure of $[Nb(\eta-C_5H_5)_2(CH_2Ph)_2]$, 180-6

Relation between structure and spectra of pseudotetrahedral copper(II) complexes. Crystal structure of bis(di-2-pyridylamido)copper(II), 196-9

Chemistry of low-valent metal isocyanide complexes. Part 3. The synthesis, structure, and dynamic behavior of nonakis(ethyl and isopropyl isocyanide)diiron and -ruthenium complexes. Crystal structure of $[Fe_2(\mu-CNEI)_3(CNEI)_6]$, 219-27

Crystal structure and magnetic properties of bis(di- μ -ethoxobis(4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato)dicopper(II)), 251-4

Reactions of bis(cycloocta-1,5-diene)platinum with quinones; crystal structure of (1-2,5,6- η -cycloocta-1,5-diene)(2-3,5,6- η -2,6-di-tert-butylbenzo-1,4-quinone)platinum, 276-83

Reactions of bis(ethylene)(tricyclohexyl- and triphenylphosphine)platinum with quinones. Crystal structure of ethylene(2-3- η -2,3,5,6-tetramethylbenzo-1,4-quinone)(tricyclohexylphosphine)platinum, 284-91

Preparation and crystal structure of hexa- μ -acetatodichloro-di- μ_3 -oxotetraoxotetramolybdenum(V)-acetic anhydride (1/1), 311-13

Coordination chemistry of sulfines. Part 3. Oxidative addition of the carbon-chlorine bond of (E)-(RS)ClCSO to tetrakis(triphenylphosphine)platinum(0) and of a carbon-sulfur bond in $[PtO(PPh_3)_2((RS)_2CSO)]$ by an intramolecular process. X-ray crystal and molecular structure of cis-(E)- $[Pt(PhS)(PhSCSO)(PPH_3)_2]C_6H_6$, 342-52

Novel compounds with gold-transition metal bonds; crystal and molecular structure of bis(triphenylphosphine)iminium bis(tetracarbonylcobaltio)aurate(I), 366-70

Complexes of organoaluminum compounds. Part 12. Preparation, nuclear magnetic resonance spectra, and the crystal and molecular structure of bis(μ -isopropylamidodimethylaluminum), 377-80

Preparation and the crystal and molecular structure of $[NEt_4][Ge(CO)_2(CO)_7(CO)_2(HgCo(CO)_4)]$: an anion containing a mercury-bridged cobalt-cobalt bond, 381-4

Crystal structure studies of hydrazido(2-quinolin-8-olato) complexes of molybdenum and tungsten, 390-9

Reactions of coordinated ligands. Part 23. Metalla-ring-forming reactions between hexafluoroacetone and η^4 -1,3-diene(η^5 -indenyl)rhodium complexes; the crystal and molecular structures of rhodium η^5 -indenyl methyloxidohexenyl-O and η^4 -diene oxidoethylindene-O complexes, 400-6

The structures of hypervalent phosphorus(III) anions $P(CN)_4 \cdot nBr^-$. Transition from ψ -trigonal-bipyramidal to ψ -octahedral coordination and deviation from valence shell electron pair repulsion theory, 413-18

CRYSTAL(contd)

- Further studies on the spin cross-over phenomenon in diisothiocyanatobis(1,10-phenanthroline)iron(II), 441-6
- Silver(I) complexes of the potentially chelating olefinic ligands 2,2-dimethylbut-3-enyl methyl sulfide and 2,2-dimethyl-2-silabut-3-enyl methyl sulfide. Crystal structure analysis of $[\text{AgL}_2][\text{BF}_4]$, $[\text{AgL}][\text{ClO}_4]$, $[\text{AgL}(\text{NO}_3)]$, and $[\text{AgL}(\text{O}_2\text{CCF}_3)]$ ($\text{L} = 2,2$ -dimethylbut-3-enyl methyl sulfide), 481-90
- The crystal structure of di- μ -ethanethiolato- μ -sulfidobis[dichloro(tetrahydrothiophen) tungsten(IV)(W-W)]: a confacial biocubical complex with a tungsten-to-tungsten bond, 506-10
- Crystallographic studies of the boron-nitrogen bond in aminoboranes. Part 5. The crystal and molecular structure of 1,5,9-triaza-13-boratriacyclotridecane, 511-14
- Crystal and molecular structure of tetra- μ_3 -carbonyloctacarbonyl-tetrakis(triphenyl phosphite)-octahydro-hexarhodium, 515-18
- High nuclearity carbonyl clusters of rhodium. Part 2. Crystal and molecular structure of the tetramethylammonium salt of dodeca- μ -carbonyldodecacarbonylhydrido-polyhydro-tridecarhodate(4-)-1-methylpyrrolidin-2-one(1/3), 519-23
- Crystal structure and electronic properties of bis(2,2'-bipyridyl)formatecopper(II) tetrafluoroborate-water (2/1), 567-74
- Transition metal-carbon bonds. Part 49. Action of amines on cis- $[\text{PtCl}_2(\text{PPR}_3)(\text{C}_3\text{H}_4)]$: crystal structures of chloro(1-methylene-2-tert-butylaminoethyl-C'N)(tri-*n*-propylphosphine)platinum (4-membered ring) and trans-bis-(1-methylene-2-methylaminoethyl-C'N)bis(chloro(tri-*n*-propylphosphine)platinum) (8-membered ring), 575-80
- Conformational studies of the phosphazene side chain in cyclophosphazenes. Part 3. Crystal and molecular structure of $\text{N}_3\text{P}_3\text{Cl}_4(\text{NET}_3)(\text{NPPH}_3)$, 599-603
- Photochemical preparation of the cis isomers of dichlorobis(tri-*n*-alkylphosphine)palladium(II) (alkyl = Et, Pr, or Bu); the crystal structure analysis of the overcrowded *n*-propyl homolog, 635-8
- Crystal structure of tetrachlorobis(o-phenylenebis(dimethylarsine))-niobium(IV), 652-4
- Preparation of three- and four-coordinate gold(I) complexes; crystal structure of bis(o-phenylenebis(dimethylarsine))gold(I) bis(pentafluorophenyl)aurate(I), 655-7
- Chemical synthesis with metal atoms. The preparation and structure of cyclooctadiene trifluorophosphine complexes of chromium. The crystal structure of (η^5 -cycloocta-1,3-dienyl)hydridotris(trifluorophosphine)chromium, 661-7
- Topochemically controlled hydrogen reduction of scheelite-related rare earth metal molybdates, 668-72
- Carbene complexes. Part 17. Crystal structure of trans-tetracarbonylbis(1,3-dimethylimidazolidin-2-ylidene)molybdenum(0), structural comparison with the cis isomer, and a kinetic study of the trans \rightarrow cis isomerization, 701-4
- Interaction of H_2 with $\text{Re}_3(\mu\text{-Cl})_3(\text{CH}_2\text{SiMe}_3)_6$, its CO, PPh_3 , and pyridine adducts, and with $\text{Re}_3(\mu\text{-Cl})_3\text{Cl}(\text{CH}_2\text{SiMe}_3)_5$. Crystal structures of $[\text{H}(\text{Re}_3(\mu\text{-Cl})_3\text{Cl}(\text{CH}_2\text{SiMe}_3)_5)]$, $\text{Re}_3(\mu\text{-Cl})_3\text{ClH}(\text{CH}_2\text{SiMe}_3)_4(\text{PPh}_3)$, and $\text{Re}_3\text{Cl}_3(\mu\text{-CH}_2\text{SiMe}_3)_3(\text{CH}_2\text{SiMe}_3)_3$, 705-16
- New carbide clusters in the cobalt sub-group. Part 7. Preparation and structural characterization of carbidohepta- μ -carbonylheptacarbonyl-polyhydro-hexarhodate(2-) as its bis(tetraphenylphosphonium) salt, 717-20
- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 6. Synthesis of platinum-chromium and -tungsten compounds. X-ray crystal structure of defg-tetracarbonyl- ϵ - μ -(methoxy-*p*-tolylmethylidene)-ab-tris(trimethylphosphine)platinumtungsten(Pt-W), 743-50
- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 7. Interconversion of carbene and carbyne ligands at a dimetal center. X-ray crystal structures of $[\text{CrPt}(\mu\text{-C}(\text{CO}_2\text{Me})\text{Ph})(\text{CO})_4(\text{PMe}_3)_2]$ and $[\text{MnPt}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)]$, $[\text{BF}_4]$, CH_2Cl_2 , 751-62
- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 8. Synthesis of the trimetal compounds $[\text{M}(\text{W}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_2)]$ ($\text{M} = \text{Ni}, \text{Pd}, \text{or Pt}$) and crystal structures of the platinum and nickel complexes, 763-70
- Dirhenium complexes containing two, three, and four linked acetylene molecules derived from the reaction of $[\text{Re}_2(\text{CO})_{10}]$ with RC_2R ($\text{R} = \text{Ph or Me}$); the x-ray crystal structure of $[\text{Re}_2(\text{CO})_4(\text{PhCCPh})_2](\text{CNCH}_2\text{SO}_2\text{C}_6\text{H}_4\text{Me-p})_2]$, CH_2Cl_2 , 771-6
- Synthesis and properties of dialkyl complexes of nickel(II). The crystal structure of bis(pyridine)bis(trimethylsilylmethyl)nickel(II), 777-82
- Combined x-ray and neutron diffraction study of $[\text{Os}_4(\text{CO})_{11}\text{H}_3(\text{C-HCHPh})]$, 788-92
- Carbonyl complexes of niobium and tantalum and evidence of a niobium dinitrogen complex: the structure of carbonyldichlorocyclopentadienylbis(dimethylphenylphosphine)tantalum, 793-9
- Metallocene derivatives of early transition elements. Part 3. Synthesis, characterization, conformation, and rotational barriers [for the Zr-C(sp³) bond] of $[\text{Zr}(\eta\text{-C}_5\text{H}_4\text{R})_2(\text{CH}(\text{SiMe}_3)_2\text{Cl})]$ and the crystal and molecular structures of the tert-butyl and trimethylsilyl complexes ($\text{R} = \text{CMe}_3$ or SiMe_3), 814-21
- Isomerism in adducts of tin(IV) tetrahalides with NN'-dimethylacetamide, NN'-dimethylformamide, and dimethyl sulfoxide in the solid state, 843-6
- Synthesis and crystal and molecular structure of di- μ -(N-methylpiperidin-4-thiolate)bis[dichlorozinc(II)] monohydrate, 852-4
- Alkyne complexes of platinum. Part 5. Di- and triplatinum complexes with bridging trimethylsilyl-substituted alkyne ligands; crystal structure of bis(η -cycloocta-1,5-diene)- μ -phenyl(trimethylsilyl)acetylenediplatinum, 862-72
- Reactions of coordinated ligands. Part 24. Reaction of bis(but-2-ynyl)carbonyl(η -cyclopentadienyl or η^5 -indenyl)molybdenum tetrafluoroborate with acetonitrile and phosphines; crystal structures of $[\text{Mo}(\text{CO})(\text{MeC}_2\text{Me})(\eta^5\text{-C}_9\text{H}_7)(\text{PEt}_3)]$, $[\text{BF}_4]$ and $[\text{Mo}(\text{MeC}_2\text{Me})(\eta^5\text{-C}_9\text{H}_7)(\text{PMe}_3)_2]$, $[\text{BF}_4]$, 873-83
- Diene-metal π bonding. Some unexpected effects of group 5 donor ligands on carbon-13 nuclear magnetic resonance parameters and x-ray crystal structures, 884-91
- Dioxomolybdenum(VI) complexes of quadridentate chiral Schiff bases and the crystal and molecular structure of dioxo(2R)propene-1,2-diylbis(salicylideneiminato)molybdenum(VI), 902-8
- Low-frequency vibrational spectra of some 4-benzylpiperidinium and N-benzylpiperazinium pentahalooantimonates(III) and pentahalobismuthates(III). Partial crystal structure determination of 4-benzylpiperidinium pentachloroantimonate(III), 909-13
- Three-, four-, and five-coordination modes of a potentially quinquedentate 'nitrogen-sulfur' macrocyclic ligand: the crystal and molecular structures of two copper(II) complexes, 942-8
- Chemistry of the Group 1B metals. Part 15. Some diphenylbis(pyrazolyl)borate complexes of silver, and the crystal and molecular structures of [diphenylbis(1-pyrazolyl)borato-N²,N²](tri-*p*-tolylphosphine)silver(I), 956-61
- Chemistry of the Group 1B metals. Part 16. Crystal and molecular structures of [ortho-phenylenebis(dimethylarsine)]tetrakis(1-pyrazolyl)-borato-N²,N²]copper(I) and bis[ortho-phenylenebis(dimethylarsine)]copper(I) hexafluorophosphate(V), 962-7
- Preparation and crystal structure analysis of a vinyl ether chelate, dichloro[4-methoxy-2,2.N,N-tetramethylbut-(Z)-3-enylamine]-palladium(II), and its conversion into di- μ -chloro-bis[3-(dimethylamino)-1-formyl-2,2-dimethylpropyl-C,N]dipalladium(II), 986-91
- The magnetic, spectral, and structural properties of trans-tetraamminedinitronickel(II), 997-1003
- Studies on organometallic hetero-multiple-bridged molecules. Part 7. Synthesis and properties of dichalcogenide-bridged complexes of rhenium(I) and the crystal and molecular structures of the diphenyl ditelluride-bridged complex, $[\text{Re}_2\text{Br}_2(\text{CO})_6(\text{Te}_2\text{Ph}_2)]$, 1004-9
- Crystal structure and spectroscopic properties of mercury(II) halide complexes. Part 3. The di-*n*-butyl sulfoxide-mercury(II) chloride (1/1) adduct, 1024-7
- Preparation, structures, and reactions of some difluorothiophosphonate and difluoroseleophosphonate complexes of platinum(II), 1028-33
- Transition metal-diene complexes. Part 4. The crystal and molecular structure and isomerization of η -cyclopentadienyl(η -3-methoxycarbonylcyclohexa-1,4-diene)rhodium(I), 1034-40
- Synthesis and crystal structure of the trimetal compound $[\text{Pt}_3(\text{C}_2\text{H}_4)(\text{C}_8\text{H}_8)_2(1,5\text{-C}_8\text{H}_{12})_2]$: a complex of platinum(0) and platinum(II), 1051-6
- A spectroscopic and crystallographic study of the $[\text{ReNCl}_4]^-$ ion, 1061-3
- Crystal structure and absolute configuration of an isomer of potassium carbonatobis(*trans*-valinato)cobaltate(III) dihydrate, 1067-8
- Chemistry of the metal carbonyls. Part 79. Synthesis and x-ray crystal structures of $[\text{N}(\text{PPh}_3)_2][\text{Fe}_2\text{Pt}_2(\mu\text{-H})(\mu\text{-CO})_3(\text{CO})_5(\text{PPh}_3)_2]$, $[\text{Fe}_2\text{Pt}_2(\mu\text{-H})_2(\text{CO})_8(\text{PPh}_3)_2]$, and $[\text{Fe}_2\text{Pt}(\text{CO})_8(\text{cyclo-C}_8\text{H}_{12})]$, 1134-45

CRYSTAL(contd)

- Cyclopentadienylruthenium and -osmium chemistry. Part 14. The reaction between chloro(cyclopentadienyl)bis(triphenylphosphine)ruthenium and trifluoroacetonitrile: crystal structure of [1,3-bis(trifluoromethyl)-2,4-diazabutadienylamido-N,N''](η -cyclopentadienyl)(trimethyl phosphite)ruthenium, 1169-73
- Reactions of hexamethyltungsten(VI) in the presence of trimethylphosphine. Synthesis of methyl, ethylidene, hydrido-, alkoxo-, and other tungsten compounds. Structures of trans-ethylidene(methyl)tetrakis(trimethylphosphine)tungsten(IV) and trihydrido(phenoxo)tetrakis(trimethylphosphine)tungsten(IV), 1204-11
- Transition metal tetrafluoride oxide-antimony pentafluoride adducts; preparation and characterization of the adducts $\text{MF}_4\text{O} \cdot \text{SbF}_5$ (M = Mo, W, or Re) and crystal structures of $\text{MoF}_4\text{O} \cdot \text{SbF}_5$ and $\text{ReF}_4\text{O} \cdot \text{SbF}_5$, 1212-18
- Spectroscopic study of the structures of $[\text{M}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_2(\text{CNR})_{4-n}]$ complexes ($n = 1$ or 2 ; M = Fe or Ru) in solution. The structure of $\text{cis-}[\eta\text{-C}_5\text{H}_5](\text{OC})\text{Fe}(\mu\text{-CO})\mu\text{-CNC}(\text{HMe}_2)\text{Fe}(\text{CNC} \cdot \text{HMe}_2)(\eta\text{-C}_5\text{H}_5)$ in the solid state, 1251-9
- Crystal structures of dextrorotatory and racemic sodium ammonium tartrate, 1268-73
- Chemistry of the metal carbonyls. Part 80. Dismidiumplatinum carbonyl complexes derived from tetracarboxyldihydroosmium. X-ray crystal structure of 1,2,2,2,3,4,4,4-octacarbonyl-1,2,3,4-di- μ -hydrido-1,3-bis(triphenylphosphine)-tetrahydro-diplatinumdismidium ($4\text{Pt-Os}(\text{Os-Os})$), 1274-7
- Preparation, properties, and crystal and molecular structures of the cyanomethane adducts of niobium(IV) chloride and di- μ -sulfidobis(dichloroniobium[IV]), 1304-9
- Cyclopropenyl and oxocyclobutenyl complexes of molybdenum. Crystal and molecular structures of (2,2'-bipyridine)bromodicarbonyl(1-3- η -1,2,3-triphenylcyclopropenyl)molybdenum(II) and (2,2'-bipyridine)bromodicarbonyl(2-4- η -1-oxo-2,3,4-triphenylcyclobutenyl)molybdenum(II), 1310-16
- Reduction-oxidation properties of organotransition metal complexes. 12. Formation of carbon-carbon bonds via oxidative dimerization of $[\text{Fe}(\text{CO})_3(\eta^4\text{-C}_8\text{H}_8)]$ and reduction of $[\text{Fe}_2(\text{CO})_6(\eta^5\text{-C}_5\text{H}_5\text{-C}_6\text{H}_5)_2]^{2+}$. Structures of $[\text{Fe}_2(\text{CO})_6(\text{P}(\text{OPh})_3)_2(\eta^5\text{-C}_5\text{H}_5\text{-C}_6\text{H}_5)_2][\text{PF}_6]_2$ and $[\text{Fe}(\text{CO})_3(\eta^4\text{-C}_6\text{H}_5)_2]$, 1317-25
- Reactions of diisopropylcarbodiimide with some ruthenium and osmium hydrides, leading to ready dehydrogenation of an isopropyl group; crystal and molecular structure of carbonylchloro(N-isopropenyl-N'-isopropylformamidinato)bis(triphenylphosphine)ruthenium(II), 1327-30
- Structural studies of Group 5A-halide-dithio-ligand systems. Part 1. Crystal structures of bis(N,N-diethyldithiocarbamate)iodo- and -bromobismuth(III), 1352-9
- Structural studies of Group 5A-halide-dithio-ligand complexes. Part 2. Crystal structures of 1:1 adducts of bis(N,N-diethyldithiocarbamate)iodoantimony(III) with chloroform and molecular iodine, 1360-5
- Structural studies of Group 5A-halide-dithio-ligand complexes. Part 3. Crystal structure of polymeric (N,N-diethyldithiocarbamate)diiodobismuth(III), 1366-8
- Structural studies of Group 5A-halide-dithio-ligand complexes. Part 4. Crystal structures of bis(tetraethylammonium) di- μ -iodobis[(N,N-diethyldithiocarbamate)diiodobismuthate(III)] and a partially brominated analog, 1369-71
- Structural studies of Group 5A-halide-dithio-ligand complexes. Part 5. Crystal structures of pentanuclear $[\text{Bi}_5(\text{S}_2\text{CNET}_2)_5\text{X}]$, X = Cl, Br, or I, and the pyridinium salt of the tetranuclear $[\text{Bi}_4(\text{S}_2\text{CNET}_2)_4\text{Br}]^{2-}$ anion, 1372-8
- Structural studies of Group 5A-halide-dithio-ligand complexes. Part 6. Crystal structures of dichloro(N,N-diethyldithiocarbamate)tris(pyridine)bismuth(III)-pyridine (1/1) and its diiodo analog 1379-82
- Structural studies of Group 5A-halide-dithio-ligand complexes. Part 7. Crystal structures of the 1:1 adducts of (N,N-diethyldithiocarbamate)diiodobismuth(III) with 2,2'-bipyridyl and 2,2',6,2''-terpyridyl, 1383-8
- Structural studies of Group 5A-halide-dithio-ligand complexes. Part 8. Crystal structure of N',N'-diethyldithiocarbamoylpyridinium pentachloropyridinebismuthate(III), 1389-91
- Preparation, properties, and structures of bis(O-ethyl dithiocarbonato)dihalotin(IV) and di- μ -thiobis[bis(O-ethyl dithiocarbonato)tin(IV)], 1392-7
- Cyclopentadienylruthenium and -osmium chemistry. Part 11. Reactions and structures of chloro(η -cyclopentadienyl)bis(triphenylphosphine)ruthenium and its trimethylphosphine analog, 1398-405
- Macrocyclic copper(II) chelate derivatives of 2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioic and 2,2,9,9-tetramethyl-4,7-dithiadecanedioic acids. Crystal structures of aqua, pyridine, and triphenylphosphine adducts of [2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioato]copper(II), 1406-14
- Synthesis, molecular structure, and nuclear magnetic resonance investigation of the platinanonaborane and diplatinadecaborane cluster compounds, $[\text{4,4-(PMe}_2\text{Ph)}_2\text{-arachno-4-Pt}_2\text{B}_8\text{H}_{12}]$ and $[\text{6,6,9,9-(PMe}_2\text{Ph)}_4\text{-arachno-6,9-Pt}_2\text{B}_8\text{H}_{10}]$, 1415-29
- Preparation of tertiary arsine sulfides. Crystal and molecular structures of the adduct of methylphenylarsine sulfide and tris(dimethylamino)phosphine oxide, 1459-62
- Cation distortion isomerism in three five-coordinate diethylenetriamine(di-2-pyridylamine)copper(II) complexes, 1463-9
- Crystal and molecular structures of $[\text{AsPh}_4][\text{Ln}(\text{S}_2\text{P}(\text{OEt})_2)_2]$ (Ln = La or Er) and their comparison with results obtained in solution from paramagnetic nuclear magnetic resonance data, 1470-4
- Dithiophosphinate complexes of the actinides. Part 1. Preparation and characterization of complexes of thorium(IV) and the crystal structures of tetrakis(dimethyl- and dicyclohexyldithiophosphinato)thorium, 1475-80
- Regioselective formation of peroxyquinolotocobalt(III) complexes in the oxygenation of 2,6-di-tert-butylphenols with cobalt(II) Schiff base complexes, 1504-14
- Redox properties of tetrachlorobis(dimethylphenylphosphine)iridium: the synthesis of halide-bridged metal mixed-valence complexes and the crystal and molecular structure of $\text{cd-di-}\mu\text{-chloro-agh-trichloro-ef-bis(dimethylphenylphosphine)-b-trimethylarsinepalladium(II)iridium(II)}$, 1515-19
- Tetracarboxyl diazaphosphole complexes of Group 6B metals: the role of steric effects, 1544-9
- Crystal structure and carbon-13 nuclear magnetic resonance spectrum of bis(tetramethylammonium) tetrakis(2-hydroxyethanethiolato)- μ_3 -sulfido-ferrate(II) and electron spin resonance spectrum of $[\text{Fe}_4\text{S}_4(\text{SCH}_2\text{CH}_2\text{OH})_4]^{3-}$ in aqueous solution, 1550-5
- A structural profile of the bis(2,2'-bipyridyl)monochlorocopper(II) cation. Crystal structures of bis(2,2'-bipyridyl)monochlorocopper(II) perchlorate and the nitrate trihydrate, 1556-64
- Transition metal-carbon bonds. Part 50. Conversion of $\text{mer-}[\text{IrCl}_3(\text{PMe}_2\text{R})_3]$ (R = Me or Ph) to $[\text{IrCl}_2(\text{CH}_2\text{PMeR})(\text{PMe}_2\text{R})_2]$ containing a Ir-C-P three-membered ring by the action of base: crystal structure of dichlorobis(dimethylphenylphosphine)(methylphenylphosphinomethyl-C')palladium(III), 1572-7
- Metallocene derivatives of early transition metals. Part 4. Chemistry of the complexes $[\text{M}(\eta\text{-C}_5\text{H}_5)_2\text{RR}']$ [M = Ti, Zr, or Hf; R = $\text{CH}_2\text{M}'\text{Me}_3$ (M' = C, Si, Ge, or Sn) or $\text{CH}(\text{SiMe}_3)_2$; R' = Cl or alkyl] and the x-ray structures of $[\text{Zr}(\eta\text{-C}_5\text{H}_5)_2(\text{CH}_2\text{M}'\text{Me}_3)_2]$ (M' = C or Si), 1593-605
- Aluminum-27 nuclear magnetic resonance studies of heteropolyanions containing aluminum as heteroatom, 1615-16
- Preparation of the isocyanide complexes $\text{trans-}[\text{ReCl}(\text{CNR})(\text{dppe})_2]$ (R = Me or CMe_3) and their reactions with acid to give carbene complexes. X-ray crystal structure of $\text{trans-}[\text{ReCl}(\text{CNH-Me})(\text{dppe})_2][\text{BF}_4]$, 1629-34
- Dynamic nuclear magnetic resonance and x-ray diffraction studies of tris(diphenylthiophosphoryl)methane and some related compounds, 1645-50
- Synthesis, reactivity, and crystal and molecular structures of $[\mu\text{-1,4-bis(diphenylphosphino)butane}]$ -dicarbonylbis(η -cyclopentadienyl)dirhodium(I), 1651-6
- Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-coordinate barium(II) complex, 1678-84
- Synthesis of some pentagonal-bipyramidal complexes of manganese(II), iron(II), cobalt(II), nickel(II), copper(II), and zinc(II) with a heptadentate Schiff-base ligand and the crystal and molecular structures of a copper(II) complex, 1685-90
- Intramolecular ligand rearrangement in the isomerization of a seven-coordinate to a six-coordinate nickel(II) complex of a multidentate Schiff base. The crystal and molecular structures of the six-coordinate product, 1691-6
- Copper coordination to thioether ligands. Chemical, spectroscopic, and crystallographic studies on copper(I) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the 2-(3,3-dimethyl-2-thiabutyl)pyridinium cation, 1746-52

CRYSTAL(contd)

- Spectroscopic and structural investigation of two N-benzylpiperazinium tetrachlorocuprates(II), one hemihydrate and one anhydrous: two compounds containing unequally flattened tetrachlorocuprate(2-) tetrahedrons, 1753-9
- Crystal structure of sodium dihydrogen triacetate, 1768-9
- Crystal structure and infrared spectrum of anhydrous guanidinium copper(II) carbonate, 1770-2
- Crystal and molecular structure of bis(N-allylsalicylideneiminato)nickel(II) and -copper(II), 1773-9
- Synthesis and structure of bis(diethylthiocarbamate)nitridotechnetium(V): a technetium-nitrogen triple bond, 1798-801
- Crystal structure and infrared and Raman spectra of tetramethylammonium di- μ -fluoro-bis[aqua]difluorooxovanadate(IV), 1802-6
- Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoosmate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoosmate(VI), 1812-19
- Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoruthenate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoruthenate(VI), 1820-4
- Bicopper(I) and bicopper(II) complexes of a 30-membered macrocyclic ligand: the inclusion of substrate molecules and the crystal and molecular structures of a μ -hydroxo- and a μ -imidazolato-complex, 1868-78
- Solution behavior of some benzene complexes of osmium and the x-ray crystal structure of μ_3 -benzyne-1,1,1,2,2,2,3,3,3-nonacarbonyl- μ -dimethylarsino- μ -hydrido-triosmium(2Os-3Os) 1879-85
- Trimethylphosphine complexes of molybdenum, tungsten, niobium, and tantalum. X-ray crystal structures of di- μ -hydrido-dihydrodihexakis(trimethylphosphine)dimolybdenum(II)(Mo-Mo) and of μ -dimethylphosphido- μ -hydridotetrahydridopentakis(trimethylphosphine)ditungsten(II,IV)(W-W), 1892-7
- Crystal and molecular structures of the isobutene insertion product of endo-hexafluoroacetylacetonato(methoxytetraphenylbutadienyl)palladium(II), 1935-7
- Crystal and molecular structure of the (2,6-bis[1-(2-imidazol-4-ylethylimino)ethyl]pyridine)zinc(II) and -copper(II) cations: five-coordinate relatives of a copper(I) oxygen carrier, 1951-6
- Iron(II) complexes of a potentially quinqueadentate macrocyclic ligand having an N_3S_2 donor set and the crystal and molecular structures of a high-spin ($S = 2$) complex and a low-spin ($S = 0$) complex, 1965-72
- Crystal structures of silyl acetate at 150 K and methyl acetate at 145 K, and the molecular structure of silyl acetate in the gas phase, 1988-93
- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 29. Syntheses and x-ray structure determinations of tri- μ -hydroxy-bis(η -pentamethylcyclopentadienyl)rhodium] hydroxide undecahydrate and -iridium acetate tetradecahydrate and related complexes, 1997-2002
- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 30. Trimethylphosphinechloro-, -acetato-, and -hydrido complexes and related compounds of (hexamethylbenzene)rhodium, 2003-8
- Crystal structure of biphenyl-2,2'-diyltriphenylantimony, 2011-13
- Reaction of 4-methylpent-2-yne with dodecacarbonyltriruthenium. The structure of a novel alkyne dimerization dehydrogenation product, 2023-8
- Crystal structure and electronic properties of bis(2,2'-bipyridyl)thiocyanatocopper(II) tetrafluoroborate, 2029-33
- Ortho-metalation products of phenol and aniline with dodecacarbonyltriosmium. X-ray crystal structure of nonacarbonyl(μ_3 -5-fluoro-2-iminophenyl)di- μ -hydrido-triangulo-triosmium, 2039-44
- Crystal and molecular structure of sodium μ -(imidazol-1-yl)-NN'-bis(glycylglycinato-NN'-O)cuprate(II) hexahydrate: structure-magnetism relationship in imidazolate-bridged binuclear copper(II) complexes, 2045-8
- Copper coordination to thioether ligands. Spectroscopic studies of dimeric copper(II) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the crystal structure of di- μ -bromobis(bromo[2-(3,3-dimethyl-2-thiabutyl)pyridine-N,S]copper(II)), 2054-8
- Crystal structure and electronic properties of bis(2,2'-bipyridyl)nitratocopper(II) nitrate monohydrate, 2070-7
- Stereochemical role of lone pairs in main-group elements. Part 2. Structure and bonding in trichloro(tetramethylthiourea)antimony(III) studied by means of x-ray crystallography and antimony-121 Moessbauer spectroscopy, 2083-7
- Interaction of tert-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $W[N(CMe_3)CMe_2](Me)[N(CMe_3)]_2[N(CMe_3)CMe_2]$ and its hydrogen chloride adduct. tert-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97
- Structural studies on the cesium alums, $CsM(III)[SO_4]_2 \cdot 12H_2O$, 2105-11
- Phosphite complexes of copper(II) carboxylates and their derivatives. Crystal structure of a penta- μ -acetato-bis(triethyl phosphite)tricopper(II,II), 2119-26
- Deuteration of an asymmetric short hydrogen bond. X-ray crystal structure of potassium fluoride-[2H₂]succinic acid, 2141-3
- Tetrasulfur dinitride; its preparation, crystal structure, and solid-state decomposition to give poly(sulfur nitride), 2188-91
- Conformations of diphosphinoamines: variable-temperature nuclear magnetic resonance and x-ray crystallographic studies, 2192-8
- Cyclopentadienylruthenium and -osmium chemistry. Part 15. Some cyanocarbon and cyanonitrogen complexes: crystal and molecular structures of $[Ru(N_2C:C(CN)C(CN):C(CN)_2)(P(OMe)_3)(PPh_3)(\eta-C_5H_5)]$, 2205-11
- Palladium(II) complexation of ambidentate cis-*s-cis*-enaminones: synthesis of some bis(4-anilinopent-3-en-2-onato) and bis(3-amino-1-phenylbut-2-en-1-onato) complexes of palladium(II) and x-ray crystal structure of bis[4-(2-bromoanilino)pent-3-en-2-onato]palladium(II), 2212-16
- Organosulfur-transition metal chemistry. Part 5. Face bonding of cycloheptatrienyl and cyclooctatetraene ligands in sulfur-ruthenium clusters: crystal and molecular structure of hexacarbonyl- μ_3 - η^7 -cycloheptatrienyl- μ_3 -tert-butylthio-triangulo-triruthenium, 2220-9
- Organosulfur-transition metal chemistry. Part 7. Sulfur inversion in dimolybdenum complexes: crystal and molecular structure of dicarbonyl- η -cycloheptatrienyltri- μ -tert-butylthio(trimethyl phosphite)dimolybdenum(Mo-Mo), 2235-44
- Products of the pyrolysis of undecacarbonyl(trimethyl phosphite)triosmium: the molecular and crystal structure of $[Os_3C(CO)_{13}H(OP(OMe)_2)(P(OMe)_3)]$, 2250-7
- The reactions of carbidoheptadecacarbonylhexaruthenium with dissolved and anchored phosphines. Crystal and molecular structure of μ_6 -carbido- μ -carbonyl-pentadecacarbonyl(ethyldiphenylphosphine)-octahedro-hexaruthenium, 2263-70
- Reversible addition of protic molecules to coordinated di-2-pyridyl ketone in palladium(II), platinum(II), and gold(III) complexes. X-ray crystal structures of dichloro(dihydroxydi-2-pyridylmethane)palladium(II) and dichloro(dihydroxy-di-2-pyridylmethane)gold(III) chloride, 2280-7
- Location of cations in metal ion-exchanged zeolites. Part 2. Crystal structures of a fully silver-exchanged heulandite, 2288-91
- Tin-119 Moessbauer spectroscopic study of a single crystal of α -SnF₂ and partially oriented α -PbSnF₄, 2296-9
- Reactions of coordinated ligands. Part 25. The synthesis of μ -allenedicarbonylbis(η^5 -indenyl)dirhodium and protonation to form a bridged cationic vinyl complex. Molecular structures of μ -allenedicarbonylbis(η^5 -indenyl)dirhodium and dicarbonylbis(η^5 -indenyl)- μ -(1-methylvinyl)dirhodium(Rh-Rh) tetrafluoroborate 2321-7
- Isolation of the anions $[M(CO)_5(SH)]^-$ and $[M_2(CO)_{10}(\mu-SH)]^-$ ($M = Cr, Mo, W$) as salts of the sodium(18-crown-6-ether) cation. X-ray analysis of the sodium carbonyl linked polymeric structures of the tungsten species, 2357-64
- Reactions of acetylenes with noble-metal carbonyl halides. Part 4. The formation of a platinaoxacyclopentenone ring, 2395-404
- Crystal structure of benzyltriphenylphosphonium pentachlorosulfate(VI) and a study of the vibrational spectra of salts containing $[WC_5Y]$ ($Y = O$ or S) ions, 2409-13
- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 9. Reactivity of the cations $[MPt(\mu-C_6H_4Me-4)(CO)_2(PR_3)_2(\eta-C_5H_5)]^+$ ($M = Mn$ or Re , $PR_3 = PMe_3$ or PMe_2Ph) towards tertiary phosphines and the toluene-*p*-thiolate anion: x-ray crystal structures of $[MnPt(\mu-C(PMe_3)C_6H_4Me-4)(CO)_2(PMe_3)_2(\eta-C_5H_5)][BF_4]$ and $[MnPt(SC_6H_4Me-4)(\mu-C(PMe_3)C_6H_4Me-4)(\mu-CO(CO)(PMe_3)_2)(\eta-C_5H_5)]$, 2471-8
- Synthesis and crystal structures of tetraethylammonium μ_3 -acetyl-

CRYSTAL(contd)

- Cl-(Fe²⁺Fe³⁺)O(Fe²⁺Fe³⁺)-nonacarbonyl-triangulo-triferrate and tetraethylammonium μ -carbonylnonacarbonyl- μ_3 -2,4-dioxapentylidene-triangulo-triferrate, 2496-500
- Metal complexes of sulfur ligands. Part 21. Reactions of [Ru(SOCHPh)₂(PMe₂Ph)₂] with Ph₂P(CH₂)_nPPh₂ (n = 1 or 2) and PMe₂Ph and of cis-[RuCl₂(PMe₂Ph)₄] with ammonium monothiobenzoate. Crystal and molecular structure of [Ru(SOCHPh)₂(PMe₂Ph)(Ph₂P(CH₂)₂PPh₂)]·MeOH, 2508-14
- Preparation, properties, and crystal and molecular structures of bis(dialkylamine) complexes of rhenium(I), 2523-8
- The chemistry of isomers of icosaborane(26), B₂₀H₂₆: synthesis and nuclear magnetic resonance study of various isomers of platinahenicosaboranes and diplatinaicosaboranes, and the x-ray crystal and molecular structures of 7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane and 4-(2'-nido-decaboranyl)-7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane, 2573-84
- Influence of light on the oxidative addition of bromine to trans-dichlorobis(triethylphosphine)platinum. Crystal structure of all-trans-dibromodichlorobis(triethylphosphine)platinum, 2589-91
- CUPRATE**
Crystal and molecular structure of sodium μ -(imidazol-1-yl-NN')bis[(glycylglycinato-NN'O)cuprate(II)] hexahydrate: structure-magnetism relationship in imidazolate-bridged binuclear copper(II) complexes, 2045-8
- CYANIDE**
Nuclear magnetic resonance spectra of some silyl and trimethylsilyl pseudohalides, 1349-51
The mechanism and kinetics of the substitution of azide, thiocyanate, and cyanide ions in aquapentacyanocobaltate(III) and pentacyanohydroxocobaltate(III), 1578-82
The acid strength of iodine cyanide, 2144-6
- CYANO**
The structures of hypervalent phosphorus(III) anions P(CN)_{4-n}Br_n⁻. Transition from ψ -trigonal-bipyramidal to ψ -octahedral coordination and deviation from valence shell electron pair repulsion theory, 413-18
Resonance-Raman and infrared studies of cyanide-bridged dimetal complexes, 939-41
Spectrochemistry of solutions. Part 12. Cyano complexes of silver(I) in solution in liquid ammonia, 968-75
The mechanism and kinetics of the substitution of azide, thiocyanate, and cyanide ions in aquapentacyanocobaltate(III) and pentacyanohydroxocobaltate(III), 1578-82
Studies on transition metal cyano complexes. Part 3. Heptacyano complexes of tungsten, molybdenum, and vanadium, and a hydridoheptacyano complex of tungsten, 1886-91
Dialkyl sulfoxides as starting materials for the preparation of alkyl-transition metal complexes. Formation of pentaquaamethylchromium(III) and pentacyanomethylcobaltate(III) salts, and the reduction of methyl radicals by vanadium(II), 2462-4
Nuclear magnetic resonance and electronic spectral studies on the formation of π -olefin-tetracyanocobaltate(I) complexes, 2529-36
Kinetics of the reaction between chlorite and hexacyanoferrate(II) in aqueous solution; evidence for an interfacial redox reaction, 2537-43
- CYANOARGENTATE**
Spectrochemistry of solutions. Part 12. Cyano complexes of silver(I) in solution in liquid ammonia, 968-75
- CYANOCARBON**
Cyclopentadienylruthenium and -osmium chemistry. Part 15. Some cyanocarbon and cyanonitrogen complexes: crystal and molecular structures of [Ru(N:C:C(CN)C(CN):C(CN)₂)(P(OMe)₃)(PPh₃)(η -C₅H₅)]₂, 2205-11
- CYANOCOBALTATE**
Resonance-Raman and infrared studies of cyanide-bridged dimetal complexes, 939-41
Nuclear magnetic resonance and electronic spectral studies on the formation of π -olefin-tetracyanocobaltate(I) complexes, 2529-36
- CYANOFERRATE**
Crystal structure and spectroscopic properties of a polynuclear complex between [bis(2-aminoethyl)amine]copper(II) and hexacyanoferrate(III), 111-17
Kinetics of the formation and dissociation of pentacyanoferrate(II) complexes of cysteine, penicillamine, glutathione, and 2-mercaptoethylamine, 1780-7
Kinetics of the reaction between chlorite and hexacyanoferrate(II) in aqueous solution; evidence for an interfacial redox reaction,

2537-43

CYANOMETHANE

Preparation, properties, and crystal and molecular structures of the cyanomethane adducts of niobium(IV) chloride and di- μ -sulfidobis[dichloroniobium(IV)], 1304-9

CYANOMETHYL

Synthesis, reactivity, and crystal and molecular structures of [μ -1,4-bis(diphenylphosphino)butane]-dicarbonylbis(η -cyclopentadienyl)dirhodium(I), 1651-6

CYANOMETHYLCOBALTATE

Dialkyl sulfoxides as starting materials for the preparation of alkyl-transition metal complexes. Formation of pentaquaamethylchromium(III) and pentacyanomethylcobaltate(III) salts, and the reduction of methyl radicals by vanadium(II), 2462-4

CYANONITROGEN

Cyclopentadienylruthenium and -osmium chemistry. Part 15. Some cyanocarbon and cyanonitrogen complexes: crystal and molecular structures of [Ru(N:C:C(CN)C(CN):C(CN)₂)(P(OMe)₃)(PPh₃)(η -C₅H₅)]₂, 2205-11

CYANONITROSYL FERRATE

The reaction of cysteine with the pentacyanonitrosylferrate(2-) ion, 435-40

CYANOPENTANEDIONE

Bis(3-cyanopentane-2,4-dionato)dihalotin(IV) complexes, 1235-6

CYCLAM

Coordination compounds of indium. Part 38. Complexes of indium(I) and indium(III) with macrocyclic ligands, 928-32

CYCLO

Syntheses and characterization of the cyclopalladated complexes of benzyl butyl sulfides, 2405-8

CYCLOBUTADIENE

Reduction-oxidation properties of organotransition-metal complexes. Part 10. Formation and reactivity of the paramagnetic cyclobutadiene-iron and -ruthenium derivatives [M(CO)₃- η -L_n(C-Ph₄)]⁺ (n = 1-3, L = phosphorus donor), 34-9

CYCLOCONDENSATION

Studies involving nitrogen-oxygen donor macrocyclic ligands. Interaction of copper(II) with new O₂N₃-donor macrocycles and the x-ray analysis of aqua(1,12,16-triaza-3,4,9,10-dibenzo-5,8-dioxacyclooctadecane)copper(II) diperchlorate hydrate, 74-9
Use of alkali and alkaline-earth metal ions in the template synthesis of 12-crown-4, 15-crown-5, and 18-crown-6, 1157-61
Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 1. Reactions of 2,6-diacylpyridine and dicarbonyl compounds with 3,6-dioxaoctane-1,8-diamine, 1669-77

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-coordinate barium(II) complex, 1678-84

Alkyne complexes of platinum. Part 6. The synthesis of compounds containing platinacyclopenta-2,4-diene and diplatina-cyclohexa-2,5-diene rings, 1981-7

CYCLOHEPTADIENE

Kinetics of nucleophilic attack on coordinated organic moieties. Part 15. Addition of p-toluidine to tricarbonyl(1-5- η -dienyl)iron cations, 200-4
Behavior of cyclooctatetraene- and cycloheptatrienetricarbonyliron under olefin-metathesis conditions, 262-6

CYCLOHEPTADIENYLIRON

Kinetics of nucleophilic attack on coordinated organic moieties.

Part 17. Addition of pyridines to [Fe(1-5- η -dienyl)(CO)₃]⁺ cations (dienyl = C₆H₇, 2-MeOC₆H₆, or C₇H₉), 1162-8

CYCLOHEPTATRIENE

η^2 Complexes of cyclic polyolefins: crystal structure of dicarbonyl(1-2- η -cyclo-octatetraene)(η -cyclopentadienyl)manganese, 51-5
Behavior of cyclooctatetraene- and cycloheptatrienetricarbonyliron under olefin-metathesis conditions, 262-6

The rate and mechanism of tetracyanoethylene addition of cycloheptatriene and related complexes of tricarbonyliron, 586-9

Organosulfur-transition metal chemistry. Part 5. Face bonding of cycloheptatrienyl and cyclooctatetraene ligands in sulfur-ruthenium clusters: crystal and molecular structure of hexacarbonyl- μ_3 - η^7 -cycloheptatrienyl- μ_3 -tert-butylthio-triangulo-triruthenium, 2220-9

Organosulfur-transition metal chemistry. Part 7. Sulfur inversion in dimolybdenum complexes: crystal and molecular structure of dicarbonyl- η -cycloheptatrienyltri- μ -tert-butylthio(trimethyl phosphite)dimolybdenum(Mo-Mo), 2235-44

CYCLOHEPTATRIENEIRON

The rate and mechanism of tetracyanoethylene addition of cycloheptatriene and related complexes of tricarbonyliron, 586-9

CYCLOHEPTATRIENYL

Organosulfur-transition metal chemistry. Part 6. Reactions of cyclooctatetraenyl and cycloheptatrienyl thioethers with metal carbonyls, 2230-4

CYCLOHEXADIENE

Diene-metal π bonding. Some unexpected effects of group 5 donor ligands on carbon-13 nuclear magnetic resonance parameters and x-ray crystal structures, 884-91

Transition metal-diene complexes. Part 4. The crystal and molecular structure and isomerization of η -cyclopentadienyl(η -3-methoxycarbonylcyclohexa-1,4-diene)rhodium(I), 1034-40

CYCLOHEXADIENEIRON

Diene-metal π bonding. Some unexpected effects of group 5 donor ligands on carbon-13 nuclear magnetic resonance parameters and x-ray crystal structures, 884-91

CYCLOHEXADIENONE

Ortho-metalation products of phenol and aniline with dodecacarbonyltriosmium. X-ray crystal structure of nonacarbonyl(μ_3 -5-fluoro-2-iminophenyl)di- μ -hydrido-triangulo-triosmium, 2039-44

CYCLOHEXADIENONEDIHYDRIDOTRIOSMIUM

Ortho-metalation products of phenol and aniline with dodecacarbonyltriosmium. X-ray crystal structure of nonacarbonyl(μ_3 -5-fluoro-2-iminophenyl)di- μ -hydrido-triangulo-triosmium, 2039-44

CYCLOHEXADIENYLIRON

Kinetics of nucleophilic attack on coordinated organic moieties.

Part 17. Addition of pyridines to $[\text{Fe}(1-5-\eta\text{-dienyl})(\text{CO})_3]^+$ cations (dienyl = C_6H_7 , 2-MeOC $_6\text{H}_6$, or C_7H_9), 1162-8

CYCLOHEXANONE

Kinetics and mechanisms of redox reactions in aqueous solution. Part 6. Oxidation of cyclohexanone by aquamanganese(III) ions in aqueous perchloric acid, 581-5

CYCLOHEXENE

Polymer-supported oxobis(pentane-2,4-dionato)vanadium(IV) catalyst for reactions involving tert-butyl hydroperoxide, 447-51

CYCLOHEXYLPHOSPHINE

Reactions of bis(ethylene)(tricyclohexyl- and triphenylphosphine)platinum with quinones. Crystal structure of ethylene(2-3- η -2,3,5,6-tetramethylbenzo-1,4-quinone)(tricyclohexylphosphine)platinum, 284-91

CYCLOMETALATION

Synthesis of platinum(II) alkyl and aryl complexes from dipotassium tetrachloroplatinate and tetraorganotin compounds in dimethyl sulfoxide, 933-8

Transition metal-carbon bonds. Part 50. Conversion of mer- $[\text{IrCl}_3(\text{PMe}_2\text{R})_3]$ (R = Me or Ph) to $[\text{IrCl}_2(\text{CH}_2\text{PMe}_2\text{R})(\text{PMe}_2\text{R})_2]$ containing a Ir-C-P three-membered ring by the action of base: crystal structure of dichlorobis(di-methylphenylphosphine)(c-methylphenylphosphinomethyl-C¹P)iridium(III), 1572-7

CYCLOOCTADIENE

Reactions of bis(cycloocta-1,5-diene)platinum with quinones; crystal structure of (1-2;5-6- η -cycloocta-1,5-diene)(2-3;5-6- η -2,6-di-tert-butylbenzo-1,4-quinone)platinum, 276-83

Chemical synthesis with metal atoms. The preparation and structure of cyclooctadiene trifluorophosphine complexes of chromium. The crystal structure of (η^5 -cycloocta-1,3-dienyl)hydridotris(trifluorophosphine)chromium, 661-7

Alkyne complexes of platinum. Part 5. Di- and triplatinum complexes with bridging trimethylsilyl-substituted alkyne ligands; crystal structure of bis(η -cycloocta-1,5-diene)- μ -phenyl(trimethylsilyl)acetylenediplatinum, 862-72

Synthesis and crystal structure of the trimetal compound $[\text{Pt}_3(\text{C}_2\text{H}_4)(\text{C}_8\text{H}_8)_2(1,5-\text{C}_8\text{H}_{12})_2]$: a complex of platinum(0) and platinum(II), 1051-6

Chemistry of the metal carbonyls. Part 79. Synthesis and x-ray crystal structures of $[\text{N}(\text{PPh}_3)_2][\text{Fe}_2\text{Pt}_2(\mu\text{-H})(\mu\text{-CO})_3(\text{CO})_3(\text{PPh}_3)_2]$, $[\text{Fe}_2\text{Pt}_2(\mu\text{-H})(\text{CO})_3(\text{PPh}_3)_2]$, and $[\text{Fe}_2\text{Pt}(\text{CO})_3(\text{cyclo-C}_8\text{H}_{12})]$, 1134-45

CYCLOOCTADIENEPLATINUM

Alkyne complexes of platinum. Part 6. The synthesis of compounds containing platinacyclopenta-2,4-diene and diplatinacyclohexa-2,5-diene rings, 1981-7

CYCLOOCTADIENYL

Chemical synthesis with metal atoms. The preparation and structure of cyclooctadiene trifluorophosphine complexes of

chromium. The crystal structure of (η^5 -cycloocta-1,3-dienyl)hydridotris(trifluorophosphine)chromium, 661-7

CYCLOOCTATETRAENE

η^2 Complexes of cyclic polyolefins: crystal structure of dicarbonyl(1-2- η -cyclo-octatetraene)(η -cyclopentadienyl)manganese, 51-5

Chemistry of low-valent metal isocyanide complexes. Part 3. The synthesis, structure, and dynamic behavior of nonakis(ethyl and isopropyl isocyanide)diiron and -ruthenium complexes. Crystal structure of $[\text{Fe}_2(\mu\text{-CNEt})_3(\text{CNEt})_6]$, 219-27

Behavior of cyclooctatetraene- and cycloheptatrienetricarbonyliron under olefin-metathesis conditions, 262-6

Synthesis and crystal structure of the trimetal compound $[\text{Pt}_3(\text{C}_2\text{H}_4)(\text{C}_8\text{H}_8)_2(1,5-\text{C}_8\text{H}_{12})_2]$: a complex of platinum(0) and platinum(II), 1051-6

Reduction-oxidation properties of organotransition metal complexes. 12. Formation of carbon-carbon bonds via oxidative dimerization of $[\text{Fe}(\text{CO})_3(\eta^4\text{-C}_8\text{H}_8)]$ and reduction of $[\text{Fe}_2(\text{CO})_9(\eta^5\text{-}\eta^5\text{-C}_{16}\text{H}_{16})]^{2+}$. Structures of $[\text{Fe}_2(\text{CO})_9(\text{P}(\text{OPh})_3)_2(\eta^5\text{-}\eta^5\text{-C}_{16}\text{H}_{16})]$, $[\text{PF}_6]^-$ and $[\text{Fe}(\text{CO})_3(\eta^4\text{-C}_{16}\text{H}_{16})]$, 1317-26

Organosulfur-transition metal chemistry. Part 5. Face bonding of cycloheptatrienyl and cyclooctatetraene ligands in sulfur-ruthenium clusters: crystal and molecular structure of hexacarbonyl- μ_3 - η^7 -cycloheptatrienyl- μ_3 -tert-butylthio-triangulo-triruthenium, 2220-9

Studies on (η -cyclooctatetraene)(η^5 -fluorenyl)titanium by electron spin resonance and electronic absorption spectroscopy, 2353-6

CYCLOOCTATETRAENEFLUORENYLTITANIUM

Studies on (η -cyclooctatetraene)(η^5 -fluorenyl)titanium by electron spin resonance and electronic absorption spectroscopy, 2353-6

CYCLOOCTATRIENE

η^2 Complexes of cyclic polyolefins: crystal structure of dicarbonyl(1-2- η -cyclo-octatetraene)(η -cyclopentadienyl)manganese, 51-5

CYCLOOCTATRIENYL

Organosulfur-transition metal chemistry. Part 6. Reactions of cyclooctatetraenyl and cycloheptatrienyl thioethers with metal carbonyls, 2230-4

CYCLOPALLADATION

Cyclopalladation of 1-teralene (3,4-dihydronaphthalen-1-one) oximes, 205-11

Syntheses and characterization of the cyclopalladated complexes of benzyl butyl sulfides, 2405-8

CYCLOPENTADIENE

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 29. Syntheses and x-ray structure determinations of tri- μ -hydroxy-bis(η -pentamethylcyclopentadienyl)rhodium] hydroxide undecahydrate and -iridium acetate tetradecahydrate and related complexes, 1997-2002

CYCLOPENTADIENYL

η^2 Complexes of cyclic polyolefins: crystal structure of dicarbonyl(1-2- η -cyclo-octatetraene)(η -cyclopentadienyl)manganese, 51-5

Niobium organometallic chemistry. Part 6. Electron spin resonance study of bonding in pseudotetrahedral bis(η -cyclopentadienyl)niobium(IV) complexes, 64-8

Mono- η -cyclopentadienylniobium chemistry: ternary phosphine, carbonyl, 3,4-dimethylhexa-2,4-diene, halo, and hydrido derivatives, 85-90

Further chemistry of trimethylphosphine complexes of rhodium(I): x-ray crystal structures of dodeca(trimethylphosphine)tetrarhodiumhexamercure, $\text{Hg}_6\text{Rh}_4(\text{PMe}_3)_{12}$, and trans-chlorobis(trimethylphosphine)(triphenylphosphine)rhodium(I), 126-31

Metallocene derivatives of early transition elements. Part 1.

Niobium(IV) chlorides, chloroalkyls, and dialkyls $[\text{Nb}(\eta\text{-C}_5\text{H}_4\text{X})_2\text{RR}']$, and the crystal and molecular structure of $[\text{Nb}(\eta\text{-C}_5\text{H}_5)_2(\text{CH}_2\text{Ph})_2]$, 180-6

Reactions of nitrogen monoxide with dicyclopentadienyltitanium complexes, including the formation of isocyanate from nitrogen monoxide and carbon monoxide, 271-5

Photosubstitution reactions of bis(cyclopentadienyl)dimethyltungsten hexafluorophosphate: some evidence for an α -elimination mechanism, 314-16

Mono- η -cyclopentadienylmolybdenum chemistry: 1,2-bis(dimethylphosphino)ethanehydrido, -halo, -alkyne, and -oxo derivatives, 353-6

A carbon-13 nuclear magnetic resonance study of (arene)(cyclopentadienyl)iron salts, 529-34

Carbonyl complexes of niobium and tantalum and evidence of a niobium dinitrogen complex: the structure of carbonyldichlorocyclopentadienylbis(dimethylphenylphosphine)tantalum, 793-9

Mono- η -cyclopentadienylmolybdenum chemistry. Some oxo-,

CYCLOPENTADIENYL(contd)

- oxohalo-, halo-, thio-, η -disulfido-, and thiohalo-derivatives, 847-51
- Reactions of coordinated ligands. Part 24. Reaction of bis(but-2-ynyl)carbonyl(η -cyclopentadienyl or η^5 -indenyl)molybdenum tetrafluoroborate with acetonitrile and phosphines; crystal structures of $[\text{Mo}(\text{CO})(\text{MeC}_2\text{Me})(\eta^5\text{-C}_9\text{H}_7)(\text{PEt}_3)][\text{BF}_4]$ and $[\text{Mo}(\text{MeC}_2\text{Me})(\eta^5\text{-C}_9\text{H}_7)(\text{PMe}_3)_2][\text{BF}_4]$, 873-83
- Transition metal-diene complexes. Part 4. The crystal and molecular structure and isomerization of η -cyclopentadienyl(η -3-methoxycarbonylcyclohexa-1,4-diene)rhodium(I), 1034-40
- Preparation and spectra of a series of tautomeric compounds, $[\text{NiCo}(\eta\text{-dienyl})(\text{CO})_4\text{L}]$ (dienyl = C_5H_5 or $\text{C}_5\text{H}_4\text{Me}$; L = tertiary phosphine or arsine), 1057-60
- Cyclopentadienylruthenium and -osmium chemistry. Part 14. The reaction between chloro(cyclopentadienyl)bis(triphenylphosphine)ruthenium and trifluoroacetonitrile: crystal structure of $[\text{1,3-bis(trifluoromethyl)-2,4-diazabutadienylamido-N,N'}](\eta\text{-cyclopentadienyl})(\text{trimethyl phosphite})\text{ruthenium}$, 1169-73
- Enthalpies of formation of $[\text{M}(\eta\text{-C}_5\text{H}_5)_2(\text{OOCR})_2]$ complexes; M = Mo, W, or Ti and R = C_6H_5 or CF_3 , 1174-7
- Enthalpies of formation of $[\text{Mo}(\eta\text{-C}_5\text{H}_5)_2(\text{SR})_2]$ complexes; R = Pr, CHMe_2 , Bu, or CMe_3 , 1178-9
- Cyclopentadienylruthenium and -osmium chemistry. Part 11. Reactions and structures of chloro(η -cyclopentadienyl)bis(triphenylphosphine)ruthenium and its trimethylphosphine analog, 1398-405
- Metallocene derivatives of early transition metals. Part 4. Chemistry of the complexes $[\text{M}(\eta\text{-C}_5\text{H}_5)_2\text{RR}']$ [M = Ti, Zr, or Hf; R = $\text{CH}_2\text{M}'\text{Me}_3$ (M' = C, Si, Ge, or Sn) or $\text{CH}(\text{SiMe}_3)_2$; R' = Cl or alkyl] and the x-ray structures of $[\text{Zr}(\eta\text{-C}_5\text{H}_5)_2(\text{CH}_2\text{M}'\text{Me}_3)_2]$ (M' = C or Si), 1593-605
- Extended Hückel molecular-orbital calculations on dodecahedral metalloboranes which do not conform to the polyhedral skeletal electron-pair theory, 1788-97
- Photochemistry of tricarbonyl(η -cyclopentadienyl)methylmolybdenum in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of dicarbonyl(η -cyclopentadienyl)methylmolybdenum and dicarbonyl(η -cyclopentadienyl)(dinitrogen)methylmolybdenum, 2199-2204
- Cyclopentadienylruthenium and -osmium chemistry. Part 15. Some cyanocarbon and cyanonitrogen complexes: crystal and molecular structures of $[\text{Ru}(\text{N:C:C(CN)C(CN)}):\text{C(CN)}_2)(\text{P(OMe)}_3)(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)]$, 2205-11
- Electron spin resonance studies of electron addition to bis(cyclopentadienyl)titanium(IV) dichloride and cyclopentadienyltitanium(IV) trichloride, 2258-62
- Photochemistry of methyl- and acetyldicarbonyl(η -cyclopentadienyl)iron in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of tricarbonyl(η -cyclopentadienyl)methyliron and acetylmonocarbonyl(η -cyclopentadienyl)iron, 2311-16
- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 31. Tri- μ -phenoxorhodium complexes and a facile hydrogen/deuterium exchange reaction, 2335-8
- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 32. Reactions of tri- μ -hydroxo complexes with aniline and aliphatic amines, 2339-41
- A simple synthesis of cyclopentadienylindium(I), 2592
- CYCLOPENTADIENYLINDIUM**
A simple synthesis of cyclopentadienylindium(I), 2592
- CYCLOPENTADIENYLMETALLOBORANE**
Extended Hückel molecular-orbital calculations on dodecahedral metalloboranes which do not conform to the polyhedral skeletal electron-pair theory, 1788-97
- CYCLOPENTADIENYLTITANIUM**
Electron spin resonance studies of electron addition to bis(cyclopentadienyl)titanium(IV) dichloride and cyclopentadienyltitanium(IV) trichloride, 2258-62
- CYCLOPENTADIENYLTRIMETHYLPHOSPHINERHODIUM**
Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 30. Trimethylphosphinechloro-, -acetato-, and -hydrido complexes and related compounds of (hexamethylbenzene)ruthenium, 2003-8
- CYCLOPHOSPHAZADIENE**
Studies of phosphazenes. Part 13. Thermal rearrangement reactions of some methoxycyclophosphazenes, 1928-34

CYCLOPHOSPHAZENE

- Conformational studies of the phosphazene side chain in cyclophosphazenes. Part 3. Crystal and molecular structure of $\text{N}_3\text{P}_2\text{Cl}_4(\text{NEt}_2)(\text{NPPH}_3)$, 599-603
- Studies of phosphazenes. Part 13. Thermal rearrangement reactions of some methoxycyclophosphazenes, 1928-34
- CYCLOPOLYALKENE**
Behavior of cyclooctatetraene- and cycloheptatrienetricarbonyliron under olefin-metathesis conditions, 262-6
- CYCLOPROPENYL**
Cyclopropenyl and oxocyclobutenyl complexes of molybdenum. Crystal and molecular structures of (2,2'-bipyridine)bromodicarbonyl(1-3- η -1,2,3-triphenylcyclopropenyl)molybdenum(II) and (2,2'-bipyridine)bromodicarbonyl(2-4- η -1-oxo-2,3,4-triphenylcyclobutenyl)molybdenum(II), 1310-16
- CYCLOTRIMERIZATION**
Synthesis and some reactions of the rhodacyclopentadiene complex tetracarbonyltetra(methoxycarbonyl)butadienediyltriphenylphosphineiridium(Rh-Rh), 2593-5
- CYCLOTRIPHOSPHAZENE**
Studies in cyclophosphazenes. Part 8. The equilibria between isomeric nongeminal aminochlorocyclotriphosphazenes, 103-6
- Studies in cyclophosphazenes. Part 9. Influence of the steric requirements of the amino substituents on the rates of amination of 2-amino-2,4,4,6,6-pentachlorocyclotri(λ^3 -phosphazenes), 107-10
- Studies in cyclophosphazenes. Part 10. The mechanism for trans-isomer preference in the nongeminal diamination of hexachlorocyclotriphosphazene, 1283-8
- Studies in cyclophosphazenes. Part 11. Geminal amination of (alkylamino)pentachlorocyclotriphosphazenes via a conjugate-base mechanism, 1456-8
- CYSTEINE**
The reaction of cysteine with the pentacyanonitrosylferrate(2-) ion, 435-40
- CYTIDINE**
Lanthanide ethylenediaminetetraacetate chelates as aqueous shift reagents: evidence for effective axial symmetry in bidentate cytidine 5'-monophosphate and alanine complexes, 2078-82
- DECABORANE**
A new route to isomers of icosaborane(26), $\text{B}_{20}\text{H}_{26}$. The use of 115.5 MHz boron-11 and boron-11-proton nuclear magnetic resonance spectroscopy for the comparison and characterization of separated isomers and the identification of three further icosaboranes as 1,2'-, 2,5'-, and 5,5'(or 5,7')-($\text{B}_{10}\text{H}_{13}$)₂, 1430-7
- Heteronuclear two-dimensional nuclear magnetic resonance: decaborane, 2014-16
- DECARBONYLATION**
Triosmium clusters derived from aldehydes, ketones, and ketens and their interconversions, 91-8
- Thermal degradation of dimethylvinylarsine in triosmium clusters to give bridging vinyl, vinylidene, and acetylene ligands, 1718-21
- DECARBOXYLATION**
Kinetics and mechanisms of redox reactions in aqueous solution. Part 7. Decarboxylation of aliphatic acids by aquasilver(II) ions, 897-901
- DECOMP**
Kinetics and mechanism of the decomposition of the S-nitrosothio-uronium ion, 331-5
- DECOMPN**
Kinetic and mechanistic studies on the disproportionation equilibrium of μ -oxobis[bis(isopropyl thioxanthato)oxomolybdenum(V)] and on the decomposition reaction of bis(isopropyl thioxanthato)dioxomolybdenum(VI), 292-6
- Kinetics and mechanism of the decomposition of the S-nitrosothio-uronium ion, 331-5
- Matrix isolation studies on cesium, rubidium, and potassium carbonates. The shape of molecular potassium carbonate, 456-62
- Stereoselectivity in the cross-metathesis of oct-1-ene and cis- or trans-oct-2-ene, 1089-92
- Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 4. Hydrolysis using sodium carbonate, 1617-23
- Tetrasulfur dinitride; its preparation, crystal structure, and solid-state decomposition to give poly(sulfur nitride), 2188-91
- DEHYDROGENATION**
Structural and mechanistic studies of coordination compounds. Part 28. Some octahedral ruthenium complexes of 5,5',12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradeca-1,3,8,10-tetraene

DEHYDROGENATION(contd)

- produced by oxidative dehydrogenation reactions, 1019-23
- Reactions of diisopropylcarbodiimide with some ruthenium and osmium hydrides, leading to ready dehydrogenation of an isopropyl group; crystal and molecular structure of carbonylchloro(*N*-isopropenyl-*N'*-isopropylformamidinato)bis(triphenylphosphine)ruthenium(II), 1327-30
- Reaction of 4-methylpent-2-yne with dodecacarbonyltriruthenium. The structure of a novel alkyne dimerization dehydrogenation product, 2023-8

DEUTERIOSUCCINATE

- Deuteration of an asymmetric short hydrogen bond. X-ray crystal structure of potassium fluoride-[²H₂]succinic acid, 2141-3

DEUTERIUM

- Deuteration of an asymmetric short hydrogen bond. X-ray crystal structure of potassium fluoride-[²H₂]succinic acid, 2141-3
- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 31. Tri- μ -phenoxorhodium complexes and a facile hydrogen/deuterium exchange reaction, 2335-8

DIACETATO

- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 30. Trimethylphosphinechloro-, -acetato-, and -hydrido complexes and related compounds of (hexamethylbenzene)ruthenium, 2003-8

DIAGRAM

- Diagrams of existence of chloroamines and bromoamines in aqueous solution, 2300-10

DIALKYLAMIDE

- Assignment of vibrational spectra of some dialkylamido derivatives of boron, 306-10

DIALKYLAMINE

- Preparation, properties, and crystal and molecular structures of bis(dialkylamine) complexes of rhenium(I), 2523-8

DIAMINOCARBOXYLATE

- Binary and ternary complexes of copper(II) containing some potentially tridentate ligands, 992-6

DIAQUATETRABROMOCHROMATE

- Chromium(II) chemistry. Part 14. Ferromagnetic and antiferromagnetic tetrabromochromates(II), 27-33

DIAZABUTADIENYLAMINO

- Cyclopentadienylruthenium and -osmium chemistry. Part 14. The reaction between chloro(cyclopentadienyl)bis(triphenylphosphine)ruthenium and trifluoroacetonitrile: crystal structure of [1,3-bis(trifluoromethyl)-2,4-diazabutadienylamido-*N,N'*](η -cyclopentadienyl)(trimethyl phosphite)ruthenium, 1169-73

DIAZAPHOSPHOLE

- Tetracarbonyl diazaphosphole complexes of Group 6B metals: the role of steric effects, 1544-9

DIBROMOBISBROMODIMETHYLTHIABUTYLPYRIDINE-COPPER

- Copper coordination to thioether ligands. Spectroscopic studies of dimeric copper(II) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the crystal structure of di- μ -bromobis(bromo[2-(3,3-dimethyl-2-thiabutyl)pyridine-*N,S*]copper(II)), 2054-8

DICARBONYL

- Syntheses of cationic tri- and dicarbonyl complexes of manganese(-I) with diphosphines from the appropriate neutral bromocarbonyls, 2049-53

DICARBOXYLATE

- Macrocyclic copper(II) chelate derivatives of 2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioic and 2,2,9,9-tetramethyl-4,7-dithiadecanedioic acids. Crystal structures of aqua, pyridine, and triphenylphosphine adducts of [2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioato]copper(II), 1406-14

DICATION

- Studies of mixed-metal hydroxy-bridged complexes. Part 1. Complexes with bis(ethylenediamine)dihydroxocobalt(III) as ligand, 1924-7

DICHLORIDE

- The behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 1. Monophenyl derivatives, 212-18

DIENE

- Dirhenium complexes containing two, three, and four linked acetylene molecules derived from the reaction of [Re₂(CO)₁₀] with RC₂R (R = Ph or Me); the x-ray crystal structure of [Re₂(CO)₄(PhCCPh)₃](CNCH₂SO₂C₆H₄Me-*p*)]·CH₂Cl₂, 771-6

DIENYL

- Kinetics of nucleophilic attack on coordinated organic moieties.

Part 19. Addition of anilines to tricarbonyl(1-5- η -dienyl)iron

cations, 2489-95

DIENYLIRON

- Kinetics of nucleophilic attack on coordinated organic moieties.

Part 15. Addition of *p*-toluidine to tricarbonyl(1-5- η -dienyl)iron cations, 200-4

DIETHYLDITHIOCARBAMATO

- Synthesis and structure of bis(diethyldithiocarbamato)nitridotecnium(V): a technetium-nitrogen triple bond, 1798-801

DIETHYLENETRIAMINE

- Cation distortion isomerism in three five-coordinate diethylenetriamine(di-2-pyridylamine)copper(II) complexes, 1463-9
- Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-coordinate barium(II) complex, 1678-84

DIFFRACTION

- The electronic structure of copper in the polymer potassium bis(carbonato)cuprate(II) as determined from precise x-ray diffraction data, 371-6
- Spin density and manganese electronic structure in phthalocyaninatomanganese(II), 1837-45
- A neutron diffraction investigation of the defect rutile structure of tin-antimony oxide, 2447-51
- Molecular structures of dimethylaluminum octahydrotriborate and dimethylgallium octahydrotriborate in the gas phase as determined by electron diffraction, 2465-70
- Molecular structures of dimethylaluminum octahydrotriborate and dimethylgallium octahydrotriborate in the gas phase as determined by electron diffraction, 2465-70

DIFLUORIDE

- Strong hydrogen bonding in the polyfluorides: ab initio calculations and a new method of preparing potassium hydrogen difluoride, 1219-22

Tin-119 Moessbauer spectroscopic study of a single crystal of α -SnF₂ and partially oriented α -PbSnF₄, 2296-9

DIFLUORO

- Gas-phase molecular structure of difluoro(isoselenocyanato)phosphine determined by electron diffraction, 187-90

DIFLUOROPHOSPHINO

- The molecular structures of difluorophosphino(disilyl)amine and bis(difluorophosphino)silylamine in the gas phase, determined by electron diffraction, 425-30

DIHALO

- Copper coordination to thioether ligands. Spectroscopic studies of dimeric copper(II) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the crystal structure of di- μ -bromobis(bromo[2-(3,3-dimethyl-2-thiabutyl)pyridine-*N,S*]copper(II)), 2054-8

DIHYDROGEN

- Crystal structure of sodium dihydrogen triacetate, 1768-9

DIHYDROXY

- Studies of mixed-metal hydroxy-bridged complexes. Part 1. Complexes with bis(ethylenediamine)dihydroxocobalt(III) as ligand, 1924-7

DIHYDROXYBENZENE

- Mechanisms of complex formation in the reactions of 1,2-dihydroxybenzene and 1,2-dihydroxy-4-methylbenzene with palladium(II) chloride and with aquapalladium(II), equilibria and kinetics in acid media, 2331-4

DIIMINE

- Characterization of metal-to-ligand charge-transfer and intraligand transitions of fac-[Re(CO)₃L(X)] complexes [L = diimine; X = halide or Mn(CO)₅] and explanation of the photochemistry of [Re(CO)₃L(Mn(CO)₅)] using the resonance Raman effect, 1124-33

Reactions of stable dichloroplatinum η^2 -olefin α -diimine complexes. Retention of the five-coordinate structure upon halogen exchange and ligand substitution with olefins, α -diimines, and *N,N'*-disubstituted 1,2-diaminoethanes, 2164-71

DIISOCYANIDE

- Reaction of bidentate isonitrile ligands with iron carbonyls, 297-301

DIISONITRILE

- Reaction of bidentate isonitrile ligands with iron carbonyls, 297-301

DIKETONATE

- Calorimetric titration studies of adduct formation between lanthanide β -diketonates and organic bases in benzene solution, 2434-8

DIKETONATE(contd)

Calorimetric titration and proton nuclear magnetic resonance studies of adduct formation between cobalt(III) β -diketonates and a lanthanide shift reagent, 2596-8

DIKETONE

Electron spin resonance spectra of dibromo and dichloro complexes of vanadium(IV), 1-7

DIMENSION

Heteronuclear two-dimensional nuclear magnetic resonance: decaborane, 2014-16

DIMER

Behavior of cyclooctatetraene- and cycloheptatrienetricarbonyliron under olefin-metathesis conditions, 262-6

DIMERIZATION

Mono- η -cyclopentadienyl niobium chemistry: ternary phosphine, carbonyl, 3,4-dimethylhexa-2,4-diene, halo, and hydrido derivatives, 85-90

Reaction of $[(\text{Ir}(\text{CO})_3(\text{PPh}_3)_2)]$ with substituted acetylenes. Part 1. Synthesis and crystal and molecular structure of $[\eta-1,1\text{-dicarbonyl-2,3,4,5-tetrakis(ethoxycarbonyl)-1-triphenylphosphine}]\text{iridacyclopentadienyl}[\text{dicarbonyl}]\text{iridium}$, 150-4

Dirhenium complexes containing two, three, and four linked acetylene molecules derived from the reaction of $[\text{Re}_2(\text{CO})_{10}]$ with $\text{R}_2\text{C}_2\text{R}$ ($\text{R} = \text{Ph}$ or Me); the x-ray crystal structure of $[\text{Re}_2(\text{CO})_4(\text{PhCCPh})_2(\text{CNCH}_2\text{SO}_2\text{C}_6\text{H}_4\text{Me-p})_2]\cdot\text{CH}_2\text{Cl}_2$, 771-6

Vanadium-51 and oxygen-17 nuclear magnetic resonance study of vanadate(V) equilibria and kinetics, 1105-10

Reduction-oxidation properties of organotransition metal complexes. 12. Formation of carbon-carbon bonds via oxidative dimerization of $[\text{Fe}(\text{CO})_3(\eta^4\text{-C}_8\text{H}_8)]$ and reduction of $[\text{Fe}_2(\text{CO})_9(\eta^5\text{-C}_5\text{H}_5\text{-C}_6\text{H}_5)_2]^{2+}$. Structures of $[\text{Fe}_2(\text{CO})_4(\text{P}(\text{OPh})_3)_2(\eta^5\text{-C}_5\text{H}_5\text{-C}_6\text{H}_5)_2][\text{PF}_6]_2$ and $[\text{Fe}(\text{CO})_3(\eta^4\text{-C}_{10}\text{H}_{16})]$, 1317-26

Evidence for dimer formation of nitrosyl(meso-2,3,7,8,12,13,17,18-octaethyl-5-nitroporphyrinato)iron(II) and its implication in the interpretation of the electron spin resonance spectrum of the nitrosylhemoglobin-salicylate system, 1726-8

Reaction of 4-methylpent-2-yne with dodecacarbonyltriruthenium. The structure of a novel alkyne dimerization dehydrogenation product, 2023-8

DIMETHYL

Influence of temperature on the thallium-205 chemical shift of dimethylthallium(III) derivatives, 132-6

Isomerism in adducts of tin(IV) tetrahalides with NN' -dimethylacetamide, NN' -dimethylformamide, and dimethyl sulfoxide in the solid state, 843-6

Iron(II) complexes of a potentially quinque-dentate macrocyclic ligand having an N_3S_2 donor set and the crystal and molecular structures of a high-spin ($S = 2$) complex and a low-spin ($S = 0$) complex, 1965-72

DIMETHYLAMINO

Complexation and exchange reactions of some dimethylamino-substituted Group 4 compounds, 1264-7

Studies in cyclophosphazenes. Part 10. The mechanism for trans-isomer preference in the nongeminal diamination of hexachlorocyclotriphosphazene, 1283-8

DIMETHYLPHOSPHIDO

Trimethylphosphine complexes of molybdenum, tungsten, niobium, and tantalum. X-ray crystal structures of di- μ -hydrido-dihydrido-hexakis(trimethylphosphine)dimolybdenum(II)(Mo-Mo) and of μ -dimethylphosphido- μ -hydridotetrahydridopentakis(trimethylphosphine)ditungsten(II,IV)(W-W), 1892-7

DIMETHYLPHOSPHIDOPENTAHYDRIDOPENTAKIS-**TRIMETHYLPHOSPHINEDITUM**

Trimethylphosphine complexes of molybdenum, tungsten, niobium, and tantalum. X-ray crystal structures of di- μ -hydrido-dihydrido-hexakis(trimethylphosphine)dimolybdenum(II)(Mo-Mo) and of μ -dimethylphosphido- μ -hydridotetrahydridopentakis(trimethylphosphine)ditungsten(II,IV)(W-W), 1892-7

DIMETHYLPROPANEDIAMINE

Synthesis, spectroscopic, and structural properties of 2,2-dimethylpropane-1,3-diaminecopper(II) complexes. Temperature-dependent tetragonal distortion in some thermochromic complexes. Crystal and molecular structure of bis(2,2-dimethylpropane-1,3-diamine)dipchloratocopper(II), 8-12

DIMOLYBDENUM

Organosulfur-transition metal chemistry. Part 7. Sulfur inversion in dimolybdenum complexes: crystal and molecular structure of dicarbonyl- η -cycloheptatrienyltri- μ -tert-butylthio(trimethylphosphite)dimolybdenum(Mo-Mo), 2235-44

DINITRIDE

Tetrasulfur dinitride; its preparation, crystal structure, and solid-state decomposition to give poly(sulfur nitride), 2188-91

DINITROGEN

Hydrazido(2-)-complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80

Photochemistry of tricarbonyl(η -cyclopentadienyl)methylmolybdenum in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of dicarbonyl(η -cyclopentadienyl)methylmolybdenum and dicarbonyl(η -cyclopentadienyl)dinitrogen-methylmolybdenum, 2199-2204

DINUCLEAR

Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 3. Novel fluxional rearrangements in bis(trimethylaluminum) 1,3-dithian, 1,3,5-trithian, and β -2,4,6-trimethyl-1,3,5-trithian complexes, 1846-55

DIOXADECANEDIOATE

Macrocyclic copper(II) chelate derivatives of 2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioic and 2,2,9,9-tetramethyl-4,7-dithiadecanedioic acids. Crystal structures of aqua, pyridine, and triphenylphosphine adducts of [2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioato]copper(II), 1406-14

DIOXAOCETANEDIAMINE

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 1. Reactions of 2,6-diacetylpyridine and dicarbonyl compounds with 3,6-dioxaoctane-1,8-diamine, 1669-77

DIOXO

Studies of phosphazenes. Part 13. Thermal rearrangement reactions of some methoxycyclophosphazenes, 1928-34

DIPEPTIDE

Potentiometric and spectrophotometric study of the coordination compounds formed between copper(II) and dipeptides containing tyrosine, 1331-5

DIPHOSPHINE

Synthesis, reactivity, and crystal and molecular structures of $[\mu-1,4\text{-bis(diphenylphosphino)butane}]\text{-dicarbonylbis}(\eta\text{-cyclopentadienyl})\text{dirhodium(I)}$, 1651-6

DIPHOSPHINOAMINE

Conformations of diphosphinoamines: variable-temperature nuclear magnetic resonance and x-ray crystallographic studies, 2192-8

DIPHOSPHINOISOPROPYLAMINE

Conformations of diphosphinoamines: variable-temperature nuclear magnetic resonance and x-ray crystallographic studies, 2192-8

DIPHOSPHITE

Reactions of metal carbonyl derivatives. Part 25. The bridging properties of tetraethyl diphosphite, $(\text{EtO})_2\text{POP}(\text{OEt})_2$, 1918-23

DIPLATINACYCLOHEXADIENE

Alkyne complexes of platinum. Part 6. The synthesis of compounds containing platina-cyclopenta-2,4-diene and diplatinacyclohexa-2,5-diene rings, 1981-7

DIPLATINADECABORANE

Synthesis, molecular structure, and nuclear magnetic resonance investigation of the platina-nonaborane and diplatinadecaborane cluster compounds, $[4,4\text{-(PM}_2\text{Ph)}_2\text{-arachno-4-PtB}_9\text{H}_{12}]$ and $[6,6,9,9\text{-(PM}_2\text{Ph)}_4\text{-arachno-6,9-Pt}_2\text{B}_8\text{H}_{10}]$, 1415-29

DIPLATINADOCOSABORANE

The chemistry of isomers of icosaborane(26), $\text{B}_{26}\text{H}_{26}$: synthesis and nuclear magnetic resonance study of various isomers of platinahenicosaboranes and diplatinadocosaboranes, and the x-ray crystal and molecular structures of 7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane and 4-(2'-nido-decaboranyl)-7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane, 2573-84

DIPOLE

The electronic structure of copper in the polymer potassium bis(carbonato)cuprate(II) as determined from precise x-ray diffraction data, 371-6

DIPYRIDYL

Reversible addition of protic molecules to coordinated di-2-pyridyl ketone in palladium(II), platinum(II), and gold(III) complexes. X-ray crystal structures of dichloro(dihydroxydi-2-pyridylmethane)palladium(II) and dichloro(dihydroxy-di-2-pyridylmethane)gold(III) chloride, 2280-7

DIRHODIUM

Reactions of coordinated ligands. Part 25. The synthesis of μ -

DIRHODIUM(contd)

allenedicarbonylbis(η^5 -indenyl)dirhodium and protonation to form a bridged cationic vinyl complex. Molecular structures of μ -allenedicarbonylbis(η^5 -indenyl)dirhodium and dicarbonylbis(η^5 -indenyl)- μ -(1-methylvinyl)dirhodium(Rh-Rh) tetrafluoroborate 2321-7

DISILASELENANE

Reactions of silanes and germanes with iridium complexes. Part 3. Reactions of some silyl derivatives of oxygen, sulfur, selenium, nitrogen, and phosphorus with trans-carbonyliodobis(triethylphosphine)iridium(I), 836-9

DISILATHIANE

Reactions of silanes and germanes with iridium complexes. Part 3. Reactions of some silyl derivatives of oxygen, sulfur, selenium, nitrogen, and phosphorus with trans-carbonyliodobis(triethylphosphine)iridium(I), 836-9

DISILOXANE

Reactions of silanes and germanes with iridium complexes. Part 3. Reactions of some silyl derivatives of oxygen, sulfur, selenium, nitrogen, and phosphorus with trans-carbonyliodobis(triethylphosphine)iridium(I), 836-9

DISILYL

Reactions of silanes and germanes with iridium complexes. Part 3. Reactions of some silyl derivatives of oxygen, sulfur, selenium, nitrogen, and phosphorus with trans-carbonyliodobis(triethylphosphine)iridium(I), 836-9

DISPLACEMENT

Zinc complexes of four tetraaza macrocycles: enthalpies of formation in acetonitrile solution, 336-41

DISPROPORTIONATION

Kinetic and mechanistic studies on the disproportionation equilibrium of μ -oxobis[isopropyl thioxanthato]oxomolybdenum(V) and on the decomposition reaction of bis(isopropyl thioxanthato)dioxomolybdenum(VI), 292-6

Novel compounds with gold-transition metal bonds; crystal and molecular structure of bis(triphenylphosphine)iminium bis(tetracarbonylcobalto)aurate(I), 366-70

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 33. The metal-catalyzed disproportionation of acetaldehyde into acetic acid and ethanol, 2342-52

DISSOCN

Spectrophotometric investigation of equilibria between silver(II) and 2,2'-bipyridine, 431-4

Kinetics of the formation and dissociation of pentacyanoferrate(II) complexes of cysteine, penicillamine, glutathione, and 2-mercaptoethylamine, 1780-7

DISTRIBUTION

Trimethylsilylation of zeolites. Evidence for the presence of adjacent aluminum atoms, 1260-3

Spin density and manganese electronic structure in phthalocyaninatomanganese(II), 1837-45

DITHIADECANEDIOATE

Macrocyclic copper(II) chelate derivatives of 2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioic and 2,2,9,9-tetramethyl-4,7-dithiadecanedioic acids. Crystal structures of aqua, pyridine, and triphenylphosphine adducts of [2,9-bis(methoxymethyl)-2,9-dimethyl-4,7-dioxadecanedioato]copper(II), 1406-14

DITHIANE

Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 3. Novel fluxional rearrangements in bis(trimethylhaloplatinum) 1,3-dithian, 1,3,5-trithian, and β -2,4,6-trimethyl-1,3,5-trithian complexes, 1846-55

Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50

DITHIATRIAZABICYCLOEICOSAPENTENEIRON

Iron(II) complexes of a potentially quinqueadentate macrocyclic ligand having an N_3S_2 donor set and the crystal and molecular structures of a high-spin ($S = 2$) complex and a low-spin ($S = 0$) complex, 1965-72

DITHIOCARBAMATONITRIDOTECHNETIUM

Synthesis and structure of bis(diethyldithiocarbamato)nitridotechnetium(V): a technetium-nitrogen triple bond, 1798-801

DJENKOLATE

Equilibria of some α -amino acids containing sulfur atoms in the chain with metal(II) ions. Part 2. S,S' -methylenebis(L-cysteine) with cobalt(II), nickel(II), and zinc(II) in aqueous solution, 1961-4

DMF

Isomerism in adducts of tin(IV) tetrahalides with NN'-dimethylacetamide, NN'-dimethylformamide, and dimethyl sulfoxide in the solid state, 843-6

DMSO

Direct electrochemical synthesis of cationic complexes, 118-20

Polymer-supported oxobis(pentane-2,4-dionato)vanadium(IV) catalyst for reactions involving tert-butyl hydroperoxide, 447-51

Isomerism in adducts of tin(IV) tetrahalides with NN'-dimethylacetamide, NN'-dimethylformamide, and dimethyl sulfoxide in the solid state, 843-6

Mechanisms of organometallic substitution reactions. Part 4. Kinetics of replacement of dimethyl sulfoxide (dmsol) from $[RuX_2(\eta^5-C_5H_5)(dmsol)]$ ($X = Cl$ or Br) complexes by triphenylphosphine, 923-7

Synthesis of platinum(II) alkyl and aryl complexes from dipotassium tetrachloroplatinate and tetraorganotin compounds in dimethyl sulfoxide, 933-8

Equilibrium and kinetic study of the reaction between phthalocyaninatoiron(II) and carbon monoxide in dimethyl sulfoxide, 1120-3

Calorimetric titration studies of adduct formation between lanthanide β -diketonates and organic bases in benzene solution, 2434-8

Dialkyl sulfoxides as starting materials for the preparation of alkyl-transition metal complexes. Formation of pentaquaamethylchromium(III) and pentacyanomethylcobaltate(III) salts, and the reduction of methyl radicals by vanadium(II), 2462-4

DODECACARBONYLTRIRUTHENIUM

Reaction of 4-methylpent-2-yne with dodecacarbonyltriruthenium. The structure of a novel alkyne dimerization dehydrogenation product, 2023-8

DOPED

The single-crystal electronic and electron spin resonance spectra of copper(II) doped bis(2,2'-bipyridyl)nitritozinc(II) nitrate and bis(2,2'-bipyridyl)nitritocopper(II) tetrafluoroborate: a fluxional $Cu_2N_2O_2$ chromophore, 2271-9

DOUBLE

Stereoselectivity in the cross-metathesis of oct-1-ene and cis-oct-2-ene, 1089-92

DYNAMICS

Reaction of ethylene with dodecacarbonyltriruthenium and the dynamic processes of $[Ru_3H_2(CO)_9(C_2R_2)]$ ($R = H, Me, \text{ and } Et$) 2017-20

EARTH

Electron spin resonance spectra and conformations of group 2 ion complexes with a semidione ligand, 604-8

Topochemically controlled hydrogen reduction of scheelite-related rare earth metal molybdates, 668-72

Kinetics and mechanisms of dissociation of metal chelates. Part 3. Effects of ions on the acid hydrolysis of tris(1,10-phenanthroline)iron(II) perchlorate, 1064-6

Use of alkali and alkaline-earth metal ions in the template synthesis of 12-crown-4, 15-crown-5, and 18-crown-6, 1157-61

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-coordinate barium(II) complex, 1678-84

Calorimetric titration studies of adduct formation between lanthanide β -diketonates and organic bases in benzene solution, 2434-8

EDTA

Kinetics of the reduction of (ethylenediaminetetraacetato)cobaltate(III) and related complexes by chromium(II) ions, 894-6

Resonance-Raman and infrared studies of cyanide-bridged dimetal complexes, 939-41

Lanthanide ethylenediaminetetraacetate chelates as aqueous shift reagents: evidence for effective axial symmetry in bidentate cytidine 5'-monophosphate and alanine complexes, 2078-82

ELEC

Redox potential-structure relationships in metal complexes. Part 3. The electrochemical activation of coordinated hydrazido(2-) ligands, 419-24

Ternary complexes of copper(I) with 2,9-dimethyl-1,10-phenanthroline and some oxygen-donor ligands, 452-5

Topochemically controlled hydrogen reduction of scheelite-related rare earth metal molybdates, 668-72

Iron(II) complexes of a potentially quinqueadentate macrocyclic ligand having an N_3S_2 donor set and the crystal and molecular structures of a high-spin ($S = 2$) complex and a low-spin ($S = 0$)

ELEC(contd)

complex, 1965-72

ELECTROCHEM

Reduction-oxidation properties of organotransition-metal complexes. Part 10. Formation and reactivity of the paramagnetic cyclobutadiene-iron and -ruthenium derivatives $[M(CO)_3-\eta^4(C_4Ph_4)]^+$ ($n = 1-3$, $L =$ phosphorus donor), 34-9

Direct electrochemical synthesis of cationic complexes, 118-20

Redox potential-structure relationships in metal complexes. Part 3. The electrochemical activation of coordinated hydrazido(2-) ligands, 419-24

Transition metal complexes of pyrrole pigments. Part 20. Redox behavior of chromium complexes with macrocyclic tetrapyrroles, 855-61

Open-shell molybdenum carbonyl complexes and the binding of π -acid ligands to higher-oxidation-state molybdenum sites, 892-3

Coupling of organic halides electrocatalyzed by the $Ni^{II}/Ni^I/PPH_3$ system. A mechanistic study based on an electroanalytical approach, 1074-81

Equilibrium and kinetic parameters of the oxygenation reaction of oxygen carriers. Conformational effects in cobalt(II) Schiff-base chelates derived from salicylaldehyde and substituted ethylenediamines, 1115-19

Electrochemical behavior of $[Fe_6M_2S_8(SR)_6]^{3-}$ ($M = Mo$ or W) and the roles of molybdenum and tungsten in nitrogenases, 1664

Electrochemistry of platinum(II) coordination compounds. Part 3. Redox behavior of triangular platinum-cobalt clusters.

Electrochemically induced generation of the tetranuclear cluster $[Pt_2Co_2(\mu-CO)_2(CO)_2(PPH_3)_2]$, 2059-62

Synthesis, reactivity, and electrochemical behavior of new five-coordinate nitrosyl cobalt complexes, 2127-31

ELECTRODE

Square planar coordination of the 12-membered macrocyclic tetraamine ligand 1,4,7,10-tetraazacyclododecane-2,6-dione, 694-700

ELECTRON

Electron spin resonance studies of axial ligation to cobalt(II) complexes. Part 2. Interaction with phosphorus ligands. Analysis of the cobalt bonding parameters and the phosphorus hyperfine coupling, 590-8

Spin density and cobalt electronic structure in phthalocyaninatocobalt(II): a polarized neutron diffraction study, 734-42

The electronic states of the tetrahedral iron clusters of iron-sulfur proteins. A theoretical model, 1180-9

A new route to isomers of icosaborane(26), $B_{20}H_{26}$. The use of 115.5 MHz boron-11 and boron-11-proton nuclear magnetic resonance spectroscopy for the comparison and characterization of separated isomers and the identification of three further icosaboranes as 1,2'-, 2,5'-, and 5,5'(or 5,7')- $(B_{10}H_{13})_2$, 1430-7

Carbon-13 nuclear magnetic resonance in isotopically enriched high-spin iron(III) porphyrins: π -electron spin distribution, 1729-34

Spin density and manganese electronic structure in phthalocyaninato-manganese(II), 1837-45

Unstable intermediates. Part 197. Electron-gain and -loss centers in irradiated periodates: an electron spin resonance study, 2183-7

Molecular structures of dimethylaluminum octahydrotriborate and dimethylgallium octahydrotriborate in the gas phase as determined by electron diffraction, 2465-70

ELECTRONEGATIVITY

An electronegativity scale based upon geometry changes on ionization, 1237-8

ELECTRONIC

Chromium(II) chemistry. Part 14. Ferromagnetic and antiferromagnetic tetrabromochromates(II), 27-33

Characterization of inner- and outer-sphere complexes by thermodynamics and absorption spectra. Part 2. Chloro complexes of copper(II), 245-50

Reactivity of uranyl ion with quinquedentate chelating hydrazine derivatives. Part 3. 2,6-Diacetylpyridine (2'-pyridylhydrazone) (4"-toluoylhydrazone), 357-61

The electronic structure of copper in the polymer potassium bis(carbonato)cuprate(II) as determined from precise x-ray diffraction data, 371-6

Further studies on the spin cross-over phenomenon in diisothiocyanatobis(1,10-phenanthroline)iron(II), 441-6

Electronic, infrared, and resonance-Raman spectra of mixed-valence iodide-bridged linear-chain complexes of platinum, 524-8

ELECTROPHILIC

Solvent isotope effects in the acidolysis and other electrophilic substitution reactions of pentaquaorganochromium(III) ions in aqueous solution, 2452-61

ELIMINATION

Direct oxidative addition-reductive elimination reactions between trans- $[MCl(CO)L_2]$ and $[MCl_2(CO)L_2]$ or trans- $[PtCl_4(PEt_3)_2]$ ($M = Rh$ or Ir , $L =$ tertiary phosphine), 319-21

ENAMINONE

Palladium(II) complexation of ambidentate cis-s-cis-enamines: synthesis of some bis(4-anilino)pent-3-en-2-onato and bis(3-amino-1-phenylbut-2-en-1-onato) complexes of palladium(II) and x-ray crystal structure of bis[4-(2-bromoanilino)pent-3-en-2-onato]palladium(II), 2212-16

ENERGY

Standard enthalpies of formation of bis(pentane-2,4-dionato)copper(II) and tetrakis[bis(pentane-2,4-dionato)cobalt(II)] and an estimation of the metal-oxygen bond energies, 99-102

Thermochemistry of hexafluoroanions of $M(IV)$ ($M = Si, Ti, Mn$, or Re) and lattice energy calculations for their salts, 726-33

The potassium fluoride-boric acid system. Hydrogen bonding in $KF \cdot H_3BO_3$, 783-7

Derivatives of the energy levels of a molecular system with respect to parameters of the Hamiltonian, and their application to magnetic susceptibility calculations and least-squares fitting, 1041-6

Strong hydrogen bonding in aliphatic diol solutions of alkali metal fluorides, 1152-6

Enthalpies of formation of $[M(\eta-C_5H_5)_2(OCOR)_2]$ complexes; $M = Mo, W$, or Ti and $R = C_6H_5$ or CF_3 , 1174-7

Enthalpies of formation of $[Mo(\eta-C_5H_5)_2(SR)_2]$ complexes; $R = Pr, CHMe_2, Bu$, or CMe_3 , 1178-9

Strong hydrogen bonding in the polyfluorides: ab initio calculations and a new method of preparing potassium hydrogen difluoride, 1219-22

Linear free-energy relationships in the hydrolysis of metal ions. The effect of the ionic medium, 1445-9

Coordination properties of N-protected amino acids. Solution and solid-state behavior of bis(benzoyloxycarbonyl-L-tryptophanato)-nickel(II) and its mixed complexes, 1665-8

Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50

Solubility of salts of hexachlororhenate(IV) ions with complex cations in water and in water + alcohol mixtures: free energies of transfer of the complex ions, 2034-8

ENLARGEMENT

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-coordinate barium(II) complex, 1678-84

ENOLATE

Triosmium clusters derived from aldehydes, ketones, and ketens and their interconversions, 91-8

ENTEROBACTIN

Model compounds for microbial iron-transport compounds. Part 1. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22

ENTHALPY

Zinc complexes of four tetraaza macrocycles: enthalpies of formation in acetonitrile solution, 336-41

ENTROPY

Spectrophotometric investigation of equilibria between silver(II) and 2,2'-bipyridine, 431-4

Strong hydrogen bonding in aliphatic diol solutions of alkali metal fluorides, 1152-6

EPOXIDN

Polymer-supported oxobis(pentane-2,4-dionato)vanadium(IV) catalyst for reactions involving tert-butyl hydroperoxide, 447-51

EQUIL

Characterization of inner- and outer-sphere complexes by thermodynamics and absorption spectra. Part 2. Chloro complexes of copper(II), 245-50

Heterogeneous equilibrium of calcium silicate hydrate in water at 30°C, 645-51

Low-temperature magnetochemical and spectroscopic studies of variable-spin tris(monothiocarbamato)iron(III) and tris(diseleno-carbamato)iron(III) complexes, 1294-9

$^5T_2 = ^1A_1$ and $^6A_1 = ^2T_2$ spin transitions in iron(II) and iron(III)

EQUIL(contd)

- complexes of 2,2'-bi-2-imidazoline and related ligands, 1492-7
Spectrochemistry of solutions. Part 14. Raman and infrared spectra of thiocyanatosilver(I) complexes in some nonaqueous solutions, 1708-13
Reactions of methylmercury(II), mercury(II), and zinc(II) ions with 2-methyl-2-(2-pyridyl)thiazolidine, including stopped-flow rapid-scanning spectrophotometric studies, 2137-40
Mechanisms of complex formation in the reactions of 1,2-dihydroxybenzene and 1,2-dihydroxy-4-methylbenzene with palladium(II) chloride and with aquapalladium(II), equilibria and kinetics in acid media, 2331-4

ERBIUM

- Crystal and molecular structures of $[\text{AsPh}_4][\text{Ln}(\text{S}_2\text{P}(\text{OEt})_2)_4]$ ($\text{Ln} = \text{La}$ or Er) and their comparison with results obtained in solution from paramagnetic nuclear magnetic resonance data, 1470-4

ESR

- Electron spin resonance spectra of dibromo and dichloro complexes of vanadium(IV), 1-7
An electron spin resonance study of crown ethers containing copper(II), with a $d_{1/2}$ ground state, and silver atoms, 56-60
Niobium organometallic chemistry. Part 6. Electron spin resonance study of bonding in pseudotetrahedral bis(η -cyclopentadienyl)niobium(IV) complexes, 64-8
Crystal structure and spectroscopic properties of a polynuclear complex between [bis(2-aminoethyl)amine]copper(II) and hexacyanoferrate(III), 111-17
Single-crystal electron spin resonance spectra of tris(diethylthiocarbamate)oxomolybdenum(V) and chlorobis(diethylthiocarbamate)oxomolybdenum(V) diluted in isomorphous host lattices, 142-9
Metallocene derivatives of early transition elements. Part 1. Niobium(IV) chlorides, chloroalkyls, and dialkyls $[\text{Nb}(\eta\text{-C}_5\text{H}_4\text{X})_2\text{RR}']$, and the crystal and molecular structure of $[\text{Nb}(\eta\text{-C}_5\text{H}_5)_2(\text{CH}_2\text{Ph})_2]$, 180-6
Electron spin resonance study of some copper(II) dithiocarbamates and their mixed ligand complexes, 466-71
New adducts of phthalocyaninatocobalt(II) with base molecules. Part 3. Chemical and spectroscopic relations between mono (low- and high-spin) and bis adducts, 535-8
Electron spin resonance studies of axial ligation to cobalt(II) complexes. Part 2. Interaction with phosphorus ligands. Analysis of the cobalt bonding parameters and the phosphorus hyperfine coupling, 590-8
Electron spin resonance spectra and conformations of group 2 ion complexes with a semidione ligand, 604-8
Photochemical studies of the alkylammonium molybdates. Part 5. Photolysis in weak acid solutions, 628-34
Metallocene derivatives of early transition metals. Part 2. Substituted cyclopentadienyl group 4A dichlorometallocene complexes $\text{M}(\eta\text{-C}_5\text{H}_4\text{R})_2\text{Cl}_2$ ($\text{M} = \text{Zr}, \text{Hf}; \text{R} = \text{Me}, \text{Et}, \text{CHMe}_2, \text{CMe}_3, \text{SiMe}_3$), mono- and dialkyl derivatives $\text{M}(\eta\text{-C}_5\text{H}_4\text{R})_2\text{R}'\text{X}$ ($\text{X} = \text{Cl}, \text{R}; \text{R}' = \text{CH}_2\text{SiMe}_3, \text{CH}_2\text{CMe}_3$), and d^1 reduction products, 805-13
Electron spin resonance study of copper(II)-amino-acid complexes: evidence for cis and trans isomers and the structures of copper(II)-histidine complexes in aqueous solution, 822-7
Low-temperature magnetochemical and spectroscopic studies of variable-spin tris(monothiocarbamate)iron(III) and tris(diseleno-carbamato)iron(III) complexes, 1294-9
Crystal structure and carbon-13 nuclear magnetic resonance spectrum of bis(tetramethylammonium) tetrakis(2-hydroxyethanethiolato)- μ_3 -sulfido-ferrate and electron spin resonance spectrum of $[\text{Fe}_4\text{S}_4(\text{SCH}_2\text{CH}_2\text{OH})_4]^{3-}$ in aqueous solution, 1550-5
Synthesis of some pentagonal-bipyramidal complexes of manganese(II), iron(II), cobalt(II), nickel(II), copper(II), and zinc(II) with a heptadentate Schiff-base ligand and the crystal and molecular structures of a copper(II) complex, 1685-90
Small molecule analogs for the specific metal-binding site of lactoferrin. Part 2. Phenolato complexes of copper(II) and the nature of the charge-transfer transition in the visible region, 1701-7
Evidence for dimer formation of nitrosyl(meso-2,3,7,8,12,13,17,18-octaethyl-5-nitroporphyrinato)iron(II) and its implication in the interpretation of the electron spin resonance spectrum of the nitrosylhemoglobin-salicylate system, 1726-8
Electron spin resonance behavior of the tricarbonyltris(μ -tetracarbonylferrio)-triangulo-tripalladate(1-) carbonyl cluster

anion, 1735-7

- Studies on transition metal cyano complexes. Part 3. Heptacyano complexes of tungsten, molybdenum, and vanadium, and a hydridoheptacyano complex of tungsten, 1886-91
Crystal structure and electronic properties of bis(2,2'-bipyridyl)thiocyanatocopper(II) tetrafluoroborate, 2029-33
Copper coordination to thioether ligands. Spectroscopic studies of dimeric copper(II) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the crystal structure of di- μ -bromobis(bromo[2-(3,3-dimethyl-2-thiabutyl)pyridine-N,S]copper(II)), 2054-8
Crystal structure and electronic properties of bis(2,2'-bipyridyl)nitratocopper(II) nitrate monohydrate, 2070-7
Photolytic homolysis of the metal-carbon (sp^3 or sp^2) bond of alkyl or acyl transition metal complexes. An electron spin resonance study using spin trapping; and a note on aminyl oxides $[\text{ML}_n(\text{N}(\text{O})\text{R})][\text{ML}_n = \text{Ru}(\text{CO})_4(\text{SiMe}_3)$, $\text{Os}(\text{CO})_4(\text{SiMe}_3)$ or $\text{Fe}(\eta\text{-C}_5\text{H}_5)(\text{CO})_3$; $\text{R} = \text{aryl}]$, 2159-63
Unstable intermediates. Part 197. Electron-gain and -loss centers in irradiated periodates: an electron spin resonance study, 2183-7
Electron spin resonance studies of electron addition to bis(cyclopentadienyl)titanium(IV) dichloride and cyclopentadienyltitanium(I-V) trichloride, 2258-62
The single-crystal electronic and electron spin resonance spectra of copper(II) doped bis(2,2'-bipyridyl)nitrozinc(II) nitrate and bis(2,2'-bipyridyl)nitritocopper(II) tetrafluoroborate: a fluxional $\text{CuN}_2\text{N}'_2\text{O}_2$ chromophore, 2271-9
Electron spin resonance spectra of a titanium(IV)/III mixed-valence tetranuclear species $[\text{Ti}_4(\text{OR})_{12}\text{O}]$, 2328-30
Studies on (η -cyclooctatetraene)(η^5 -fluorenyl)titanium by electron spin resonance and electronic absorption spectroscopy, 2353-6
A study of substituent and base effects on the electron spin resonance spectra of the molecular oxygen adducts of cobalt(II) porphyrin chelates, 2365-9

ESTER

- Hydrolysis of α -amino acid esters in mixed-ligand complexes with ethylenediaminepalladium(II), 362-5
CH-acidity of amino acid esters coordinated to cobalt(III). Racemization during the formation of peptides, 2484-8

ESTERIFICATION

- Preparation of alkyl-substituted partial trimethylsilyl silicates from olivine, 1957-60
Esterification of amino acids chelated to cobalt(III), molybdenocene, and platinum(II). Stability of chelated esters versus dechelation 2479-83

ETHANEDIOL

- Strong hydrogen bonding in aliphatic diol solutions of alkali metal fluorides, 1152-6

ETHANETHIOLATO

- The crystal structure of di- μ -ethanethiolato- μ -sulfidobis[dichloro-(tetrahydrothiophen) tungsten(IV)(W-W)]: a confacial bioctahedral complex with a tungsten-to-tungsten bond, 506-10

ETHANOL

- Activation of dioxygen and catalytic oxidation of ethanol to acetaldehyde and hydrogen peroxide by copper(I) complexes containing 2,2'-bipyridyl and tertiary phosphine ligands, 2585-6

ETHENE

- Patterns of nucleophilic attack on ethene complexes of ruthenium(I), 2112-18

ETHENERUTHENIUM

- Patterns of nucleophilic attack on ethene complexes of ruthenium(I), 2112-18

ETHER

- An electron spin resonance study of crown ethers containing copper(II), with a $d_{1/2}$ ground state, and silver atoms, 56-60
Studies involving nitrogen-oxygen donor macrocyclic ligands. Interaction of copper(II) with new O_2N_2 -donor macrocycles and the x-ray analysis of aqua[1,12,16-triaza-3,4,9,10-dibenzo-5,8-dioxacyclooctadecane]copper(II) diperchlorate hydrate, 74-9
Complexation and solvent extraction of lithium salts with 2,3,6,7,9,10-hexahydro-5H-1,4,8,11-benzotetraoxacyclotridecin (benzo-13-crown-4), 501-5
Coordination compounds of indium. Part 38. Complexes of indium(I) and indium(III) with macrocyclic ligands, 928-32
Preparation and crystal structure analysis of a vinyl ether chelate, dichloro[4-methoxy-2,2,N,N-tetramethylbut-(Z)-3-enylamine]palladium(II), and its conversion into di- μ -chloro-bis[3-(dimethylamino)-1-formyl-2,2-dimethylpropyl-C,N]dipalladium(II), 986-91
Use of alkali and alkaline-earth metal ions in the template synthesis

ETHER(contd)

of 12-crown-4, 15-crown-5, and 18-crown-6, 1157-61
Isolation of the anions $[\text{M}(\text{CO})_5(\text{SH})]^-$ and $[\text{M}_2(\text{CO})_{10}(\mu\text{-SH})]^-$ ($\text{M} = \text{Cr}, \text{Mo}, \text{and W}$) as salts of the sodium(18-crown-6-ether) cation. X-ray analysis of the sodium carbonyl linked polymeric structures of the tungsten species, 2357-64

ETHOXY

Crystal structure and magnetic properties of bis(di- μ -ethoxobis[4,4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato]dicopper(II)), 251-4

ETHOXYCARBONYLACETYLENE

Reaction of $[\text{Ir}(\text{CO})_3(\text{PPh}_3)_2]$ with substituted acetylenes. Part 1. Synthesis and crystal and molecular structure of $[\eta\text{-}1,1\text{-dicarbonyl-}2,3,4,5\text{-tetrakis(ethoxycarbonyl)-}1\text{-triphenylphosphineiridacyclopentadienyl}]\text{dicarbonyliridium}$, 150-4

ETHOXYCARBONYLETHYNE

Reaction of $[\text{Ir}(\text{CO})_3(\text{PPh}_3)_2]$ with substituted acetylenes. Part 1. Synthesis and crystal and molecular structure of $[\eta\text{-}1,1\text{-dicarbonyl-}2,3,4,5\text{-tetrakis(ethoxycarbonyl)-}1\text{-triphenylphosphineiridacyclopentadienyl}]\text{dicarbonyliridium}$, 150-4

ETHYL

Chemistry of low-valent metal isocyanide complexes. Part 3. The synthesis, structure, and dynamic behavior of nonakis(ethyl and isopropyl isocyanide)diiron and -ruthenium complexes. Crystal structure of $[\text{Fe}_2(\mu\text{-CNEt})_3(\text{CNEt})_6]$, 219-27

Reactions of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_4(\text{CNR})_2]$ ($n = 1 \text{ or } 2$; $\text{R} = \text{Me}, \text{Et}, \text{or } \text{CH}_2\text{Ph}$) with acetyl and benzoyl chlorides, 322-4

Complexes of organoaluminum compounds. Part 12. Preparation, nuclear magnetic resonance spectra, and the crystal and molecular structure of bis(μ -isopropylamidodimethylaluminum), 377-80

Reaction of bicyclo[n.1.0]alkanes ($n = 3-6$) with the olefin-metathesis catalysts tungsten hexachloride-tetraphenyltin and tungsten hexachloride-ethylaluminum dichloride, 1111-14

Preparation, properties, and structures of bis(O-ethyl dithiocarbonato)dihalotin(IV) and di- μ -thiobis[bis(O-ethyl dithiocarbonato)tin(IV)], 1392-7

Reactions of metal carbonyl derivatives. Part 25. The bridging properties of tetraethyl diphosphite, $(\text{EtO})_2\text{POP}(\text{OEt})_2$, 1918-23

ETHYLALUMINUM

Reaction of bicyclo[n.1.0]alkanes ($n = 3-6$) with the olefin-metathesis catalysts tungsten hexachloride-tetraphenyltin and tungsten hexachloride-ethylaluminum dichloride, 1111-14

ETHYLAMIDE

Assignment of vibrational spectra of some dialkylamido derivatives of boron, 306-10

ETHYLDITHIOCARBAMATONITRIDOTECHNETIUM

Synthesis and structure of bis(diethylthiocarbamato)nitridotechnetium(V): a technetium-nitrogen triple bond, 1798-801

ETHYLENE

Reactions of bis(ethylene)(tricyclohexyl- and triphenylphosphine)platinum with quinones. Crystal structure of ethylene(2-3- η -2,3,5,6-tetramethylbenzo-1,4-quinone)(tricyclohexylphosphine)platinum, 284-91

Synthesis and crystal structure of the trimetal compound $[\text{Pt}_3(\text{C}_2\text{H}_4)(\text{C}_6\text{H}_5)_2(1,5\text{-C}_8\text{H}_{12})_2]$: a complex of platinum(0) and platinum(II), 1051-6

Chemistry of the metal carbonyls. Part 79. Synthesis and x-ray crystal structures of $[\text{N}(\text{PPh}_3)_2][\text{Fe}_2\text{Pt}_2(\mu\text{-H})(\mu\text{-CO})_3(\text{CO})_5(\text{PPh}_3)_2]$, $[\text{Fe}_2\text{Pt}_2(\mu\text{-H})_2(\text{CO})_8(\text{PPh}_3)_2]$, and $[\text{Fe}_2\text{Pt}(\text{CO})_8(\text{cyclo-C}_8\text{H}_{12})]$, 1134-45

Reaction of ethylene with dodecacarbonyltriruthenium and the dynamic processes of $[\text{Ru}_3\text{H}_2(\text{CO})_9(\text{C}_2\text{R}_2)]$ ($\text{R} = \text{H}, \text{Me}, \text{and Et}$) 2017-20

ETHYLENEDIAMINE

A proton nuclear magnetic resonance investigation of the protonation of bis(ethylenediamine)glycinatocobalt(III) in strongly acidic media, 317-18

Hydrolysis of α -amino acid esters in mixed-ligand complexes with ethylenediaminepalladium(II), 362-5

Electronic, infrared, and resonance-Raman spectra of mixed-valence iodide-bridged linear-chain complexes of platinum, 524-8

Spectroscopy of cobalt-ethylenediamine-oxygen adducts in the supercages of zeolites, 914-22

Fast reactions at planar four-coordinate complexes. Part 4. The reaction of chelate dichloropalladium(II) complexes with some bidentate ligands, 1722-5

ETHYLENEDIAMINEDIHYDROXYCOBALT

Studies of mixed-metal hydroxy-bridged complexes. Part 1. Complexes with bis(ethylenediamine)dihydroxocobalt(III) as ligand, 1924-7

ETHYLENEDIAMINETETRAACETATELANTHANIDE

Lanthanide ethylenediaminetetraacetate chelates as aqueous shift reagents: evidence for effective axial symmetry in bidentate cytidine 5'-monophosphate and alanine complexes, 2078-82

ETHYLIDYNE

Reactions of hexamethyltungsten(VI) in the presence of trimethylphosphine. Synthesis of methyl, ethylidyne, hydrido-, alkoxo-, and other tungsten compounds. Structures of trans-ethylidyne(methyl)tetrakis(trimethylphosphine)tungsten(IV) and trihydrido(phenoxo)tetrakis(trimethylphosphine)tungsten(IV), 1204-11

ETHYLTHIO

The crystal structure of di- μ -ethanethiolato- μ -sulfidobis[dichloro-(tetrahydrothiophen)tungsten(IV)](W-W): a confacial biotetrahedral complex with a tungsten-to-tungsten bond, 506-10

ETHYLTHIOSILANE

The crystal structure of di- μ -ethanethiolato- μ -sulfidobis[dichloro-(tetrahydrothiophen)tungsten(IV)](W-W): a confacial biotetrahedral complex with a tungsten-to-tungsten bond, 506-10

EUROPIUM

Europium-151 Moessbauer spectra of some orthorhombic perovskites, 2245-9

Calorimetric titration studies of adduct formation between lanthanide β -diketonates and organic bases in benzene solution, 2434-8

EXCHANGE

Magnetic and structural studies on copper(II) dialkylthiocarbamates, 13-22

Mechanism of cadmium and lead ion exchange by α -zirconium bis(monohydrogenorthophosphate) monohydrate, 385-9

Spin-spin interactions in polynuclear nickel(II) complexes: a susceptibility and low-temperature magnetization study of the linear trimer hexakis(allylamine)hexakis- μ -benzotriazolylnickel(II)-triphenylphosphine oxide (1/2), 1069-73

Rates and activation parameters for solvent exchange with $[\text{M}(\text{PR}_3)_2(\text{solvent})_2\text{H}_2]^+$ ($\text{M} = \text{Rh(III)} \text{ or } \text{Ir(III)}$, $\text{R} = \text{cyclohexyl or phenyl}$) cations, 1481-5

Ring opening in a nonbasic medium of 2-methyl-6-nitrobenzothiazole and hydrogen-deuterium exchange at the 2-methyl promoted by silver(I), 1520-3

Location of cations in metal ion-exchanged zeolites. Part 2. Crystal structures of a fully silver-exchanged heulandite, 2288-91

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 31. Tri- μ -phenoxorhodium complexes and a facile hydrogen/deuterium exchange reaction, 2335-8

Protonation and complex formation with heavy-metal ions of two tetrafunctional amines and of a new structurally related ion exchange resin, 2559-64

EXCHANGED

Zirconium phosphates partially exchanged with transition metal ions: characterization and stereochemical changes induced by heat treatment, 2376-84

EXISTENCE

Diagrams of existence of chloroamines and bromoamines in aqueous solution, 2300-10

EXPLOSION

Reaction of bidentate isonitrile ligands with iron carbonyls, 297-301

Preparation, characterization, and properties of 1,1'-azo-o-carboranes, 1190-5

Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachlorooxomolybdenum(VI) and -oxotungsten(VI) and tetrabromooxotungsten(VI), 2501-7

EXTN

Complexation and solvent extraction of lithium salts with 2,3,6,7,9,10-hexahydro-5H-1,4,8,11-benzotetraoxacyclotridecin (benzo-13-crown-4), 501-5

Highly selective membrane transport of copper(II) ion by synthetic linear oligomer carriers, 1486-91

FERRAHEXABORANE

Bonding in clusters. Part 2. Hexaborane(10) and related metalloboranes, 546-51

FERRATE

The reaction of cysteine with the pentacyanonitrosylferrate(2-) ion, 435-40

FERRATE(contd)

Resonance-Raman and infrared studies of cyanide-bridged dimetal complexes, 939-41

Crystal structure and carbon-13 nuclear magnetic resonance spectrum of bis(tetramethylammonium) tetrakis[(2-hydroxyethanethiolato)- μ_3 -sulfido-ferrate] and electron spin resonance spectrum of $[\text{Fe}_3\text{S}_4(\text{SCH}_2\text{CH}_2\text{OH})_4]^{3-}$ in aqueous solution, 1550-5

Synthesis and crystal structures of tetraethylammonium μ_3 -acetyl- $\text{Cl}-(\text{Fe}^{\text{I}}\text{Fe}^{\text{II}}\text{O})(\text{Fe}^{\text{I}}\text{Fe}^{\text{III}})$ -nonacarbonyl-triangulo-triferrate and tetraethylammonium μ -carbonylnonacarbonyl- μ_3 -2,4-dioxapentylidene-triangulo-triferrate, 2496-500

Kinetics of the reaction between chlorite and hexacyanoferrate(II) in aqueous solution; evidence for an interfacial redox reaction, 2537-43

FERREDOXIN

The electronic states of the tetrahedral iron clusters of iron-sulfur proteins. A theoretical model, 1180-9

Crystal structure and carbon-13 nuclear magnetic resonance spectrum of bis(tetramethylammonium) tetrakis[(2-hydroxyethanethiolato)- μ_3 -sulfido-ferrate] and electron spin resonance spectrum of $[\text{Fe}_3\text{S}_4(\text{SCH}_2\text{CH}_2\text{OH})_4]^{3-}$ in aqueous solution, 1550-5

FERRITE

Formation of aluminum-bearing ferrite in aqueous suspension by air oxidation, 2217-19

FERROCENE

Redox properties of tetrachlorobis(dimethylphenylphosphine)iridium: the synthesis of halide-bridged mixed-metal mixed-valence complexes and the crystal and molecular structure of $\text{cd-di-}\mu$ -chloro- $\text{agh-trichloro-ef-bis}(\text{dimethylphenylphosphine})$ - $\text{b-trimethylarsinepalladium(II)iridium(III)}$, 1515-19

FERROUS

$^5T_2 = ^1A_1$ and $^6A_1 = ^2T_2$ spin transitions in iron(II) and iron(III) complexes of 2,2'-bi-2-imidazole and related ligands, 1492-7

Studies on the oxidation of iron(II) ion during the formation of Fe_2O_4 and α - $\text{Fe}(\text{OH})$ by air oxidation of $\text{Fe}(\text{OH})_2$ suspensions, 1807-11

FLUORENYL

Studies on (η -cyclooctatetraene)(η^5 -fluorenyl)titanium by electron spin resonance and electronic absorption spectroscopy, 2353-6

FLUORENYLTITANIUM

Studies on (η -cyclooctatetraene)(η^5 -fluorenyl)titanium by electron spin resonance and electronic absorption spectroscopy, 2353-6

FLUORIDE

Thermochemistry of hexafluoroanions of M(IV) ($\text{M} = \text{Si, Ti, Mn, or Re}$) and lattice energy calculations for their salts, 726-33

The potassium fluoride-boric acid system. Hydrogen bonding in $\text{K.F.H}_3\text{BO}_3$, 783-7

The aquation of trans-bis(ethylenediamine)difluorochromium(III) and related ions in aqueous solutions of strong acids, 981-5

Strong hydrogen bonding in aliphatic diol solutions of alkali metal fluorides, 1152-6

Transition metal tetrafluoride oxide-antimony pentafluoride adducts; preparation and characterization of the adducts $\text{MF}_4\text{O.SbF}_5$ ($\text{M} = \text{Mo, W, or Re}$) and crystal structures of $\text{MoF}_4\text{O.SbF}_5$ and $\text{ReF}_4\text{O.SbF}_5$, 1212-18

Strong hydrogen bonding in the polyfluorides: ab initio calculations and a new method of preparing potassium hydrogen difluoride, 1219-22

A tin-119 Moessbauer study of the phase transitions in tin difluoride, 1831-6

Deuteration of an asymmetric short hydrogen bond. X-ray crystal structure of potassium fluoride- $[\text{2H}_2]$ succinic acid, 2141-3

Tin-119 Moessbauer spectroscopic study of a single crystal of α - SnF_2 and partially oriented α - PbSnF_4 , 2296-9

FLUORO

Thermochemistry of hexafluoroanions of M(IV) ($\text{M} = \text{Si, Ti, Mn, or Re}$) and lattice energy calculations for their salts, 726-33

Influence of fluorine substitution on the proton conductivity of hydroxyapatite, 949-55

The aquation of trans-bis(ethylenediamine)difluorochromium(III) and related ions in aqueous solutions of strong acids, 981-5

FLUOROACETATE

Crystal structure of di- μ_3 -oxooctakis- μ -(trifluoroacetato)ditin(II)-ditin(IV)-benzene (1/1), 69-73

FLUOROACETATO

Enthalpies of formation of $[\text{M}(\eta\text{-C}_5\text{H}_5)_2(\text{OOCR})_2]$ complexes; $\text{M} = \text{Mo, W, or Ti}$ and $\text{R} = \text{C}_6\text{H}_5$ or CF_3 , 1174-7

FLUOROACETONE

Reactions of coordinated ligands. Part 23. Metalla-ring-forming reactions between hexafluoroacetone and η^4 -1,3-diene(η^5 -indenyl)rhodium complexes; the crystal and molecular structures of rhodium η^5 -indenyl methyloxidohexenyl-O and η^4 -diene oxidoethylidene-O complexes, 400-6

FLUOROACETONITRILE

Cyclopentadienylruthenium and -osmium chemistry. Part 14. The reaction between chloro(cyclopentadienyl)bis(triphenylphosphine)ruthenium and trifluoroacetonitrile: crystal structure of $[\text{1,3-bis}(\text{trifluoromethyl})\text{-2,4-diazabutadienylamido-N,N''}](\eta\text{-cyclopentadienyl})(\text{trimethyl phosphite})\text{ruthenium}$, 1169-73

FLUOROACETYLACETONATOMETHOXYTETRAPHENYLBUTADIENYLPALLADIUM

Crystal and molecular structures of the isobutene insertion product of endo-hexafluoroacetylacetonato(methoxytetraphenylbutadienyl)palladium(II), 1935-7

FLUROARSENATO

Spectroscopic studies of trans-bis(hexafluoroarsenato)tetrakis(thiazyl trifluoride)metal(II) complexes ($\text{M} = \text{Mn, Fe, Co, Ni, or Cu}$); crystal structure of the manganese(II) complex: an example of exceptionally short N-S bonds of AsF_6^- as a unidentate ligand, 61-3

FLUROBENZENE

Novel compounds with gold-transition metal bonds; crystal and molecular structure of bis(triphenylphosphine)iminium bis(tetracarbonylcobalto)aurate(I), 366-70

FLUROBISAQUADIFLUORO

Crystal structure and infrared and Raman spectra of tetramethylammonium di- μ -fluoro-bis[aquadifluorooxovanadate(IV)], 1802-6

FLUROBISAQUADIFLUOROORO

Crystal structure and infrared and Raman spectra of tetramethylammonium di- μ -fluoro-bis[aquadifluorooxovanadate(IV)], 1802-6

FLUROBISAQUADIFLUOROORO VANADATE

Crystal structure and infrared and Raman spectra of tetramethylammonium di- μ -fluoro-bis[aquadifluorooxovanadate(IV)], 1802-6

FLUROBORATE

Influence of temperature on the thallium-205 chemical shift of dimethylthallium(III) derivatives, 132-6

FLUROBUTANEDIONE

Crystal structure and magnetic properties of bis(di- μ -ethoxobis[4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato]dicopper(II)), 251-4

FLUROCHROMIUM

The aquation of trans-bis(ethylenediamine)difluorochromium(III) and related ions in aqueous solutions of strong acids, 981-5

FLUROHYDROXYAPATITE

Influence of fluorine substitution on the proton conductivity of hydroxyapatite, 949-55

FLUROMANGANATE

Thermochemistry of hexafluoroanions of M(IV) ($\text{M} = \text{Si, Ti, Mn, or Re}$) and lattice energy calculations for their salts, 726-33

FLUROMETALLATE

Thermochemistry of hexafluoroanions of M(IV) ($\text{M} = \text{Si, Ti, Mn, or Re}$) and lattice energy calculations for their salts, 726-33

FLUROOSMATE

Thermochemistry of hexafluoroanions of M(IV) ($\text{M} = \text{Si, Ti, Mn, or Re}$) and lattice energy calculations for their salts, 726-33

FLUROOXOMOLYBDENUM

Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachlorooxomolybdenum(VI) and -oxotungsten(VI) and tetrabromooxotungsten(VI), 2501-7

FLUROOXOTUNGSTEN

Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachlorooxomolybdenum(VI) and -oxotungsten(VI) and tetrabromooxotungsten(VI), 2501-7

FLUROPHENYL

Reactivity of tetra- n -butylammonium di- μ -chlorobis[bis(pentafluorophenyl)palladate(II)]. A general method for the synthesis of cis isomers of neutral and anionic palladium(II) complexes, 463-5

Preparation of three- and four-coordinate gold(I) complexes; crystal structure of bis[o-phenylenebis(dimethylarsine)]gold(I) bis(pentafluorophenyl)aurate(I), 655-7

FLUROPHOSPHINE

Chemical synthesis with metal atoms. The preparation and structure of cyclooctadiene trifluorophosphine complexes of

FLUOROPHOSPHINE(contd)

chromium. The crystal structure of (η^5 -cycloocta-1,3-dienyl)hydridotris(trifluorophosphine)chromium, 661-7

FLUOROPHOSPHINO

The molecular structures of difluorophosphino(disilyl)amine and bis(difluorophosphino)silylamine in the gas phase, determined by electron diffraction, 425-30

Some binuclear complexes of platinum containing single PF₂ bridges, 840-2

Molecular structure of bis(difluorophosphino)germylamine in the gas phase, determined by electron diffraction, 1047-50

FLUOROPHOSPHINOGERMYLAMINE

Molecular structure of bis(difluorophosphino)germylamine in the gas phase, determined by electron diffraction, 1047-50

FLUOROPHOSPHINOSILYLAMINE

The molecular structures of difluorophosphino(disilyl)amine and bis(difluorophosphino)silylamine in the gas phase, determined by electron diffraction, 425-30

FLUOROTHIOPHOSPHONATE

Preparation, structures, and reactions of some difluorothiophosphonate and difluoroselenophosphonate complexes of platinum(II), 1028-33

FLUOROTRIHYDROXYBORATE

The potassium fluoride-boric acid system. Hydrogen bonding in KF.H₃BO₃, 783-7

FLUXION

Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 3. Novel fluxional rearrangements in bis(trimethylhaloplatinum) 1,3-dithian, 1,3,5-trithian, and β -2,4,6-trimethyl-1,3,5-trithian complexes, 1846-55

FLUXIONAL

Chemistry of the metal carbonyls. Part 76. Platinum-osmium carbonyl complexes derived from decacarbonyldi- μ -hydridotrisosmium; x-ray crystal structure of [Os₃Pt(μ -H)₂(CO)₁₀](P(cyclo-C₆H₁₁)₃), 155-61

FLUXIONALITY

Chemistry of the metal carbonyls. Part 76. Platinum-osmium carbonyl complexes derived from decacarbonyldi- μ -hydridotrisosmium; x-ray crystal structure of [Os₃Pt(μ -H)₂(CO)₁₀](P(cyclo-C₆H₁₁)₃), 155-61

Chemistry of low-valent metal isocyanide complexes. Part 3. The synthesis, structure, and dynamic behavior of nonakis(ethyl and isopropyl isocyanide)diiron and -ruthenium complexes. Crystal structure of [Fe₂(μ -CNEt)₂(CNEt)₆], 219-27

Bis(arylazooximate)palladium(II); synthesis, palladium-nitrogen bond lability, and redox activity, 623-7

Chemical synthesis with metal atoms. The preparation and structure of cyclooctadiene trifluorophosphine complexes of chromium. The crystal structure of (η^5 -cycloocta-1,3-dienyl)hydridotris(trifluorophosphine)chromium, 661-7

Alkyne complexes of platinum. Part 5. Di- and triplatinum complexes with bridging trimethylsilyl-substituted alkyne ligands; crystal structure of bis(η -cycloocta-1,5-diene)- μ -phenyl(trimethylsilyl)acetylenediplatinum, 862-72

Reactions of coordinated ligands. Part 24. Reaction of bis(but-2-ynyl)carbonyl(η -cyclopentadienyl or η^5 -indenyl)molybdenum tetrafluoroborate with acetonitrile and phosphines; crystal structures of [Mo(CO)(MeC₂Me)(η^5 -C₅H₇)(PEt₃)](BF₄) and [Mo(MeC₂Me)(η^5 -C₅H₇)(PMe₃)₂](BF₄), 873-83

Synthesis and crystal structure of the trimetal compound [Pt₃(C₂H₄)(C₆H₅)₂(1,5-C₈H₁₂)₂]: a complex of platinum(0) and platinum(II), 1051-6

Chemistry of the metal carbonyls. Part 79. Synthesis and x-ray crystal structures of [N(PPh₃)₂][Fe₂Pt(μ -H)(μ -CO)₂(CO)₅(PPh₃)₂], [Fe₂Pt(μ -H)₂(CO)₈(PPh₃)₂], and [Fe₂Pt(CO)₈(cyclo-C₈H₁₂)] 1134-45

Carbon-13 nuclear magnetic resonance study of dinuclear iron carbonyl xanthate complexes: dynamic behavior and local scrambling of the carbonyls at one iron atom, 1278-82

The structures and fluxional behavior of the binary carbonyls; a new approach. Part 3. The fluxional behavior of [Fe₃(CO)₁₁L], L = PR₃ or P(OR)₃, 1535-9

Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 3. Novel fluxional rearrangements in bis(trimethylhaloplatinum) 1,3-dithian, 1,3,5-trithian, and β -2,4,6-trimethyl-1,3,5-trithian complexes, 1846-55

Solution behavior of some benzyne complexes of osmium and the

x-ray crystal structure of μ_3 -benzyne-1,1,1,2,2,2,3,3,3-nonacarbonyl- μ -dimethylarsino- μ -hydrido-triosmium(2Os-Os) 1879-85

The single-crystal electronic and electron spin resonance spectra of copper(II) doped bis(2,2'-bipyridyl)nitritozinc(II) nitrate and bis(2,2'-bipyridyl)nitritocopper(II) tetrafluoroborate: a fluxional CuN₂N'₂O₂ chromophore, 2271-9

Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 4. Ring reversal, pyramidal inversion, and novel fluxional rearrangements in [PtXMe₃]₂(MeSCH₂SeMe)] complexes, 2439-46

FORCE

Matrix isolation studies on cesium, rubidium, and potassium carbonates. The shape of molecular potassium carbonate, 456-62

A spectroscopic and crystallographic study of the [ReNC₄]⁻ ion, 1061-3

Synthesis and vibrational spectroscopic study of compounds containing the dithiocyanato-, iodothiocyanato-, and diselenocyanatoiodate(I), 1146-51

FORMAMIDINATE

Reactions of diisopropylcarbodiimide with some ruthenium and osmium hydrides, leading to ready dehydrogenation of an isopropyl group; crystal and molecular structure of carbonylchloro(N-isopropenyl-N'-isopropylformamidinato)bis(triphenylphosphine)ruthenium(II), 1327-30

FORMATE

Oxo-centered triruthenium formate complexes. Diphosphine adducts of oxo-centered triruthenium acetates, 191-5

FORMATION

Standard enthalpies of formation of bis(pentane-2,4-dionato)copper(II) and tetrakis[bis(pentane-2,4-dionato)cobalt(II)] and an estimation of the metal-oxygen bond energies, 99-102

Zinc complexes of four tetraaza macrocycles: enthalpies of formation in acetonitrile solution, 336-41

Copper(II) complexes of N,N'-bis(β -carbamoyl)ethyl)trimethylenediamine in aqueous solution, 683-6

Square planar coordination of the 12-membered macrocyclic tetraamine ligand 1,4,7,10-tetraazacyclododecane-2,6-dione, 694-700

Thermochemistry of hexafluoroanions of M(IV) (M = Si, Ti, Mn, or Re) and lattice energy calculations for their salts, 726-33

Enthalpies of formation of [M(η -C₅H₅)₂(OOCR)₂] complexes; M = Mo, W, or Ti and R = C₆H₅ or CF₃, 1174-7

Enthalpies of formation of [Mo(η -C₅H₅)₂(SR)₂] complexes; R = Pr, CHMe₂, Bu, or CMe₃, 1178-9

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 1. Reactions of 2,6-diacylpyridine and dicarbonyl compounds with 3,6-dioxaoctane-1,8-diamine, 1669-77

Kinetics of the formation and dissociation of pentacyanoferrate(II) complexes of cysteine, penicillamine, glutathione, and 2-mercaptoethylamine, 1780-7

Equilibria of some α -amino acids containing sulfur atoms in the chain with metal(II) ions. Part 2. S,S'-methylenebis(L-cysteine) with cobalt(II), nickel(II), and zinc(II) in aqueous solution, 1961-4

The acid strength of iodine cyanide, 2144-6

Formation of aluminum-bearing ferrite in aqueous suspension by air oxidation, 2217-19

Diagrams of existence of chloroamines and bromoamines in aqueous solution, 2300-10

Mechanisms of complex formation in the reactions of 1,2-dihydroxybenzene and 1,2-dihydroxy-4-methylbenzene with palladium(II) chloride and with aquapalladium(II), equilibria and kinetics in acid media, 2331-4

Evidence for contribution of intermediate steps to the limiting rate in iron(III) monomandelate complex formation, 2414-18

Phosphonate complexes. Part 5. An improved multiparametric refinement program, MUCOMP, for complex formation studies from potentiometric data, 2419-22

CH-acidity of amino acid esters coordinated to cobalt(III). Racemization during the formation of peptides, 2484-8

FORMATO

Crystal structure and electronic properties of bis(2,2'-bipyridyl)formatocopper(II) tetrafluoroborate-water (2/1), 567-74

FORMYLURAN

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 1. Reactions of 2,6-diacylpyridine and dicarbonyl compounds with 3,6-

FORMYLURAN(contd)

dioxaoctane-1,8-diamine, 1669-77

FORMYLPHENYLDIOXABUTANE

Studies involving nitrogen-oxygen donor macrocyclic ligands.

Interaction of copper(II) with new O_2N_2 -donor macrocycles and the x-ray analysis of aqua(1,12,16-triaza-3,4,9,10-dibenzo-5,8-dioxacyclooctadecane)copper(II) diperchlorate hydrate, 74-9**FORMYLPIRIDINE**

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 1. Reactions of 2,6-diacetylpyridine and dicarbonyl compounds with 3,6-dioxaoctane-1,8-diamine, 1669-77

FREE

Strong hydrogen bonding in aliphatic diol solutions of alkali metal fluorides, 1152-6

Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50

Solubility of salts of hexachlororhenate(IV) ions with complex cations in water and in water + alcohol mixtures: free energies of transfer of the complex ions, 2034-8

FRIEDEL

Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17

GAIN

Unstable intermediates. Part 197. Electron-gain and -loss centers in irradiated periodates: an electron spin resonance study, 2183-7

GALLIUM

Molecular structures of dimethylaluminum octahydrotriborate and dimethylgallium octahydrotriborate in the gas phase as determined by electron diffraction, 2465-70

GAMMAAn electron spin resonance study of crown ethers containing copper(II), with a d_{22} ground state, and silver atoms, 56-60**GASEOUS**

Crystal structures of silyl acetate at 150 K and methyl acetate at 145 K, and the molecular structure of silyl acetate in the gas phase, 1988-93

GEOHITE

Formation of aluminum-bearing ferrite in aqueous suspension by air oxidation, 2217-19

GERMANE

Transition metal carbonyl derivatives of the germanes. Part 13.

Preparation, spectroscopic properties, and the crystal and molecular structure of bis(μ -carbonyl)bis(tricarbonylcobalto)(C-o-Co)germanium(4Co-Ge), $[Ge(Co_2(CO)_7)_2]$; a new type of Group 4-tetracobalt species, 80-4

Reactions of silanes and germanes with iridium complexes. Part 4. Reactions with carbonylhydridotris(triphenylphosphine)iridium(I), 1010-18

GERMANIUM

Transition metal carbonyl derivatives of the germanes. Part 13.

Preparation, spectroscopic properties, and the crystal and molecular structure of bis(μ -carbonyl)bis(tricarbonylcobalto)(C-o-Co)germanium(4Co-Ge), $[Ge(Co_2(CO)_7)_2]$; a new type of Group 4-tetracobalt species, 80-4Preparation and the crystal and molecular structure of $[Ni_4][Ge(CO_2(CO)_7)(Co_2(CO)_8)H_2Co(CO)_4]$: an anion containing a mercury-bridged cobalt-cobalt bond, 381-4**GERMYL**

Molecular structure of bis(difluorophosphino)germylamine in the gas phase, determined by electron diffraction, 1047-50

GERMYLAMINE

Molecular structure of bis(difluorophosphino)germylamine in the gas phase, determined by electron diffraction, 1047-50

GERMYLMETHYLMetallocene derivatives of early transition metals. Part 4. Chemistry of the complexes $[M(\eta-C_5H_5)_2RR']$ [$M = Ti, Zr, or Hf$; $R = CH_3, M'Me_3$ ($M' = C, Si, Ge, or Sn$) or $CH(SiMe_3)_2$; $R' = Cl$ or alkyl] and the x-ray structures of $[Zr(\eta-C_5H_5)_2(CH_2M'Me_3)_2]$ ($M' = C$ or Si), 1593-605**GLYCINE**

A proton nuclear magnetic resonance investigation of the protonation of bis(ethylenediamine)glycinatocobalt(III) in strongly acidic media, 317-18

GLYCOL

Strong hydrogen bonding in aliphatic diol solutions of alkali metal fluorides, 1152-6

Use of alkali and alkaline-earth metal ions in the template synthesis of 12-crown-4, 15-crown-5, and 18-crown-6, 1157-61

Reaction of diiodonitrosyltris(3,5-dimethylpyrazolyl)borato)molybdenum with α,ω -alkanediols, 2-chloro-, and 2-methoxyethanol 2021-2**GLYCYLGLYCINATO**Crystal and molecular structure of sodium μ -(imidazol-1-yl-NN')bis(glycylglycinate-NN'O)cuprate(II) hexahydrate: structure-magnetism relationship in imidazole-bridged binuclear copper(II) complexes, 2045-8**GLYCYLGLYCINATOCUPRATE**Crystal and molecular structure of sodium μ -(imidazol-1-yl-NN')bis(glycylglycinate-NN'O)cuprate(II) hexahydrate: structure-magnetism relationship in imidazole-bridged binuclear copper(II) complexes, 2045-8**GLYCYLGLYCYLHISTIDINE**

A critical examination of the interaction between copper(II) and glycylglycyl-L-histidine, 491-4

GOLD

Synthesis and low-frequency vibrational spectra of some bis(alkanethiolato)- and bis(benzenethiolato)aurate(I) complexes 267-70

Novel compounds with gold-transition metal bonds; crystal and molecular structure of bis(triphenylphosphine)iminium bis(tetracarbonylcobalto)aurate(I), 366-70

Preparation of three- and four-coordinate gold(I) complexes; crystal structure of bis(o-phenylenebis(dimethylarsine))gold(I) bis(pentafluorophenyl)aurate(I), 655-7

Characterization of two-, three-, and four-coordinate gold(I) complexes by gold-197 Moessbauer and proton-decoupled phosphorus-31 nuclear magnetic resonance spectroscopy, 2098-104

Reversible addition of protic molecules to coordinated di-2-pyridyl ketone in palladium(II), platinum(II), and gold(III) complexes. X-ray crystal structures of dichloro(dihydroxydi-2-pyridylmethane)palladium(II) and dichloro(dihydroxy-di-2-pyridylmethane)gold(III) chloride, 2280-7

GRAPHITE

Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Comments, 328-9

Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Reply to comments, 329-30

GROUPChemistry of the metal carbonyls. Part 78. Synthesis and x-ray crystal structures of $[NiOs_3(\mu-H)_2(\mu-CO)_2(CO)_8(PPH_3)_2]$ and $[Os_3Rh(\mu-H)_2(acac)(CO)_6]$ (acac = acetylacetonate), 171-9

Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9

Reactivity of tetra-n-butylammonium di- μ -chlorobis[bis(pentafluorophenyl)palladate(II)]. A general method for the synthesis of cis isomers of neutral and anionic palladium(II) complexes, 463-5Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 8. Synthesis of the trimetal compounds $[M(W(\mu-CC_6H_4Me-4)(CO)_2(\eta-C_5H_5))_2]$ ($M = Ni, Pd, or Pt$) and crystal structures of the platinum and nickel complexes, 763-70

Metallocene derivatives of early transition metals. Part 2.

Substituted cyclopentadienyl group 4A dichlorometallocene complexes $M(\eta-C_5H_4R)_2Cl_2$ ($M = Zr, Hf$; $R = Me, Et, CHMe_2, CMe_3, SiMe_3$), mono- and dialkyl derivatives $M(\eta-C_5H_4R)_2R'X$ ($X = Cl, R'; R' = CH_2SiMe_3, CH_2CMe_3$), and d^1 reduction products, 805-13

Complexation and exchange reactions of some dimethylamino-substituted Group 4 compounds, 1264-7

Tetracarbonyl diazaphosphole complexes of Group 6B metals: the role of steric effects, 1544-9

Metallocene derivatives of early transition metals. Part 4. Chemistry of the complexes $[M(\eta-C_5H_5)_2RR']$ [$M = Ti, Zr, or Hf$; $R = CH_2M'Me_3$ ($M' = C, Si, Ge, or Sn$) or $CH(SiMe_3)_2$; $R' = Cl$ or alkyl] and the x-ray structures of $[Zr(\eta-C_5H_5)_2(CH_2M'Me_3)_2]$ ($M' = C$ or Si), 1593-605

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 1. Reactions of 2,6-diacetylpyridine and dicarbonyl compounds with 3,6-dioxaoctane-1,8-diamine, 1669-77

GUANIDINIUM

Crystal structure and infrared spectrum of anhydrous guanidinium

GUANIDINIUM(contd)

copper(II) carbonate, 1770-2

HAFNIUM

Metallocene derivatives of early transition metals. Part 4. Chemistry of the complexes $[M(\eta-C_5H_5)_2RR']$ [$M = Ti, Zr, or Hf; R = CH_2M'Me_3$ ($M' = C, Si, Ge, or Sn$) or $CH(SiMe_3)_2$; $R' = Cl$ or alkyl] and the x-ray structures of $[Zr(\eta-C_5H_5)_2(CH_2M'Me_3)_2]$ ($M' = C$ or Si), 1593-605

Synthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43

HAFNOCENE

Metallocene derivatives of early transition metals. Part 2.

Substituted cyclopentadienyl group 4A dichlorometallocene complexes $M(\eta-C_5H_4R)_2Cl_2$ ($M = Zr, Hf; R = Me, Et, CHMe_2, CMe_3, SiMe_3$), mono- and dialkyl derivatives $M(\eta-C_5H_4R)_2R'X$ ($X = Cl, R'; R' = CH_2SiMe_3, CH_2CMe_3$), and d^1 reduction products, 805-13

HALIDE

Coordination compounds of indium. Part 38. Complexes of indium(I) and indium(III) with macrocyclic ligands, 928-32

Coupling of organic halides electrocatalyzed by the $Ni^{II}/Ni^I/Ni^0$ - PPH_3 system. A mechanistic study based on an electroanalytical approach, 1074-81

Hydrazido(2-)-complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80

Synthesis, reactivity, and electrochemical behavior of new five-coordinate nitrosyl cobalt complexes, 2127-31

Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachlorooxomolybdenum(VI) and -oxotungsten(VI) and tetrabromooxotungsten(VI), 2501-7

HALO

Complexes of rhodium(I) with carbon monoxide, bis(diphenylphosphino)methane, or bis(diphenylarsino)methane, and various anionic ligands, 228-33

Photochemistry of planar four-coordinate palladium(II) complexes. Part 2. Trans-cis isomerization of dihalobis(tri-n-propylphosphine)palladium(II) in solution, 302-5

Structural studies of Group 5A-halide-dithio-ligand complexes.

Part 5. Crystal structures of pentanuclear $[Bi_5(S_2CNEt_2)_8X_7]$, $X = Cl, Br, or I$, and the pyridinium salt of the tetranuclear $[Bi_4(S_2CNEt_2)_4Br]^{10-}$ anion, 1372-8

Structural studies of Group 5A-halide-dithio-ligand complexes. Part 6. Crystal structures of dichloro(N,N -diethyldithiocarbamate)tris(pyridine)bismuth(III)-pyridine (1/1) and its diiodo analog 1379-82

Influence of light on the oxidative addition of bromine to trans-dichlorobis(triethylphosphine)platinum. Crystal structure of all-trans-dibromodichlorobis(triethylphosphine)platinum, 2589-91

HALOAMINE

Diagrams of existence of chloroamines and bromoamines in aqueous solution, 2300-10

HALOAUATE

Kinetics and mechanism of the reaction between tetrachloro- and tetrabromoaurate(III) and thiocyanate, 1093-100

HALOBISALODIMETHYLTHIABUTYLPYRIDINECO-PPER

Copper coordination to thioether ligands. Spectroscopic studies of dimeric copper(II) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the crystal structure of di- μ -bromobis(bromo[2-(3,3-dimethyl-2-thiabutyl)pyridine-N,S]copper(II)), 2054-8

HALOGEN

Bis(arylazooximate)palladium(II); synthesis, palladium-nitrogen bond lability, and redox activity, 623-7

Synthesis, reactivity, and crystal and molecular structures of $[\mu-1,4-bis(diphenylphosphino)butane]-dicarbonylbis(\eta-cyclopentadienyl)dirhodium(I)$, 1651-6

Diagrams of existence of chloroamines and bromoamines in aqueous solution, 2300-10

HALOMETHYLTHIABUTYLPYRIDINECOPPER

Copper coordination to thioether ligands. Spectroscopic studies of dimeric copper(II) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the crystal structure of di- μ -bromobis(bromo[2-(3,3-dimethyl-2-thiabutyl)pyridine-N,S]copper(II)), 2054-8

HALOMOLYBDENUM

Mechanism of ammonia formation by reaction of trans-bis[1,2-bis(diphenylphosphino)ethane]imido(halo)molybdenum(IV) with base in methanol, 40-50

HALONITRIDOOSMATE

Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoosmate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoosmate(VI), 1812-19

HALONITRIDORUTHENATE

Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoruthenate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoruthenate(VI), 1820-4

HAMILTONIAN

Derivatives of the energy levels of a molecular system with respect to parameters of the Hamiltonian, and their application to magnetic susceptibility calculations and least-squares fitting, 1041-6

HAZARD

Reaction of bidentate isonitrile ligands with iron carbonyls, 297-301

HEAT

Standard enthalpies of formation of bis(pentane-2,4-dionato)copper(II) and tetrakis[bis(pentane-2,4-dionato)cobalt(II)] and an estimation of the metal-oxygen bond energies, 99-102

Studies in cyclophosphazenes. Part 8. The equilibria between isomeric nongeminal aminochlorocyclotriphosphazenes, 103-6

Spectrophotometric investigation of equilibria between silver(II) and 2,2'-bipyridine, 431-4

Macro-inorganics. Part 6. Protonation and complex formation of a new series of polymers whose repeating units behave independently, 539-42

Thermochemistry of hexafluoroanions of $M(IV)$ ($M = Si, Ti, Mn, or Re$) and lattice energy calculations for their salts, 726-33

Isomerism in adducts of tin(IV) tetrahalides with NN' -dimethylacetamide, NN' -dimethylformamide, and dimethyl sulfoxide in the solid state, 843-6

Equilibrium and kinetic study of the reaction between phthalocyaninatoiron(II) and carbon monoxide in dimethyl sulfoxide, 1120-3

Strong hydrogen bonding in aliphatic diol solutions of alkali metal fluorides, 1152-6

Enthalpies of formation of $[M(\eta-C_5H_5)_2(OOCR)_2]$ complexes; $M = Mo, W, or Ti$ and $R = C_6H_5$ or CF_3 , 1174-7

Enthalpies of formation of $[Mo(\eta-C_5H_5)_2(SR)_2]$ complexes; $R = Pr, CHMe_2, Bu, or CMe_3$, 1178-9

Strong hydrogen bonding in the polyfluorides: ab initio calculations and a new method of preparing potassium hydrogen difluoride, 1219-22

A procedure for the calculation of enthalpy changes from continuous-titration calorimetric experiments, 1246-50

High-spin nickel(II) complexes of pentaaza macrocycles: characterization, electronic spectra, and thermodynamic properties, 1438-41

Linear free-energy relationships in the hydrolysis of metal ions. The effect of the ionic medium, 1445-9

Nucleophilic attack on olefins coordinated to platinum. Part 3. Effect of substituents on the olefins on the formation of 2-ammonioethanide compounds ($H_3NCH_2RCH_2R'-Pt$), of four-membered ring complexes, and of five-coordinate species, 1565-71

The acid strength of iodine cyanide, 2144-6

HEMOGLOBIN

Evidence for dimer formation of nitrosyl(meso-2,3,7,8,12,13,17,18-octaethyl-5-nitroporphyrinato)iron(II) and its implication in the interpretation of the electron spin resonance spectrum of the nitrosylhemoglobin-salicylate system, 1726-8

HEPTACYANO

Studies on transition metal cyano complexes. Part 3. Heptacyano complexes of tungsten, molybdenum, and vanadium, and a hydridoheptacyano complex of tungsten, 1886-91

HEPTACYANOTUNGSTATE

Studies on transition metal cyano complexes. Part 3. Heptacyano complexes of tungsten, molybdenum, and vanadium, and a hydridoheptacyano complex of tungsten, 1886-91

HETEROCYCLE

Crystallographic studies of the boron-nitrogen bond in aminoboranes. Part 5. The crystal and molecular structure of 1,5,9-triaza-13-boratricycloclodecane, 511-14

HEULANDITE

Location of cations in metal ion-exchanged zeolites. Part 2. Crystal structures of a fully silver-exchanged heulandite, 2288-91

HEXABORANE

Bonding in clusters. Part 2. Hexaborane(10) and related metalloboranes, 546-51

Bonding in clusters. Part 3. Protonation of nido-pentaborane(9), nido-hexaborane(10), and closo-hexaborate(6)(2-), 2515-22

HEXACHLORO

Solubility of salts of hexachlororhenate(IV) ions with complex cations in water and in water + alcohol mixtures: free energies of transfer of the complex ions, 2034-8

HEXADIENE

Mono- η -cyclopentadienylniobium chemistry: ternary phosphine, carbonyl, 3,4-dimethylhexa-2,4-diene, halo, and hydrido derivatives, 85-90

Reactions of coordinated ligands. Part 23. Metalla-ring-forming reactions between hexafluoroacetone and η^4 -1,3-diene(η^5 -indenyl)rhodium complexes; the crystal and molecular structures of rhodium η^5 -indenyl methyloxidohexenyl-O and η^4 -diene oxidoethylindene-O complexes, 400-6

HEXADIENETETRAYL

Dirhenium complexes containing two, three, and four linked acetylene molecules derived from the reaction of $[\text{Re}_2(\text{CO})_{10}]$ with RC_2R ($\text{R} = \text{Ph}$ or Me); the x-ray crystal structure of $[\text{Re}_2(\text{CO})_4(\text{PhCCPh})_2](\text{CNCH}_2\text{SO}_2\text{C}_6\text{H}_4\text{Me-p})_2 \cdot \text{CH}_2\text{Cl}_2$, 771-6

HEXAFLUOROACETYLACETONATO

Crystal and molecular structures of the isobutene insertion product of endo-hexafluoroacetylacetonato(methoxytetraphenylbutadienyl)palladium(II), 1935-7

HEXAFLUOROACETYLACETONATOMETHOXYTETRAPHENYLBUTADIENYLPALLADIUM

Crystal and molecular structures of the isobutene insertion product of endo-hexafluoroacetylacetonato(methoxytetraphenylbutadienyl)palladium(II), 1935-7

HEXAKISTRIMETHYLPHOSPHINE

Trimethylphosphine complexes of molybdenum, tungsten, niobium, and tantalum. X-ray crystal structures of di- μ -hydrido-dihydrohexakis(trimethylphosphine)dimolybdenum(II)(Mo-Mo) and of μ -dimethylphosphido- μ -hydridotetrahydripentakis(trimethylphosphine)ditungsten(II,IV)(W-W), 1892-7

HEXARUTHENIUM

The reactions of carbidoheptadecacarbonylhexaruthenium with dissolved and anchored phosphines. Crystal and molecular structure of μ_6 -carbido- μ -carbonyl-pentadecacarbonyl(ethyldiphenylphosphine)-octahedro-hexaruthenium, 2263-70

HOMOCYSTEINE

Equilibria of some α -amino-acids containing sulfur atoms in the chain with metal(II) ions. Part 1. DL-4,4'-Dithiobis(2-aminobutyric acid) with manganese(II), cobalt(II), and nickel(II) in aqueous solution, 1531-4

HOMOLYSIS

Photolytic homolysis of the metal-carbon (sp^3 or sp^2) bond of alkyl or acyl transition metal complexes. An electron spin resonance study using spin trapping; and a note on aminyl oxides $[\text{ML}_n(\text{N}(\text{O})\text{R})][\text{ML}_n = \text{Ru}(\text{CO})_4(\text{SiMe}_3)$, $\text{Os}(\text{CO})_4(\text{SiMe}_3)$ or $\text{Fe}(\eta\text{-C}_3\text{H}_5)(\text{CO})_3$; $\text{R} = \text{aryl}$], 2159-63

HUECKEL

Extended Hueckel molecular-orbital calculations on dodecahedral metalloboranes which do not conform to the polyhedral skeletal electron-pair theory, 1788-97

HYDRATE

Heterogeneous equilibrium of calcium silicate hydrate in water at 30°C, 645-51

HYDRATION

Thermochemistry of hexafluoroanions of M(IV) ($\text{M} = \text{Si}$, Ti , Mn , or Re) and lattice energy calculations for their salts, 726-33

HYDRAZIDATE

Synthesis and characterization of the reaction products from bis(thiosilylohydrazidato)nickel(II) in base and acid solution, 2176-82

HYDRAZIDO

Crystal structure studies of hydrazido(2-)-quinolin-8-olato complexes of molybdenum and tungsten, 390-9

Hydrazido(2-)-complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80

HYDRAZIDOCROMIUM

Reduction of nitroamine (NH_2NO_2) by vanadium(II) and chromium(II) in acid solution, 2009-10

HYDRAZIDOMOLYBDENUM

Redox potential-structure relationships in metal complexes. Part 3. The electrochemical activation of coordinated hydrazido(2-)

ligands, 419-24

HYDRAZINE

Hydrazido(2-)-complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80

HYDRAZO

Preparation and properties of alkyl- and aryl-substituted closo-closo- and closo-nido-hydrazocarbaboranes, 1196-203

HYDRAZOCARBABORANE

Preparation, characterization, and properties of 1,1'-azo-o-carbaboranes, 1190-5

Preparation and properties of alkyl- and aryl-substituted closo-closo- and closo-nido-hydrazocarbaboranes, 1196-203

HYDRAZONE

Reactivity of uranyl ion with quinque-dentate chelating hydrazine derivatives. Part 3. 2,6-Diacetylpyridine (2'-pyridylhydrazone) (4"-toluoylhydrazone), 357-61

HYDRIDE

Mono- η -cyclopentadienylniobium chemistry: ternary phosphine, carbonyl, 3,4-dimethylhexa-2,4-diene, halo, and hydrido derivatives, 85-90

Triosmium clusters derived from aldehydes, ketones, and ketenes and their interconversions, 91-8

Chemistry of the metal carbonyls. Part 77. Some reactions of the platinumtriosmium complexes $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{PR}_3)]$ with donor molecules; x-ray crystal structures of $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{PPh}_3)_2]$ and $[\text{Os}_3\text{Pt}_2(\text{CO})_5(\text{PPh}_3)_2(\mu_3\text{-MeC}_2\text{Me})]$, 162-70

Carbon-oxygen and -hydrogen cleavage in the reaction of $[\text{Fe}_2(\text{CO})_9(\eta\text{-C}_5\text{H}_5)_2\text{L}]$ [$\text{L} = \text{P}(\text{OR})_3$ or PR_3] with phosphite and phosphine ligands, 325-7

Mono- η -cyclopentadienylmolybdenum chemistry: 1,2-bis(dimethylphosphino)ethanehydrido-, -halo-, -alkyne, and -oxo derivatives, 353-6

The preparation, characterization, and some reactions of undecacarbonyl(methyl cyanide)triosmium (3Os-Os), 407-12

High nuclearity carbonyl clusters of rhodium. Part 2. Crystal and molecular structure of the tetramethylammonium salt of dodeca- μ -carbonyldodecacarbonylhydrido-polyhedro-tridecacarboxate(4-)-1-methylpyrrolidin-2-one(1/3), 519-23

Preparation, structures, and reactions of some difluorothio-phosphate and difluorosele-nophosphate complexes of platinum(II), 1028-33

An electronegativity scale based upon geometry changes on ionization, 1237-8

Reactions of diisopropylcarbodiimide with some ruthenium and osmium hydrides, leading to ready dehydrogenation of an isopropyl group; crystal and molecular structure of carbonylchloro(N-isopropenyl-N'-isopropylformamidinato)bis(triphenylphosphine)ruthenium(II), 1327-30

Rates and activation parameters for solvent exchange with $[\text{M}(\text{PR}_3)_2(\text{solvent})_2\text{H}]^+$ ($\text{M} = \text{Rh(III)}$ or Ir(III) , $\text{R} = \text{cyclohexyl}$ or phenyl) cations, 1481-5

Reaction of ethylene with dodecacarbonyltriruthenium and the dynamic processes of $[\text{Ru}_3\text{H}_2(\text{CO})_9(\text{C}_2\text{R}_2)]$ ($\text{R} = \text{H}$, Me , and Et) 2017-20

HYDRIDO

Further chemistry of trimethylphosphine complexes of rhodium(I): x-ray crystal structures of dodeca(trimethylphosphine)tetrarhodiumhexamercury, $\text{Hg}_6\text{Rh}_4(\text{PMe}_3)_{12}$, and trans-chlorobis(trimethylphosphine)(triphenylphosphine)rhodium(I), 126-31

Chemistry of the metal carbonyls. Part 76. Platinum-osmium carbonyl complexes derived from decacarbonyldi- μ -hydridotriosmium; x-ray crystal structure of $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{P}(\text{cyclo-C}_6\text{H}_{11})_3)]$, 155-61

Chemistry of the metal carbonyls. Part 78. Synthesis and x-ray crystal structures of $[\text{NiOs}_3(\mu\text{-H})_2(\mu\text{-CO})_2(\text{CO})_8(\text{PPh}_3)_2]$ and $[\text{Os}_3\text{Rh}(\mu\text{-H})_2(\text{acac})(\text{CO})_{10}]$ ($\text{acac} = \text{acetylacetonate}$), 171-9

Synthesis and reactivity of trinuclear osmium and dinuclear and trinuclear ruthenium compounds derived from hydroxyalkynes, 828-32

Chemistry of the metal carbonyls. Part 79. Synthesis and x-ray crystal structures of $[\text{N}(\text{PPh}_3)_2][\text{Fe}_2\text{Pt}_2(\mu\text{-H})(\mu\text{-CO})_2(\text{CO})_5(\text{PPh}_3)_2]$, $[\text{Fe}_2\text{Pt}_2(\mu\text{-H})_2(\text{CO})_8(\text{PPh}_3)_2]$, and $[\text{Fe}_2\text{Pt}(\text{CO})_8(\text{cyclo-C}_6\text{H}_{12})]$ 1134-45

Reactions of hexamethyltungsten(VI) in the presence of trimethylphosphine. Synthesis of methyl, ethylidyne, hydrido-, alkoxo-, and other tungsten compounds. Structures of trans-ethylidyne(methyl)tetrakis(trimethylphosphine)tungsten(IV) and trihydrido(phenoxo)tetrakis(trimethylphosphine)tungsten(IV),

HYDRIDO(contd)

1204-11

Chemistry of the metal carbonyls. Part 80. Diosmiumdiplatinum carbonyl complexes derived from tetracarbonyldihydrodismium. X-ray crystal structure of 1,2,2,3,3,4,4,4-octacarbonyl-1,2,3,4-di- μ -hydrido-1,3-bis(triphenylphosphine)-tetrahydrodiplatinumdiosmium (4Pt-Os)(Os-Os), 1274-7

Reduction chemistry of hydrido(triethylphosphine) complexes of platinum(II) or palladium(II) and aqueous chemistry of tris(triethylphosphine)palladium(0), 2550-5

HYDRIDOHEPTACYANOTUNGSTATE

Studies on transition metal cyano complexes. Part 3. Heptacyano complexes of tungsten, molybdenum, and vanadium, and a hydridoheptacyano complex of tungsten, 1886-91

HYDRIDOHEXAKISTRIMETHYLPHOSPHINEDIMOLYBDENUM

Trimethylphosphine complexes of molybdenum, tungsten, niobium, and tantalum. X-ray crystal structures of di- μ -hydrido-dihydrohexakis(trimethylphosphine)dimolybdenum(II)(Mo-Mo) and of μ -dimethylphosphido- μ -hydridotetrahydridopentakis(trimethylphosphine)ditungsten(II,IV)(W-W), 1892-7

HYDRIDOMETAL

Reduction chemistry of hydrido(triethylphosphine) complexes of platinum(II) or palladium(II) and aqueous chemistry of tris(triethylphosphine)palladium(0), 2550-5

HYDRIDOPHOSPHINEHEXAMETHYLBENZENERUTHENIUM

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 30. Triethylphosphinechloro-, -acetato-, and -hydrido complexes and related compounds of (hexamethylbenzene)ruthenium, 2003-8

HYDRIDOTUNGSTEN

Synthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43

HYDROBORATO

Mono- η -cyclopentadienylniobium chemistry: ternary phosphine, carbonyl, 3,4-dimethylhexa-2,4-diene, halo, and hydrido derivatives, 85-90

HYDROGEN

Carbon-oxygen and -hydrogen cleavage in the reaction of $[\text{Fe}_2(\text{CO})_3(\eta\text{-C}_5\text{H}_5)_2\text{L}]$ [L = P(OR)₃ or PR₃] with phosphite and phosphine ligands, 325-7

The potassium fluoride-boric acid system. Hydrogen bonding in K.F.H₃BO₃, 783-7

Strong hydrogen bonding in aliphatic diol solutions of alkali metal fluorides, 1152-6

Strong hydrogen bonding in the polyfluorides: ab initio calculations and a new method of preparing potassium hydrogen difluoride, 1219-22

Ring opening in a nonbasic medium of 2-methyl-6-nitrobenzothiazole and hydrogen-deuterium exchange at the 2-methyl promoted by silver(I), 1520-3

Crystal structure of sodium dihydrogen triacetate, 1768-9

Kinetics of the oxidation of hydrogen peroxide by bis(2,2'-bipyridine)silver(II) ions, 1863-7

HYDROGENATED

Reactions of hydrogenated thiamine derivatives with K₂[MX₄], where M is Pd^{II} or Pt^{II} and X is Cl or Br, 1635-44

HYDROGENATION

Interaction of H₂ with Re₃(μ -Cl)₃(CH₂SiMe₃)₆, its CO, PPh₃, and pyridine adducts, and with Re₃(μ -Cl)₃Cl(CH₂SiMe₃)₅. Crystal structures of H[Re₃(μ -Cl)₃](CH₂SiMe₃)₆, Re₃(μ -Cl)₃Cl(CH₂SiMe₃)₅, and Re₃Cl₃(μ -CH₂SiMe₃)₃(CH₂SiMe₃)₃, 705-16

HYDROLYSIS

Reactions of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_4 \text{ (CNR)}_n]$ (n = 1 or 2; R = Me, Et, or CH₂Ph) with acetyl and benzoyl chlorides, 322-4

Hydrolysis of α -amino acid esters in mixed-ligand complexes with ethylenediaminepalladium(II), 362-5

Thermochemistry of hexafluoroanions of M(IV) (M = Si, Ti, Mn, or Re) and lattice energy calculations for their salts, 726-33

Kinetics and mechanisms of dissociation of metal chelates. Part 3. Effects of ions on the acid hydrolysis of tris(1,10-phenanthroline-jiron(II) perchlorate, 1064-6

Hydrolysis of hexafluoroaluminum(III) in organic media, 1233-4

Linear free-energy relationships in the hydrolysis of metal ions. The effect of the ionic medium, 1445-9

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 2. Gel-permeation chromatography,

1606-8

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 3. Stopped-flow kinetic studies, 1609-14

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 4. Hydrolysis using sodium carbonate, 1617-23

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 5. Slow hydrolysis using aluminum metal, 1624-8

Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of N-salicylidene-2-aminothiazole, 2063-9

Reversible addition of protic molecules to coordinated di-2-pyridyl ketone in palladium(II), platinum(II), and gold(III) complexes.

X-ray crystal structures of dichloro(dihydroxydi-2-pyridylmethane)palladium(II) and dichloro(dihydroxy-di-2-pyridylmethane)gold(III) chloride, 2280-7

HYDROLYZED

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 3. Stopped-flow kinetic studies, 1609-14

HYDROPEROXIDE

Polymer-supported oxobis(pentane-2,4-dionato)vanadium(IV) catalyst for reactions involving tert-butyl hydroperoxide, 447-51

HYDROXIDE

Heterogeneous equilibrium of calcium silicate hydrate in water at 30°C, 645-51

Use of alkali and alkaline-earth metal ions in the template synthesis of 12-crown-4, 15-crown-5, and 18-crown-6, 1157-61

Studies on the oxidation of iron(II) ion during the formation of Fe₃O₄ and α -FeO(OH) by air oxidation of Fe(OH)₂ suspensions, 1807-11

Bicopper(I) and bicopper(II) complexes of a 30-membered macrocyclic ligand: the inclusion of substrate molecules and the crystal and molecular structures of a μ -hydroxo- and a μ -imidazolato-complex, 1868-78

HYDROXO

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 32. Reactions of tri- μ -hydroxo complexes with aniline and aliphatic amines, 2339-41

HYDROXY

Model compounds for microbial iron-transport compounds. Part 1. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22

HYDROXYBENZALDEHYDE

Model compounds for microbial iron-transport compounds. Part 1. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22

HYDROXYCARBENE

Redox potential-structure relationships in metal complexes. Part 4. Electron-poor dinitrogen complexes of rhenium(I), 800-4

HYDROXYCOBALT

Studies of mixed-metal hydroxy-bridged complexes. Part 1. Complexes with bis(ethylenediamine)dihydroxocobalt(III) as ligand, 1924-7

HYDROXYCOBALTATE

The mechanism and kinetics of the substitution of azide, thiocyanate, and cyanide ions in aquapentacyanocobaltate(III) and pentacyanohydroxocobaltate(III), 1578-82

HYDROXYETHANETHIOLATE

Crystal structure and carbon-13 nuclear magnetic resonance spectrum of bis(tetramethylammonium) tetrakis[(2-hydroxyethanethiolato)- μ_3 -sulfido-ferrate] and electron spin resonance spectrum of $[\text{Fe}_4\text{S}_4(\text{SCH}_2\text{CH}_2\text{OH})_4]^{3-}$ in aqueous solution, 1550-5

HYDROXYL

Influence of fluorine substitution on the proton conductivity of hydroxyapatite, 949-55

HYDROXYMETHYLBENZENE

Mechanisms of complex formation in the reactions of 1,2-dihydroxybenzene and 1,2-dihydroxy-4-methylbenzene with palladium(II) chloride and with aquapalladium(II), equilibria and kinetics in acid media, 2331-4

HYDROXYPHENYLACETATOIRON

Evidence for contribution of intermediate steps to the limiting rate in iron(III) monomandelate complex formation, 2414-18

HYDROXYRHODIUM

Water-ammonia exchange at ammine-rhodium(III) complexes in aqueous ammoniacal solution, 1289-93

ICOSABORANE

A new route to isomers of icosaborane(26), $B_{20}H_{26}$. The use of 115.5 MHz boron-11 and boron-11-proton nuclear magnetic resonance spectroscopy for the comparison and characterization of separated isomers and the identification of three further icosaboranes as 1,2'-, 2,5'-, and 5,5'-(or 5,7')-($B_{10}H_{13}$)₂, 1430-7

IEHMO

Platinum-195 nuclear magnetic resonance study of platinum(0) complexes containing a series of acetylenes, 1082-8

II

Studies of mixed-metal hydroxy-bridged complexes. Part 1. Complexes with bis(ethylenediamine)dihydroxocobalt(III) as ligand, 1924-7

IIA

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 1. Reactions of 2,6-diacetylpyridine and dicarbonyl compounds with 3,6-dioxaoctane-1,8-diamine, 1669-77

IMIDAZOLATE

Bicopper(I) and bicopper(II) complexes of a 30-membered macrocyclic ligand: the inclusion of substrate molecules and the crystal and molecular structures of a μ -hydroxo- and a μ -imidazolato-complex, 1868-78

IMIDAZOLE

Coordination properties of N-protected amino acids. Solution and solid-state behavior of bis(benzoyloxycarbonyl-L-tryptophanato)-nickel(II) and its mixed complexes, 1665-8

IMIDAZOLIDINYLDIENE

Paramagnetic carbenometal complexes. Part 2. Synthesis and spectroscopic studies of stable electron-rich olefin-derived paramagnetic carbenecarbonyl- and carbenenitrosyliron(I) complexes, 1583-92

IMIDAZOLINE

Studies of some ternary complexes of copper(II) involving π -bonding ligands, 543-5

IMIDAZOLYL

Crystal and molecular structure of sodium μ -(imidazol-1-yl-NN')bis(glycylglycinate-NN'O)cuprate(II) hexahydrate: structure-magnetism relationship in imidazolato-bridged binuclear copper(II) complexes, 2045-8

IMIDAZOLYL BISGLYCYLGLYCINATOCUPRATE

Crystal and molecular structure of sodium μ -(imidazol-1-yl-NN')bis(glycylglycinate-NN'O)cuprate(II) hexahydrate: structure-magnetism relationship in imidazolato-bridged binuclear copper(II) complexes, 2045-8

IMIDAZOLYLETHYLIMINOETHYLPYRIDINECOPPER

Crystal and molecular structure of the (2,6-bis[1-(2-imidazol-4-ylethylimino)ethyl]pyridine)zinc(II) and -copper(II) cations: five-coordinate relatives of a copper(I) oxygen carrier, 1951-6

IMIDAZOLYLETHYLIMINOETHYLPYRIDINE

Crystal and molecular structure of the (2,6-bis[1-(2-imidazol-4-ylethylimino)ethyl]pyridine)zinc(II) and -copper(II) cations: five-coordinate relatives of a copper(I) oxygen carrier, 1951-6

IMIDAZOLYLETHYLIMINOETHYLPYRIDINECOPPER

Crystal and molecular structure of the (2,6-bis[1-(2-imidazol-4-ylethylimino)ethyl]pyridine)zinc(II) and -copper(II) cations: five-coordinate relatives of a copper(I) oxygen carrier, 1951-6

IMIDAZOLYLETHYLIMINOETHYLPYRIDINEZINC

Crystal and molecular structure of the (2,6-bis[1-(2-imidazol-4-ylethylimino)ethyl]pyridine)zinc(II) and -copper(II) cations: five-coordinate relatives of a copper(I) oxygen carrier, 1951-6

IMIDAZOLYLSALICYLIDENEAMINOTHAZOLE

Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of N-salicylidene-2-aminothiazole, 2063-9

IMIDAZOLYLSALICYLIDENEAMINOTHAZOLYLZINC

Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of N-salicylidene-2-aminothiazole, 2063-9

IMIDO

Mechanism of ammonia formation by reaction of trans-bis[1,2-bis(diphenylphosphino)ethane]imido(halo)molybdenum(IV) with base in methanol, 40-30

IMINE

Structural and mechanistic studies of coordination compounds. Part 28. Some octahedral ruthenium complexes of 5,5',12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradeca-1,3,8,10-tetraene produced by oxidative dehydrogenation reactions, 1019-23

Characterization of metal-to-ligand charge-transfer and intraligand transitions of fac-[Re(CO)₃L(X)] complexes [L = diimine; X = halide or Mn(CO)₅] and explanation of the photochemistry of [Re(CO)₃L(Mn(CO)₅)] using the resonance Raman effect, 1124-33

Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of N-salicylidene-2-aminothiazole, 2063-9

IMINOMETHYLNAPHTHOL

Studies of chelation. Part 9. Cobalt complexes of 1-[(substituted phenyl)azo]-2-naphthol and 1-[(substituted phenylimino)methyl]-2-naphthol ligands. Tautomerism and reactivity, 559-66

IMINOMETHYLPYRIDINE

Characterization of metal-to-ligand charge-transfer and intraligand transitions of fac-[Re(CO)₃L(X)] complexes [L = diimine; X = halide or Mn(CO)₅] and explanation of the photochemistry of [Re(CO)₃L(Mn(CO)₅)] using the resonance Raman effect, 1124-33

IMINOPHENYL

Ortho-metalation products of phenol and aniline with dodecacarbonyltriosmium. X-ray crystal structure of nonacarbonyl(μ_3 -5-fluoro-2-iminophenyl)di- μ -hydrido-triangulo-triosmium, 2039-44

IMINOPHENYLDIHYDRIDOTRIOSMIUM

Ortho-metalation products of phenol and aniline with dodecacarbonyltriosmium. X-ray crystal structure of nonacarbonyl(μ_3 -5-fluoro-2-iminophenyl)di- μ -hydrido-triangulo-triosmium, 2039-44

IMMONIUM

Reactions of [Fe(η -C₅H₅)₂(CO)₄(CNR)₂] (n = 1 or 2; R = Me, Et, or CH₂Ph) with acetyl and benzoyl chlorides, 322-4

INCLUSION

Bicopper(I) and bicopper(II) complexes of a 30-membered macrocyclic ligand: the inclusion of substrate molecules and the crystal and molecular structures of a μ -hydroxo- and a μ -imidazolato-complex, 1868-78

INDENYL

Reactions of coordinated ligands. Part 23. Metalla-ring-forming reactions between hexafluoroacetone and η^4 -1,3-diene(η^5 -indenyl)rhodium complexes; the crystal and molecular structures of rhodium η^5 -indenyl methyloxidohexenyl-O and η^4 -diene oxidoethylindene-O complexes, 400-6

Reactions of coordinated ligands. Part 24. Reaction of bis(but-2-ynyl)carbonyl(η -cyclopentadienyl or η^5 -indenyl)molybdenum tetrafluoroborate with acetonitrile and phosphines; crystal structures of [Mo(CO)(MeC₂Me)(η^5 -C₉H₇)(PEt₃)](BF₄) and [Mo(MeC₂Me)(η^5 -C₉H₇)(PMe₃)₂](BF₄), 873-83

Reactions of coordinated ligands. Part 25. The synthesis of μ -allenedicarbonylbis(η^5 -indenyl)dirhodium and protonation to form a bridged cationic vinyl complex. Molecular structures of μ -allenedicarbonylbis(η^5 -indenyl)dirhodium and dicarbonylbis(η^5 -indenyl)- μ -(1-methylvinyl)dirhodium(Rh-Rh) tetrafluoroborate 2321-7

INDENYLIRON

Kinetics of nucleophilic attack on coordinated organic moieties. Part 19. Addition of anilines to tricarbonyl(1-5- η -dienyl)iron cations, 2489-95

INDIUM

Coordination compounds of indium. Part 18. Complexes of indium(I) and indium(III) with macrocyclic ligands, 928-32

A simple synthesis of cyclopentadienylnickel(I), 2592

INITIATION

Complexes of organoaluminum compounds. Part 12. Preparation, nuclear magnetic resonance spectra, and the crystal and molecular structure of bis(μ -isopropylamidodimethylaluminum), 377-80

INITIATOR

Complexes of organoaluminum compounds. Part 12. Preparation, nuclear magnetic resonance spectra, and the crystal and molecular structure of bis(μ -isopropylamidodimethylaluminum), 377-80

INNER

Characterization of inner- and outer-sphere complexes by thermodynamics and absorption spectra. Part 2. Chloro complexes of copper(II), 245-50

INSERTION

Triosmium clusters derived from aldehydes, ketones, and ketens and their interconversions, 91-8

Oxidative-addition and reductive-elimination reactions involving

INSERTION(contd)

platinum complexes and tetraorganotin compounds, 1223-32
Cyclopropenyl and oxocyclobutenyl complexes of molybdenum.
Crystal and molecular structures of (2,2'-bipyridine)bromodicarbonyl[1-3- η -1,2,3-triphenylcyclopropenyl]molybdenum(II) and (2,2'-bipyridine)bromodicarbonyl[2-4- η -1-oxo-2,3,4-triphenylcyclobutenyl]molybdenum(II), 1310-16
Interaction of *tert*-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of W[N(CMe₃)CMe₂](Me)[N(CMe₃)] [N(CMe₃)CMe: CMe₂] and its hydrogen chloride adduct. *tert*-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97

Effect of organic groups on the carbonyl insertion reaction of platinum(II), 2317-20

INTERACTION

Spin-spin interactions in polynuclear nickel(II) complexes: a susceptibility and low-temperature magnetization study of the linear trimer hexakis(allylamine)hexakis- μ -benzotriazolyltrnickel(II)-triphenylphosphine oxide (1/2), 1069-73

Evidence for dimer formation of nitrosyl(meso-2,3,7,8,12,13,17,18-octaethyl-5-nitroporphyrinato)iron(II) and its implication in the interpretation of the electron spin resonance spectrum of the nitrosylhemoglobin-salicylate system, 1726-8

INTERCALATION

Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Comments, 328-9

Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Reply to comments, 329-30

INTERMEDIATE

Hydrazido(2-)-complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80

Reduction of nitroamine (NH₂NO₂) by vanadium(II) and chromium(II) in acid solution, 2009-10

INVERSION

Preparation and properties of alkyl- and aryl-substituted *cis*-*cis*- and *cis*-*trans*-hydrazocarbaboranes, 1196-203

Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50

IODATE

Synthesis and vibrational spectroscopic study of compounds containing the dithiocyanato-, iodothiocyanato-, and diselenocyanatoiodate(I), 1146-51

IODIDE

Electronic, infrared, and resonance-Raman spectra of mixed-valence iodide-bridged linear-chain complexes of platinum, 524-8

IODINATION

Reduction-oxidation properties of organotransition-metal complexes. Part 10. Formation and reactivity of the paramagnetic cyclobutadiene-iron and -ruthenium derivatives [M(CO)₃- η -C₄(Ph)₄]⁺ (η = 1-3, L = phosphorus donor), 34-9

IODINE

The acid strength of iodine cyanide, 2144-6

IODO

Studies on organometallic hetero-multiple-bridged molecules. Part 7. Synthesis and properties of dichalcogenide-bridged complexes of rhenium(I) and the crystal and molecular structures of the diphenyl ditelluride-bridged complex, [Re₂Br₂(CO)₆(Te₂Ph₂)], 1004-9

Structural studies of Group 5A-halide-dithio-ligand systems. Part 1. Crystal structures of bis(N,N-diethyldithiocarbamato)iodo- and -bromobismuth(III), 1352-9

Structural studies of Group 5A-halide-dithio-ligand complexes. Part 2. Crystal structures of 1:1 adducts of bis(N,N-diethyldithiocarbamato)iodoantimony(III) with chloroform and molecular iodine, 1360-5

Structural studies of Group 5A-halide-dithio-ligand complexes. Part 3. Crystal structure of polymeric (N,N-diethyldithiocarbamato)di-iodobismuth(III), 1366-8

Structural studies of Group 5A-halide-dithio-ligand complexes. Part 4. Crystal structures of bis(tetraethylammonium) di- μ -iodobis[(N,N-diethyldithiocarbamato)diiodobismuthate(III)] and a partially brominated analog, 1369-71

IODOGERMANE

Transition metal carbonyl derivatives of the germanes. Part 13.

Preparation, spectroscopic properties, and the crystal and molecular structure of bis(μ -carbonylbis(tricarbonylcobalto)(C-o-Co))germanium(4Co-Ge), [Ge(Co₂(CO)₇)₂]; a new type of Group 4-tetracobalt species, 80-4

Iodomethylpyrazolylborate

Reaction of diiodonitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum with α,ω -alkanediols, 2-chloro-, and 2-methoxyethanol 2021-2

Iodomethylpyrazolylboratomolybdenum

Reaction of diiodonitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum with α,ω -alkanediols, 2-chloro-, and 2-methoxyethanol 2021-2

Iodothiocyanatoiodate

Synthesis and vibrational spectroscopic study of compounds containing the dithiocyanato-, iodothiocyanato-, and diselenocyanatoiodate(I), 1146-51

Iodotrisdimethylpyrazolylboratomolybdenum

Reaction of diiodonitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum with α,ω -alkanediols, 2-chloro-, and 2-methoxyethanol 2021-2

ION

Mechanism of ammonia formation by reaction of trans-bis[1,2-bis(diphenylphosphino)ethane]imido(halo)molybdenum(IV) with base in methanol, 40-50

Influence of temperature on the thallium-205 chemical shift of dimethylthallium(III) derivatives, 132-6

Thermochemistry of hexafluoroanions of M(IV) (M = Si, Ti, Mn, or Re) and lattice energy calculations for their salts, 726-33

Kinetics and mechanisms of redox reactions in aqueous solution. Part 7. Decarboxylation of aliphatic acids by aquasilver(II) ions, 897-901

Spectrochemistry of solutions. Part 12. Cyano complexes of silver(I) in solution in liquid ammonia, 968-75

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 2. Gel-permeation chromatography, 1606-8

Electrochemical behavior of [Fe₆M₂S₄(SR)₉]³⁻ (M = Mo or W) and the roles of molybdenum and tungsten in nitrogenases, 1664

Protonation and complex formation with heavy-metal ions of two tetrafunctional amines and of a new structurally related ion exchange resin, 2559-64

IONIZATION

An electronegativity scale based upon geometry changes on ionization, 1237-8

IR

Spectroscopic studies of trans-bis(hexafluoroarsenato)tetrakis(thiazyl trifluoride)metal(II) complexes (M = Mn, Fe, Co, Ni, or Cu); crystal structure of the manganese(II) complex: an example of exceptionally short N-S bonds of AsF₆ as a unidentate ligand, 61-3

Crystal structure and spectroscopic properties of a polynuclear complex between [bis(2-aminoethyl)amine]copper(II) and hexacyanoferrate(III), 111-17

Synthesis and low-frequency vibrational spectra of some bis(alkanethiolato)- and bis(benzenethiolato)aurate(I) complexes 267-70

Reaction of bidentate isonitrile ligands with iron carbonyls, 297-301

Assignment of vibrational spectra of some dialkylamido derivatives of boron, 306-10

Ternary complexes of copper(I) with 2,9-dimethyl-1,10-phenanthroline and some oxygen-donor ligands, 452-5

Matrix isolation studies on cesium, rubidium, and potassium carbonates. The shape of molecular potassium carbonate, 456-62

Electronic, infrared, and resonance-Raman spectra of mixed-valence iodide-bridged linear-chain complexes of platinum, 524-8

Topochemically controlled hydrogen reduction of scheelite-related rare earth metal molybdates, 668-72

Analysis of the luminescence spectra of some uranates, 687-93

Redox potential-structure relationships in metal complexes. Part 4. Electron-poor dinitrogen complexes of rhenium(I), 800-4

Resonance-Raman and infrared studies of cyanide-bridged dimetal complexes, 939-41

The d-electron optical activity of tetrahedral dichloro[(-)-spartein]cobalt(II), 976-80

Studies on organometallic hetero-multiple-bridged molecules. Part 7. Synthesis and properties of dichalcogenide-bridged complexes

IR(contd)

- of rhenium(I) and the crystal and molecular structures of the diphenyl ditelluride-bridged complex, $[\text{Re}_2\text{Br}_2(\text{CO})_6(\text{Te}_2\text{Ph}_2)]$, 1004-9
- Synthesis and vibrational spectroscopic study of compounds containing the dithiocyanato-, iodothiocyanato-, and diselenocyanatiodate(I), 1146-51
- A vibrational spectroscopic study of dodecacarbonyltetrahodium, 1498-500
- Electron spin resonance behavior of the tricarbonyltris(μ -tetracarbonylferrio)-triangulo-triplatinate(1-) carbonyl cluster anion, 1735-7
- Electronic, infrared, and resonance-Raman spectroscopic study of pyridine complexes of ruthenium(II) and -(III), 1760-7
- Crystal structure and infrared and Raman spectra of tetramethylammonium di- μ -fluoro-bis[aquaquodifluorooxovanadate(IV)], 1802-6
- Ketoximate complexes. Part 3. Structure and properties of tris chelates of cobalt(III), iron(II), and ruthenium(II), 1856-62
- Studies on transition metal cyano complexes. Part 3. Heptacyano complexes of tungsten, molybdenum, and vanadium, and a hydridoheptacyano complex of tungsten, 1886-91
- Copper coordination to thioether ligands. Spectroscopic studies of dimeric copper(II) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the crystal structure of di- μ -bromobis(bromo[2-(3,3-dimethyl-2-thiabutyl)pyridine-N,S]copper(II)), 2054-8
- Coordination chemistry of higher oxidation states. Part 2. Neutral and cationic complexes of platinum(IV) with bi- and multidentate ligands, 2153-8
- Synthesis and characterization of the reaction products from bis(thiosalicylhydrodrazido)nickel(II) in base and acid solution, 2176-82
- Photochemistry of tricarbonyl(η -cyclopentadienyl)methylmolybdenum in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of dicarbonyl(η -cyclopentadienyl)methylmolybdenum and dicarbonyl(η -cyclopentadienyl)(dinitrogen)methylmolybdenum, 2199-2204
- The reactions of carbidoheptadecacarbonylhexaruthenium with dissolved and anchored phosphines. Crystal and molecular structure of μ_6 -carbido- μ -carbonyl-pentadecacarbonyl(ethyldiphenylphosphine)-octahedro-hexaruthenium, 2263-70
- Photochemistry of methyl- and acetyldicarbonyl(η -cyclopentadienyl)iron in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of tricarbonyl(η -cyclopentadienyl)methyliron and acetylmonocarbonyl(η -cyclopentadienyl)iron, 2311-16
- Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachlorooxomolybdenum(VI) and -oxotungsten(VI) and tetrabromooxotungsten(VI), 2501-7
- Solid-state absorption and circular-dichroism spectra of five-coordinate trigonal copper(II) complexes: anisotropic contributions to the d-d transition probabilities, 2565-72
- IRIDACYCLOPENTADIENYL**
- Reaction of $[(\text{Ir}(\text{CO})_2(\text{PPh}_3)_2)]$ with substituted acetylenes. Part 1. Synthesis and crystal and molecular structure of $[\eta$ -1,1-dicarbonyl-2,3,4,5-tetrakis(ethoxycarbonyl)-1-triphenylphosphineiridacyclopentadienyl]dicarbonyliridium, 150-4
- IRIDIOSILYL**
- Reactions of silanes and germanes with iridium complexes. Part 3. Reactions of some silyl derivatives of oxygen, sulfur, selenium, nitrogen, and phosphorus with trans-carbonyliodobis(triethylphosphine)iridium(I), 836-9
- IRIDIUM**
- Reaction of $[(\text{Ir}(\text{CO})_2(\text{PPh}_3)_2)]$ with substituted acetylenes. Part 1. Synthesis and crystal and molecular structure of $[\eta$ -1,1-dicarbonyl-2,3,4,5-tetrakis(ethoxycarbonyl)-1-triphenylphosphineiridacyclopentadienyl]dicarbonyliridium, 150-4
- Direct oxidative addition-reductive elimination reactions between trans- $[\text{MCl}(\text{CO})_2]$ and $[\text{MCl}_2(\text{CO})_2]$ or trans- $[\text{PtCl}_4(\text{PEt}_3)_2]$ (M = Rh or Ir, L = tertiary phosphine), 319-21
- Reactions of silanes and germanes with iridium complexes. Part 3. Reactions of some silyl derivatives of oxygen, sulfur, selenium, nitrogen, and phosphorus with trans-carbonyliodobis(triethylphosphine)iridium(I), 836-9
- Reactions of silanes and germanes with iridium complexes. Part 4. Reactions with carbonylhydridotris(triphenylphosphine)iridium(-I), 1010-18
- Rates and activation parameters for solvent exchange with $[\text{M}(\text{PR}_3)_2(\text{solvent})_2\text{H}_2]^+$ (M = Rh(III) or Ir(III), R = cyclohexyl or phenyl) cations, 1481-5
- Redox properties of tetrachlorobis(dimethylphenylphosphine)iridium: the synthesis of halide-bridged mixed-metal mixed-valence complexes and the crystal and molecular structure of cd-di- μ -chloro- μ -trichloro- μ -bis(dimethylphenylphosphine)-b-trimethylarsinepalladium(II)iridium(III), 1515-19
- Transition metal-carbon bonds. Part 50. Conversion of mer- $[\text{IrCl}_3(\text{PMe}_2\text{R})_3]$ (R = Me or Ph) to $[\text{IrCl}_2(\text{CH}_2\text{PMeR})(\text{PMe}_2\text{R})_2]$ containing a Ir-C-P three-membered ring by the action of base: crystal structure of dichlorobis(dimethylphenylphosphine)(methylphenylphosphinomethyl-C¹P)iridium(III), 1572-7
- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 29. Syntheses and x-ray structure determinations of tri- μ -hydroxy-bis(η -pentamethylcyclopentadienyl)rhodium hydroxide undecahydrate and -iridium acetate tetradecahydrate and related complexes, 1997-2002
- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 32. Reactions of tri- μ -hydroxo complexes with aniline and aliphatic amines, 2339-41
- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 33. The metal-catalyzed disproportionation of acetaldehyde into acetic acid and ethanol, 2342-52
- IRON**
- Reduction-oxidation properties of organotransition-metal complexes. Part 10. Formation and reactivity of the paramagnetic cyclobutadiene-iron and -ruthenium derivatives $[\text{M}(\text{CO})_3\text{-}\eta\text{-C}_4\text{Ph}_4]^+$ (n = 1-3, L = phosphorus donor), 34-9
- Crystal structure and spectroscopic properties of a polynuclear complex between [bis(2-aminoethyl)amine]copper(II) and hexacyanoferrate(III), 111-17
- Kinetics of nucleophilic attack on coordinated organic moieties. Part 15. Addition of p-toluidine to tricarbonyl(1-5- η -dienyl)iron cations, 200-4
- Chemistry of low-valent metal isocyanide complexes. Part 3. The synthesis, structure, and dynamic behavior of nonakis(ethyl and isopropyl isocyanide)diiron and -ruthenium complexes. Crystal structure of $[\text{Fe}_2(\mu\text{-CNEt})_3(\text{CNEt})_6]$, 219-27
- Behavior of cyclooctatetraene- and cycloheptatrienetricarbonyliron under olefin-metathesis conditions, 262-6
- Reaction of bidentate isonitrile ligands with iron carbonyls, 297-301
- Reactions of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_4\text{-}\eta\text{-C}_4\text{CNR}]_n$ (n = 1 or 2; R = Me, Et, or CH_2Ph) with acetyl and benzoyl chlorides, 322-4
- Carbon-oxygen and -hydrogen cleavage in the reaction of $[\text{Fe}_2(\text{CO})_9(\eta\text{-C}_5\text{H}_5)_2\text{L}]$ [L = $\text{P}(\text{OR})_3$ or PR_3] with phosphite and phosphine ligands, 325-7
- Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Comments, 328-9
- Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Reply to comments, 329-30
- Further studies on the spin cross-over phenomenon in diisothiocyanatobis(1,10-phenanthroline)iron(II), 441-6
- A carbon-13 nuclear magnetic resonance study of (arene)(cyclopentadienyl)iron salts, 529-34
- The rate and mechanism of tetracyanoethylene addition of cycloheptatriene and related complexes of tricarbonyliron, 586-9
- Model compounds for microbial iron-transport compounds. Part 1. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22
- Metal carbonyl photochemistry. Part 3. Behavior of tricarbonyl(η -cyclopentadienyl)manganese and related species at 77 K, 673-7
- Diene-metal π bonding. Some unexpected effects of group 5 donor ligands on carbon-13 nuclear magnetic resonance parameters and x-ray crystal structures, 884-91
- Kinetics and mechanisms of dissociation of metal chelates. Part 3. Effects of ions on the acid hydrolysis of tris(1,10-phenanthroline)iron(II) perchlorate, 1064-6
- Equilibrium and kinetic study of the reaction between phthalocyaninatoiron(II) and carbon monoxide in dimethyl sulfoxide, 1120-3
- Chemistry of the metal carbonyls. Part 79. Synthesis and x-ray crystal structures of $[\text{N}(\text{PPh}_3)_2][\text{Fe}_2\text{Pt}_2(\mu\text{-H})(\mu\text{-CO})_3(\text{CO})_5(\text{PPh}_3)_2]$, $[\text{Fe}_2\text{Pt}_2(\mu\text{-H})_2(\text{CO})_8(\text{PPh}_3)_2]$, and $[\text{Fe}_2\text{Pt}(\text{CO})_8(\text{cyclo-C}_8\text{H}_{12})]$, 1134-45
- Kinetics of nucleophilic attack on coordinated organic moieties. Part 17. Addition of pyridines to $[\text{Fe}(1-5\text{-}\eta\text{-dienyl})(\text{CO})_3]^+$ cations (dienyl = C_6H_7 , 2-MeOC₆H₆, or C_7H_9), 1162-8
- The electronic states of the tetrahedral iron clusters of iron-sulfur

IRON(contd)

- proteins. A theoretical model, 1180-9
- Spectroscopic study of the structures of $[M_2(\eta-C_5H_5)_2(CO)_n(CNR)_{4-n}]$ complexes ($n = 1$ or 2 ; $M = Fe$ or Ru) in solution. The structure of $cis-\{\eta-C_5H_5\}(OC)Fe(\mu-CO)(\mu-CNCHMe_2)Fe(CNC-HMe_2)(\eta-C_5H_5)\}$ in the solid state, 1251-9
- Carbon-13 nuclear magnetic resonance study of dinuclear iron carbonyl xanthate complexes: dynamic behavior and local scrambling of the carbonyls at one iron atom, 1278-82
- Low-temperature magnetochemical and spectroscopic studies of variable-spin tris(monothiocarbamato)iron(III) and tris(diselenocarbamato)iron(III) complexes, 1294-9
- Reduction-oxidation properties of organotransition metal complexes. 12. Formation of carbon-carbon bonds via oxidative dimerization of $[Fe(CO)_3(\eta^4-C_6H_8)]$ and reduction of $[Fe_2(CO)_6(\eta^2:\eta^3-C_{16}H_{16})]^{2+}$. Structures of $[Fe_2(CO)_4(P(OPh)_2)(\eta^2:\eta^3-C_{16}H_{16})][PF_6]_2$ and $[Fe(CO)_3(\eta^4-C_6H_8)]$, 1317-26
- Mossbauer investigations of some chemical treatments of iron surfaces, 1450-5
- $^5T_2 = ^1A_1$ and $^6A_1 = ^2T_2$ spin transitions in iron(II) and iron(III) complexes of 2,2'-bi-2-imidazole and related ligands, 1492-7
- Ring opening in a nonbasic medium of 2-methyl-6-nitrobenzothiazole and hydrogen-deuterium exchange at the 2-methyl promoted by silver(I), 1520-3
- The structures and fluxional behavior of the binary carbonyls; a new approach. Part 3. The fluxional behavior of $[Fe_3(CO)_{11}L]$, $L = PR_3$ or $P(OR)_3$, 1535-9
- Crystal structure and carbon-13 nuclear magnetic resonance spectrum of bis(tetramethylammonium) tetrakis[(2-hydroxyethanethiolato)- μ_3 -sulfido-ferate] and electron spin resonance spectrum of $[Fe_3S_4(SCH_2CH_2OH)_4]^{3-}$ in aqueous solution, 1550-5
- Paramagnetic carbenometal complexes. Part 2. Synthesis and spectroscopic studies of stable electron-rich olefin-derived paramagnetic carbenecarbonyl- and carbenenitrosyliron(I) complexes, 1583-92
- Electrochemical behavior of $[Fe_6M_2S_8(SR)_6]^{3-}$ ($M = Mo$ or W) and the roles of molybdenum and tungsten in nitrogenases, 1664
- Evidence for dimer formation of nitrosyl(meso-2,3,7,8,12,13,17,18-octaethyl-5-nitroporphyrinato)iron(II) and its implication in the interpretation of the electron spin resonance spectrum of the nitrosylhemoglobin-salicylate system, 1726-8
- Carbon-13 nuclear magnetic resonance in isotopically enriched high-spin iron(III) porphyrins: π -electron spin distribution, 1729-34
- Electron spin resonance behavior of the tricarbonyltris(μ -tetracarbonylferrio)-triangulo-triplatinate(1-) carbonyl cluster anion, 1735-7
- Ketoximate complexes. Part 3. Structure and properties of tris chelates of cobalt(III), iron(II), and ruthenium(II), 1856-62
- Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17
- Reactions of metal carbonyl derivatives. Part 25. The bridging properties of tetraethyl diphosphite, $(EtO)_2POP(OEt)_2$, 1918-23
- Iron(II) complexes of a potentially quinquedentate macrocyclic ligand having an N_3S_2 donor set and the crystal and molecular structures of a high-spin ($S = 2$) complex and a low-spin ($S = 0$) complex, 1965-72
- Substitution of acetonitrile coordinated to iron(II) by trimethyl phosphite. A kinetic study of the formation and disappearance of tetrakis(acetonitrile)bis(trimethyl phosphite)iron(II), 2172-5
- Organosulfur-transition metal chemistry. Part 6. Reactions of cyclooctatetraenyl and cycloheptatrienyl thioethers with metal carbonyls, 2230-4
- Photochemistry of methyl- and acetyldicarbonyl(η -cyclopentadienyl)iron in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of tricarbonyl(η -cyclopentadienyl)methyliron and acetylmonocarbonyl(η -cyclopentadienyl)iron, 2311-16
- Evidence for contribution of intermediate steps to the limiting rate in iron(III) monomandelate complex formation, 2414-18
- ISOCYANATE**
- Reactions of nitrogen monoxide with dicyclopentadienyltitanium complexes, including the formation of isocyanate from nitrogen monoxide and carbon monoxide, 271-5
- ISOCYANIDE**
- Chemistry of low-valent metal isocyanide complexes. Part 3. The synthesis, structure, and dynamic behavior of nonakis(ethyl and isopropyl isocyanide)diiron and -ruthenium complexes. Crystal structure of $[Fe_2(\mu-CNEt)_3(CNEt)_6]$, 219-27
- Dirhenium complexes containing two, three, and four linked acetylene molecules derived from the reaction of $[Re_2(CO)_{10}]$ with RC_2R ($R = Ph$ or Me); the x-ray crystal structure of $[Re_2(CO)_4(PhCCPh)_3(CNCH_2SO_2C_6H_4Me-p)_2]CH_2Cl_2$, 771-6
- Preparation of the isocyanide complexes $trans-[ReCl(CNR)(dppe)_2]$ ($R = Me$ or CMe_3) and their reactions with acid to give carbyne complexes. X-ray crystal structure of $trans-[ReCl(CNH-Me)(dppe)_2][BF_4]$, 1629-34
- Interaction of tert-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $W[N(CMe_3)CMe_2][Me][N(CMe_3)][N(CMe_3)CMe-CMe_2]$ and its hydrogen chloride adduct. tert-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97
- ISOMER**
- A new route to isomers of icosaborane(26), $B_{20}H_{26}$. The use of 115.5 MHz boron-11 and boron-11-proton nuclear magnetic resonance spectroscopy for the comparison and characterization of separated isomers and the identification of three further icosaboranes as 1,2'-, 2,5'-, and 5,5'-(or 5,7')- $(B_{10}H_{13})_2$, 1430-7
- The chemistry of isomers of icosaborane(26), $B_{20}H_{26}$: synthesis and nuclear magnetic resonance study of various isomers of platinaheicosaboranes and diplatinaheicosaboranes, and the x-ray crystal and molecular structures of 7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane and 4-(2'-nido-decaboranyl)-7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane, 2573-84
- ISOMERISM**
- Reaction of bidentate isonitrile ligands with iron carbonyls, 297-301
- Complexes of organoaluminum compounds. Part 12. Preparation, nuclear magnetic resonance spectra, and the crystal and molecular structure of bis(μ -isopropylamidodimethylaluminum), 377-80
- Electron spin resonance study of copper(II)-amino-acid complexes: evidence for cis and trans isomers and the structures of copper(II)-histidinate complexes in aqueous solution, 822-7
- Isomerism in adducts of tin(IV) tetrahalides with NN' -dimethylacetamide, NN' -dimethylformamide, and dimethyl sulfoxide in the solid state, 843-6
- Spectrochemistry of solutions. Part 12. Cyano complexes of silver(I) in solution in liquid ammonia, 968-75
- Reactions of silanes and germanes with iridium complexes. Part 4. Reactions with carbonylhydridotris(triphenylphosphine)iridium(-I), 1010-18
- Preparation and spectra of a series of tautomeric compounds, $[NiCo(\eta-dienyl)(CO)_4L]$ ($dienyl = C_5H_5$ or C_5H_4Me ; $L =$ tertiary phosphine or arsine), 1057-60
- Tris(trimethylsilyl)methyltin oxinate and their conversion into bis(trimethylsilyl)methyltin oxinates, 1101-4
- Spectroscopic study of the structures of $[M_2(\eta-C_5H_5)_2(CO)_n(CNR)_{4-n}]$ complexes ($n = 1$ or 2 ; $M = Fe$ or Ru) in solution. The structure of $cis-\{\eta-C_5H_5\}(OC)Fe(\mu-CO)(\mu-CNCHMe_2)Fe(CNC-HMe_2)(\eta-C_5H_5)\}$ in the solid state, 1251-9
- Reactions and properties of some trimethyleneplatinum(IV) complexes. Part 11. Platinacyclobutanes derived from methylcyclopropane, 1738-45
- Effect of organic groups on the carbonyl insertion reaction of platinum(II), 2317-20
- ISOMERIZATION**
- Studies in cyclophosphazenes. Part 8. The equilibria between isomeric nongeminal aminochlorocyclophosphazenes, 103-6
- Photochemistry of planar four-coordinate palladium(II) complexes. Part 2. Trans-cis isomerization of dialobis(tri-n-propylphosphine)palladium(II) in solution, 302-5
- Photochemical preparation of the cis isomers of dichlorobis(tri-n-alkylphosphine)palladium(II) (alkyl = Et, Pr, or Bu); the crystal structure analysis of the overcrowded n-propyl homolog, 635-8
- Carbene complexes. Part 17. Crystal structure of trans-tetracarbonylbis(1,3-dimethylimidazolidin-2-ylidene)molybdenum(0), structural comparison with the cis isomer, and a kinetic study of the trans \rightarrow cis isomerization, 701-4
- Interaction of H_2 with $Re_3(\mu-Cl)_3(CH_2SiMe_3)_6$, its CO, PPh_3 , and pyridine adducts, and with $Re_3(\mu-Cl)_3Cl(CH_2SiMe_3)_3$. Crystal structures of $H[Re_3(\mu-Cl)_3](CH_2SiMe_3)_9$, $Re_3(\mu-Cl)_3ClH(CH_2SiMe_3)_4(PPh_3)_3$, and $Re_3Cl_3(\mu-CH_2SiMe_3)_3(CH_2SiMe_3)_3$, 705-16
- Isomerism in adducts of tin(IV) tetrahalides with NN' -dimethylac-

ISOMERIZATION(contd)

etamide, NN'-dimethylformamide, and dimethyl sulfoxide in the solid state, 843-6

Transition metal-diene complexes. Part 4. The crystal and molecular structure and isomerization of η -cyclopentadienyl(η -3-methoxycarbonylcyclohexa-1,4-diene)rhodium(I), 1034-40

Reaction of bicyclo[1.0]alkanes ($n = 3-6$) with the olefin-metathesis catalysts tungsten hexachloride-tetraphenyltin and tungsten hexachloride-ethylaluminum dichloride, 1111-14

Coordination chemistry of sulfines. Part 4. Influence of the phosphine cone angle on both the oxidative addition of carbon-sulfur and carbon-chlorine side bonds in $[\text{Pt}(\text{PR}_3)_2(\text{XYC}=\text{S}=\text{O})]$ complexes and the (E)-(Z) isomerization, 1342-8

Tetracarbonyl diazaphosphole complexes of Group 6B metals: the role of steric effects, 1544-9

Intramolecular ligand rearrangement in the isomerization of a seven-coordinate to a six-coordinate nickel(II) complex of a multidentate Schiff base. The crystal and molecular structures of the six-coordinate product, 1691-6

Syntheses of cationic tri- and dicarbonyl complexes of manganese(I) with diphosphines from the appropriate neutral bromocarbonyls, 2049-53

ISONITRILE

Reaction of bidentate isonitrile ligands with iron carbonyls, 297-301

Reactions of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_4\text{n}(\text{CNR})_2]$ ($n = 1$ or 2 ; $\text{R} = \text{Me}$, Et , or CH_2Ph) with acetyl and benzoyl chlorides, 322-4

Spectroscopic study of the structures of $[\text{M}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_6(\text{CNR})_4]$ complexes ($n = 1$ or 2 ; $\text{M} = \text{Fe}$ or Ru) in solution. The structure of $\text{cis-}[\eta\text{-C}_5\text{H}_5](\text{OC})\text{Fe}(\text{CO})(\mu\text{-CNCHMe}_2)\text{Fe}(\text{CNC-HMe}_2)(\eta\text{-C}_5\text{H}_5)$ in the solid state, 1251-9

ISOPROPENYLFORMAMIDINATE

Reactions of diisopropylcarbodiimide with some ruthenium and osmium hydrides, leading to ready dehydrogenation of an isopropyl group; crystal and molecular structure of carbonylchloro(N -isopropenyl- N' -isopropylformamidinato)bis(triphenylphosphine)ruthenium(II), 1327-30

ISOPROPOXY

Electron spin resonance spectra of a titanium(IV)/III mixed-valence tetranuclear species $[\text{Ti}_4(\text{OR})_{12}\text{O}]$, 2328-30

ISOPROPYL

Kinetic and mechanistic studies on the disproportionation equilibrium of μ -oxobis[isopropyl thioxanthato]oxomolybdenum(VI) and on the decomposition reaction of bis(isopropyl thioxanthato)dioxomolybdenum(VI), 292-6

ISOPROPYLAMIDE

Complexes of organoaluminum compounds. Part 12. Preparation, nuclear magnetic resonance spectra, and the crystal and molecular structure of bis(μ -isopropylamidodimethylaluminum), 377-80

ISOPROPYLAMIDO

Complexes of organoaluminum compounds. Part 12. Preparation, nuclear magnetic resonance spectra, and the crystal and molecular structure of bis(μ -isopropylamidodimethylaluminum), 377-80

ISOPROPYLCARBODIIMIDE

Reactions of diisopropylcarbodiimide with some ruthenium and osmium hydrides, leading to ready dehydrogenation of an isopropyl group; crystal and molecular structure of carbonylchloro(N -isopropenyl- N' -isopropylformamidinato)bis(triphenylphosphine)ruthenium(II), 1327-30

ISOPROPYLDIMETHYLHEPTATRIENE

Reaction of 4-methylpent-2-yne with dodecacarbonyltriruthenium. The structure of a novel alkyne dimerization dehydrogenation product, 2023-8

ISOPROPYLDIMETHYLHEPTATRIENETRIRUTHENIUM

Reaction of 4-methylpent-2-yne with dodecacarbonyltriruthenium. The structure of a novel alkyne dimerization dehydrogenation product, 2023-8

ISOPROPYLFORMAMIDINATE

Reactions of diisopropylcarbodiimide with some ruthenium and osmium hydrides, leading to ready dehydrogenation of an isopropyl group; crystal and molecular structure of carbonylchloro(N -isopropenyl- N' -isopropylformamidinato)bis(triphenylphosphine)ruthenium(II), 1327-30

ISOPROPYLIDENEETHYLBUTYLAMIDOMETHYLBUTYLIMIDOMETHYL AZABUTANE

Interaction of *tert*-butyl isocyanide with methyl compounds of

tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $[\text{W}(\text{N}(\text{CMe}_3)\text{CMe}_2)(\text{Me})(\text{N}(\text{CMe}_3))\text{N}(\text{CMe}_3)\text{CMe}_2\text{CMe}_2]$ and its hydrogen chloride adduct. *tert*-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97

ISOSELENOCYANATO

Gas-phase molecular structure of difluoro(isoselenocyanato)phosphine determined by electron diffraction, 187-90

ISOSELENOCYANATOSILANE

Nuclear magnetic resonance spectra of some silyl and trimethylsilyl pseudohalides, 1349-51

ISOTHIOCYANATE

Further studies on the spin cross-over phenomenon in diisothiocyanatobis(1,10-phenanthroline)iron(II), 441-6

ISOTOPE

Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of *N*-salicylidene-2-aminothiazole, 2063-9

Deuteration of an asymmetric short hydrogen bond. X-ray crystal structure of potassium fluoride- $[\text{H}_2]\text{succinic acid}$, 2141-3

Solvent isotope effects in the acidolysis and other electrophilic substitution reactions of pentaquaorganochromium(III) ions in aqueous solution, 2452-61

IVA

Metallocene derivatives of early transition metals. Part 2.

Substituted cyclopentadienyl group 4A dichlorometallocene complexes $\text{M}(\eta\text{-C}_5\text{H}_4\text{R})_2\text{Cl}_2$ ($\text{M} = \text{Zr}$, Hf ; $\text{R} = \text{Me}$, Et , CHMe_2 , CMe_3 , SiMe_3), mono- and dialkyl derivatives $\text{M}(\eta\text{-C}_5\text{H}_4\text{R})_2\text{R}'\text{X}$ ($\text{X} = \text{Cl}$, $\text{R}' = \text{CH}_2\text{SiMe}_3$, CH_2CMe_3), and d^1 reduction products, 805-13

IVB

Complexation and exchange reactions of some dimethylamino-substituted Group 4 compounds, 1264-7

Metallocene derivatives of early transition metals. Part 4. Chemistry of the complexes $[\text{M}(\eta\text{-C}_5\text{H}_5)_2\text{RR}']$ ($\text{M} = \text{Ti}$, Zr , or Hf ; $\text{R} = \text{CH}_2\text{M}'\text{Me}_3$ ($\text{M}' = \text{C}$, Si , Ge , or Sn) or $\text{CH}(\text{SiMe}_3)_2$; $\text{R}' = \text{Cl}$ or alkyl) and the x-ray structures of $[\text{Zr}(\eta\text{-C}_5\text{H}_5)_2(\text{CH}_2\text{M}'\text{Me}_3)_2]$ ($\text{M}' = \text{C}$ or Si), 1593-605

KETENE

Triosmium clusters derived from aldehydes, ketones, and ketens and their interconversions, 91-8

KETOANILIDE

Studies of some ternary complexes of copper(II) involving π -bonding ligands, 543-5

KETONE

Ternary complexes of copper(I) with 2,9-dimethyl-1,10-phenanthroline and some oxygen-donor ligands, 452-5

Reversible addition of protic molecules to coordinated di-2-pyridyl ketone in palladium(II), platinum(II), and gold(III) complexes. X-ray crystal structures of dichloro(dihydroxydi-2-pyridylmethane)palladium(II) and dichloro(dihydroxy-di-2-pyridylmethane)gold(III) chloride, 2280-7

KINETICS

Mechanism of ammonia formation by reaction of trans-bis[1,2-bis(diphenylphosphino)ethane]imido(halo)molybdenum(IV) with base in methanol, 40-50

Studies in cyclophosphazenes. Part 9. Influence of the steric requirements of the amino substituents on the rates of amination of 2-amino-2,4,4,6,6-pentachlorocyclotriphosphazenes, 107-10

Mechanism of complex formation between benzene-1,2-diol and aquapalladium(II). Equilibria and kinetics in acidic aqueous perchlorate media, 137-41

Kinetics of nucleophilic attack on coordinated organic moieties.

Part 15. Addition of *p*-toluidine to tricarbonyl(1-5- η -dienyl)iron cations, 200-4

Kinetic and mechanistic studies on the disproportionation equilibrium of μ -oxobis[isopropyl thioxanthato]oxomolybdenum(VI) and on the decomposition reaction of bis(isopropyl thioxanthato)dioxomolybdenum(VI), 292-6

Kinetics and mechanism of the decomposition of the *S*-nitrosothiuronium ion, 331-5

Hydrolysis of α -amino acid esters in mixed-ligand complexes with ethylenediaminepalladium(II), 362-5

The reaction of cysteine with the pentacyanonitrosylferrate(2-) ion, 435-40

Polymer-supported oxobis(pentane-2,4-dionato)vanadium(IV) catalyst for reactions involving *tert*-butyl hydroperoxide, 447-51

Flash-photolysis studies of the electron-transfer reactions of

KINETICS(contd)

dioxygen complexes of cobalt(III) with tris(2,2'-bipyridyl)ruthenium(II), 478-80

Kinetics and mechanisms of redox reactions in aqueous solution.

Part 6. Oxidation of cyclohexanone by aquamanganese(III) ions in aqueous perchloric acid, 581-5

The rate and mechanism of tetracyanoethylene addition of cycloheptatriene and related complexes of tricarboxyliron, 586-9

Carbene complexes. Part 17. Crystal structure of trans-tetracarboxylbis(1,3-dimethylimidazolidin-2-ylidene)molybdenum(0), structural comparison with the cis isomer, and a kinetic study of the trans \rightarrow cis isomerization, 701-4

Kinetics and mechanisms of reduction of a nickel(IV) complex by ascorbate ion, 721-5

Thermochemistry of hexafluoroanions of M(IV) (M = Si, Ti, Mn, or Re) and lattice energy calculations for their salts, 726-33

Kinetics of the reduction of (ethylenediaminetetraacetato)cobaltate(III) and related complexes by chromium(II) ions, 894-6

Kinetics and mechanisms of redox reactions in aqueous solution.

Part 7. Decarboxylation of aliphatic acids by aquasilver(II) ions, 897-901

Mechanisms of organometallic substitution reactions. Part 4.

Kinetics of replacement of dimethyl sulfoxide (dmsol) from $[\text{RuX}_2(\eta\text{-C}_6\text{H}_5)_2(\text{dmsol})]$ (X = Cl or Br) complexes by triphenylphosphine, 923-7

The aquation of trans-bis(ethylenediamine)difluorochromium(III) and related ions in aqueous solutions of strong acids, 981-5

Kinetics and mechanisms of dissociation of metal chelates. Part 3. Effects of ions on the acid hydrolysis of tris(1,10-phenanthroline)iron(II) perchlorate, 1064-6

Kinetics and mechanism of the reaction between tetrachloro- and tetrabromoaurate(III) and thiocyanate, 1093-100

Vanadium-51 and oxygen-17 nuclear magnetic resonance study of vanadate(V) equilibria and kinetics, 1105-10

Equilibrium and kinetic parameters of the oxygenation reaction of oxygen carriers. Conformational effects in cobalt(II) Schiff-base chelates derived from salicylaldehyde and substituted ethylenediamines, 1115-19

Equilibrium and kinetic study of the reaction between phthalocyaninatoiron(II) and carbon monoxide in dimethyl sulfoxide, 1120-3

Kinetics of nucleophilic attack on coordinated organic moieties.

Part 17. Addition of pyridines to $[\text{Fe}(1-5-\eta\text{-dienyl})(\text{CO})_3]^+$ cations (dienyl = C_6H_7 , 2-MeOC₆H₆, or C₇H₉), 1162-8

Studies in cyclophosphazenes. Part 10. The mechanism for trans-isomer preference in the nongeminal diamination of hexachlorocyclotriphosphazene, 1283-8

Water-ammonia exchange at amminerrhodium(III) complexes in aqueous ammoniacal solution, 1289-93

Solid-state reaction between strontium carbonate and silica, 1300-3

Rates and activation parameters for solvent exchange with $[\text{M}(\text{PR}_3)_2(\text{solvent})_2\text{H}_2]^+$ (M = Rh(III) or Ir(III), R = cyclohexyl or phenyl) cations, 1481-5

Regioselective formation of peroxyquinolotocobalt(III) complexes in the oxygenation of 2,6-di-tert-butylphenols with cobalt(II) Schiff base complexes, 1504-14

The mechanism and kinetics of the substitution of azide, thiocyanate, and cyanide ions in aquapentacyanocobaltate(III) and pentacyanohydroxocobaltate(III), 1578-82

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 3. Stopped-flow kinetic studies, 1609-14

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 4. Hydrolysis using sodium carbonate, 1617-23

Fast reactions at planar four-coordinate complexes. Part 4. The reaction of chelate dichloropalladium(II) complexes with some bidentate ligands, 1722-5

Kinetics of the formation and dissociation of pentacyanoferrate(II) complexes of cysteine, penicillamine, glutathione, and 2-mercaptoethylamine, 1780-7

Studies on the oxidation of iron(II) ion during the formation of Fe_3O_4 and $\alpha\text{-FeO}(\text{OH})$ by air oxidation of $\text{Fe}(\text{OH})_2$ suspensions, 1807-11

Ligand substitution in bis(N-alkylsalicylideneiminato)copper(II) complexes: comparison of activation and transfer data obtained from solvent mixtures, 1825-30

Kinetics of the oxidation of hydrogen peroxide by bis(2,2'-bipyridine)silver(II) ions, 1863-7

Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of N-salicylidene-2-

aminothiazole, 2063-9

Reactions of methylmercury(II), mercury(II), and zinc(II) ions with 2-methyl-2-(2-pyridyl)thiazolidine, including stopped-flow rapid-scanning spectrophotometric studies, 2137-40

Evidence for contribution of intermediate steps to the limiting rate in iron(III) monomandate complex formation, 2414-18

Kinetics and equilibria of reversible chelate ring-opening nucleophilic substitution reactions of [(o-dimethylaminophenyl)-dimethylarsine]rhodium(III) complexes, 2429-33

Kinetics of nucleophilic attack on coordinated organic moieties.

Part 19. Addition of anilines to tricarbonyl(1-5- η -dienyl)iron cations, 2489-95

Kinetics of the reaction between chlorite and hexacyanoferrate(II) in aqueous solution; evidence for an interfacial redox reaction, 2537-43

Structural and mechanistic studies of coordination compounds.

Part 31. The chromium(II) reduction of some trans-tetraaminedichlororuthenium(III) cations, 2556-8

LABELED

Reduction of nitroamine (NH_2NO_2) by vanadium(II) and

chromium(II) in acid solution, 2609-10

LABILITY

Bis(aryloximato)palladium(II); synthesis, palladium-nitrogen bond lability, and redox activity, 623-7

LACTOFERRIN

Small molecule analogs for the specific metal-binding site of lactoferrin. Part 2. Phenolato complexes of copper(II) and the nature of the charge-transfer transition in the visible region, 1701-7

LANTHANIDE

Topochemically controlled hydrogen reduction of scheelite-related rare earth metal molybdates, 668-72

Nuclear magnetic shift and relaxation effects resulting from complexation of lanthanide ions with endo-cis-bicyclo[2.2.1]hept-5-ene-2,3-dicarboxylic acid, 678-82

Lanthanide ethylenediaminetetraacetate chelates as aqueous shift reagents: evidence for effective axial symmetry in bidentate cytidine 5'-monophosphate and alanine complexes, 2078-82

Calorimetric titration studies of adduct formation between lanthanide β -diketonates and organic bases in benzene solution, 2434-8

Calorimetric titration and proton nuclear magnetic resonance studies of adduct formation between cobalt(III) β -diketonates and a lanthanide shift reagent, 2596-8

LANTHANUM

Crystal and molecular structures of $[\text{AsPh}_4][\text{Ln}(\text{S}_2\text{P}(\text{OEt})_2)_4]$ (Ln = La or Er) and their comparison with results obtained in solution from paramagnetic nuclear magnetic resonance data, 1470-4

LATTICE

Thermochemistry of hexafluoroanions of M(IV) (M = Si, Ti, Mn, or Re) and lattice energy calculations for their salts, 726-33

LEAD

Mechanism of cadmium and lead ion exchange by α -zirconium bis(monohydrogenorthophosphate) monohydrate, 385-9

LENGTH

Interpretation of bond length data for transition metal-acetylene complexes, in particular the complex $[\text{C}_5\text{H}_5\text{NH}][\text{TaCl}_4(\text{PhC}_2\text{CPh})(\text{NC}_5\text{H}_5)]$, 2373-5

LEVEL

Derivatives of the energy levels of a molecular system with respect to parameters of the Hamiltonian, and their application to magnetic susceptibility calculations and least-squares fitting, 1041-6

Coordination properties of N-protected amino acids. Solution and solid-state behavior of bis(benzyloxycarbonyl-L-tryptophano)-nickel(II) and its mixed complexes, 1665-8

LIGAND

Relation between structure and spectra of pseudotetrahedral copper(II) complexes. Crystal structure of bis(di-2-pyridylamido)copper(II), 196-9

Reaction of bidentate isonitrile ligands with iron carbonyls, 297-301

Reactivity of tetra-n-butylammonium di- μ -chlorobis(bis(pentafluorophenyl)palladate(II)). A general method for the synthesis of cis isomers of neutral and anionic palladium(II) complexes, 463-5

The magnetic, spectral, and structural properties of trans-tetraaminedinitronickel(II), 997-1003

Carbon-13 nuclear magnetic resonance study of dinuclear iron carbonyl xanthate complexes: dynamic behavior and local

LIGAND(contd)

- scrambling of the carbonyls at one iron atom, 1278-82
- Coordination properties of N-protected amino acids. Solution and solid-state behavior of bis(benzoyloxycarbonyl-L-tryptophanato)-nickel(II) and its mixed complexes, 1665-8
- Intramolecular ligand rearrangement in the isomerization of a seven-coordinate to a six-coordinate nickel(II) complex of a multidentate Schiff base. The crystal and molecular structures of the six-coordinate product, 1691-6
- Is the angular overlap model chemically significant?, 1714-17
- Ligand substitution in bis(N-alkylsalicylideneiminato)copper(II) complexes: comparison of activation and transfer data obtained from solvent mixtures, 1825-30
- Coordination chemistry of higher oxidation states. Part 2. Neutral and cationic complexes of platinum(IV) with bi- and multidentate ligands, 2153-8

LIGHT

- The light-induced blackening of red mercury(II) sulfide, 833-5

LINEAR

- Linear free-energy relationships in the hydrolysis of metal ions. The effect of the ionic medium, 1445-9

LITHIUM

- Complexation and solvent extraction of lithium salts with 2,3,6,7,9,10-hexahydro-5H-1,4,8,11-benzotetraoxacyclotridecin (benzo-13-crown-4), 501-5
- Analysis of the luminescence spectra of some uranates, 687-93
- Synthesis, reactivity, and electrochemical behavior of new five-coordinate nitrosyl cobalt complexes, 2127-31
- Reactions of alkali metal azides with some organophosphorus(V) compounds, 2292-5

LOSS

- Unstable intermediates. Part 197. Electron-gain and -loss centers in irradiated periodates: an electron spin resonance study, 2183-7

LUMINESCENCE

- Analysis of the luminescence spectra of some uranates, 687-93

MACROCYCLE

- Studies involving nitrogen-oxygen donor macrocyclic ligands. Interaction of copper(II) with new O_2N_3 -donor macrocycles and the x-ray analysis of aqua(1,12,16-triaza-3,4,9,10-dibenzo-5,8-dioxacyclooctadecane)copper(II) diperchlorate hydrate, 74-9
- Zinc complexes of four tetraaza macrocycles: enthalpies of formation in acetonitrile solution, 336-41
- Structural and mechanistic studies of coordination compounds. Part 26. Synthesis and characterization of some octahedral complexes of ruthenium(II) and -(III) with macrocyclic quadridentate thioethers, 495-500
- Transition metal complexes of pyrrole pigments. Part 20. Redox behavior of chromium complexes with macrocyclic tetrapyrroles, 855-61
- Three-, four-, and five-coordinate modes of a potentially quinquedentate 'nitrogen-sulfur' macrocyclic ligand: the crystal and molecular structures of two copper(II) complexes, 942-8
- Structural and mechanistic studies of coordination compounds. Part 28. Some octahedral ruthenium complexes of 5,5,7,12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradeca-1,3,8,10-tetraene produced by oxidative dehydrogenation reactions, 1019-23
- Structural and mechanistic studies of coordination compounds. Part 29. Synthesis and characterization of some cis-macrocyclic secondary amine complexes of ruthenium, 1336-41
- High-spin nickel(II) complexes of pentaaza macrocycles: characterization, electronic spectra, and thermodynamic properties, 1438-41
- Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 1. Reactions of 2,6-diacetylpyridine and dicarbonyl compounds with 3,6-dioxaoctane-1,8-diamine, 1669-77
- Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-coordinate barium(II) complex, 1678-84
- Bicopper(I) and bicopper(II) complexes of a 30-membered macrocyclic ligand: the inclusion of substrate molecules and the crystal and molecular structures of a μ -hydroxo- and a μ -imidazolato-complex, 1868-78

MACROCYCLIC

- Studies involving nitrogen-oxygen donor macrocyclic ligands. Interaction of copper(II) with new O_2N_3 -donor macrocycles and the x-ray analysis of aqua(1,12,16-triaza-3,4,9,10-dibenzo-5,8-dioxacyclooctadecane)copper(II) diperchlorate hydrate, 74-9

Square planar coordination of the 12-membered macrocyclic tetraamine ligand 1,4,7,10-tetraazacyclododecane-2,6-dione, 694-700

MAGNESIUM

- Analysis of the luminescence spectra of some uranates, 687-93

MAGNETIC

- Magnetic and structural studies on copper(II) dialkyldithiocarbamates, 13-22
- Chromium(II) chemistry. Part 14. Ferromagnetic and antiferromagnetic tetrabromochromates(II), 27-33
- Crystal structure and magnetic properties of bis(di- μ -ethoxobis[4,4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato]dicopper(II)), 251-4
- Preparation and crystal structure of hexa- μ -acetatodichlorodi- μ_3 -oxotetraoxotetramolybdenum(V)-acetic anhydride (1/1), 311-13
- Further studies on the spin cross-over phenomenon in diisothiocyanatobis(1,10-phenanthroline)iron(II), 441-6
- Topochemically controlled hydrogen reduction of scheelite-related rare earth metal molybdates, 668-72
- Nuclear magnetic shift and relaxation effects resulting from complexation of lanthanide ions with endo-cis-bicyclo[2.2.1]hept-5-ene-2,3-dicarboxylic acid, 678-82
- Spin density and cobalt electronic structure in phthalocyaninatocobalt(II): a polarized neutron diffraction study, 734-42
- The magnetic, spectral, and structural properties of trans-tetraamminedinitronickel(II), 997-1003
- Derivatives of the energy levels of a molecular system with respect to parameters of the Hamiltonian, and their application to magnetic susceptibility calculations and least-squares fitting, 1041-6
- Spin-spin interactions in polynuclear nickel(II) complexes: a susceptibility and low-temperature magnetization study of the linear trimer hexakis(allylamine)hexakis- μ -benzotriazolyltrinitricel(II)-triphenylphosphine oxide (1/2), 1069-73
- The stereochemistry of oxovanadium(IV) complexes derived from salicylaldehyde and polymethylenediamines, 1241-5
- Nuclear magnetic resonance spectra of some silyl and trimethylsilyl pseudohalides, 1349-51
- $^5T_2 = ^1A_1$ and $^6A_1 = ^7T_2$ spin transitions in iron(II) and iron(III) complexes of 2,2'-bi-2-imidazoline and related ligands, 1492-7
- Spin density and manganese electronic structure in phthalocyaninatomanganese(II), 1837-45
- Iron(II) complexes of a potentially quinquedentate macrocyclic ligand having an N_3S_2 donor set and the crystal and molecular structures of a high-spin ($S = 2$) complex and a low-spin ($S = 0$) complex, 1965-72

MAGNETISM

- Chromium(II) chemistry. Part 14. Ferromagnetic and antiferromagnetic tetrabromochromates(II), 27-33
- Low-temperature magnetochemical and spectroscopic studies of variable-spin tris(monothiocarbamato)iron(III) and tris(diselenocarbamato)iron(III) complexes, 1294-9
- Crystal and molecular structure of sodium μ -(imidazol-1-yl-NN')bis[(glycylglycinate-NN')Ocuprate(II)] hexahydrate: structure-magnetism relationship in imidazolate-bridged binuclear copper(II) complexes, 2045-8

MAGNETIZATION

- Spin-spin interactions in polynuclear nickel(II) complexes: a susceptibility and low-temperature magnetization study of the linear trimer hexakis(allylamine)hexakis- μ -benzotriazolyltrinitricel(II)-triphenylphosphine oxide (1/2), 1069-73

MANDELATE

- Evidence for contribution of intermediate steps to the limiting rate in iron(III) monomandelate complex formation, 2414-18

MANGANESE

- Bonding in clusters. Part 2. Hexaborane(10) and related metalloboranes, 546-51
- Thermochemistry of hexafluoroanions of M(IV) ($M = Si, Ti, Mn, \text{ or } Re$) and lattice energy calculations for their salts, 726-33
- The direct synthesis of alkali-metal pentafluoromanganates(III), 2587-8

MANGANESE

- Complexes of cyclic polyolefins: crystal structure of dicarbonyl(1-2- η -cyclo-octatetraene)(η -cyclopentadienyl)manganese, 51-5
- Spectroscopic studies of trans-bis(hexafluoroarsenato)tetrakis(thiazyl trifluoride)metal(II) complexes ($M = Mn, Fe, Co, Ni, \text{ or } Cu$); crystal structure of the manganese(II) complex: an example of exceptionally short N-S bonds of AsF_6^- as a unidentate ligand,

MANGANESE(contd)

- 61-3
 Novel compounds with gold-transition metal bonds; crystal and molecular structure of bis(triphenylphosphine)iminium bis(tetracarbonylcobalto)aurate(I), 366-70
 Kinetics and mechanisms of redox reactions in aqueous solution. Part 6. Oxidation of cyclohexanone by aquamanganese(III) ions in aqueous perchloric acid, 581-5
 Metal carbonyl photochemistry. Part 3. Behavior of tricarbonyl(η -cyclopentadienyl)manganese and related species at 77 K, 673-7
 Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 7. Interconversion of carbene and carbyne ligands at a dimetal center. X-ray crystal structures of $[\text{CrPt}(\mu\text{-C}(\text{CO}_2\text{Me})\text{Ph})(\text{CO})_4(\text{PMe}_3)_3]$ and $[\text{MnPt}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)]\text{[BF}_4\text{]}\cdot\text{CH}_2\text{Cl}_2$, 751-62
 Characterization of metal-to-ligand charge-transfer and intraligand transitions of fac- $[\text{Re}(\text{CO})_3\text{L}(\text{X})]$ complexes [L = diimine; X = halide or Mn(CO)₅] and explanation of the photochemistry of $[\text{Re}(\text{CO})_3\text{L}(\text{Mn}(\text{CO})_5)]$ using the resonance Raman effect, 1124-33
 Equilibria of some α amino-acids containing sulfur atoms in the chain with metal(II) ions. Part 1. DL-4,4'-Dithiobis(2-aminobutyric acid) with manganese(II), cobalt(II), and nickel(II) in aqueous solution, 1531-4
 Spin density and manganese electronic structure in phthalocyaninato-manganese(II), 1837-45
 Syntheses of cationic tri- and dicarbonyl complexes of manganese(-I) with diphosphines from the appropriate neutral bromocarbonyls, 2049-53
 Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 9. Reactivity of the cations $[\text{MPt}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{PR}_3)_2(\eta\text{-C}_5\text{H}_5)]^+$ (M = Mn or Re, $\text{PR}_3 = \text{PMe}_3$ or PMe_2Ph) towards tertiary phosphines and the toluene-p-thiolate anion: x-ray crystal structures of $[\text{MnPt}(\mu\text{-C}(\text{PMe}_3)_3\text{C}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)]\text{[BF}_4\text{]}$ and $[\text{MnPt}(\text{SC}_6\text{H}_4\text{Me-4})(\mu\text{-C}(\text{PMe}_3)_3\text{C}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\text{CO})(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)]$, 2471-8

MECHANICS

- Derivatives of the energy levels of a molecular system with respect to parameters of the Hamiltonian, and their application to magnetic susceptibility calculations and least-squares fitting, 1041-6

MECHANISM

- Photochemical studies of the alkylammonium molybdates. Part 5. Photolysis in weak acid solutions, 628-34
 Studies on the oxidation of iron(II) ion during the formation of Fe_3O_4 and $\alpha\text{-FeO}(\text{OH})$ by air oxidation of $\text{Fe}(\text{OH})_2$ suspensions, 1807-11
 Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17
 Reduction of nitroamine (NH_2NO_2) by vanadium(II) and chromium(II) in acid solution, 2009-10
 Mechanism of water substitution in the trigonal-bipyramidal complex $[\text{Cu}(\text{tren})(\text{OH})_2]^{2+}$ (tren = 2,2',2''-triaminotriethylamine): evidence for an associative mechanism, 2370-2

MEMBRANE

- Highly selective membrane transport of copper(II) ion by synthetic linear oligomer carriers, 1486-91

MERCAPTO

- Isolation of the anions $[\text{M}(\text{CO})_5(\text{SH})]^-$ and $[\text{M}_2(\text{CO})_{10}(\mu\text{-SH})]^-$ (M = Cr, Mo, and W) as salts of the sodium (18-crown-6-ether) cation. X-ray analysis of the sodium carbonyl linked polymeric structures of the tungsten species, 2357-64

MERCAPTOETHYLAMINE

- Kinetics of the formation and dissociation of pentacyanoferrate(II) complexes of cysteine, penicillamine, glutathione, and 2-mercaptoethylamine, 1780-7

MERCURIC

- The light-induced blackening of red mercury(II) sulfide, 833-5

MERCURY

- Further chemistry of trimethylphosphine complexes of rhodium(I): x-ray crystal structures of dodeca(trimethylphosphine)tetrarhodohexamercury, $\text{Hg}_6\text{Rh}_4(\text{PMe}_3)_{12}$, and trans-chlorobis(trimethylphosphine)(triphenylphosphine)rhodium(I), 126-31
 Preparation and the crystal and molecular structure of $[\text{NEt}_4][\text{Ge}(\text{CO}_2(\text{CO})_2)(\text{CO}_2(\text{CO})_2)(\text{HgCo}(\text{CO})_4)]$: an anion containing a mercury-bridged cobalt-cobalt bond, 381-4
 Phosphorus-31, selenium-77, and mercury-199 nuclear magnetic

- resonance studies of bis(tributylphosphine selenide)mercury(II) complexes, 658-60

- Crystal structure and spectroscopic properties of mercury(II) halide complexes. Part 3. The di-n-butyl sulfoxide-mercury(II) chloride (1/1) adduct, 1024-7

- Synthesis, reactivity, and crystal and molecular structures of $[\mu\text{-1,4-bis(diphenylphosphino)butane}]$ -dicarbonylbis(η -cyclopentadienyl)dirhodium(I), 1651-6

- Reactions of methylmercury(II), mercury(II), and zinc(II) ions with 2-methyl-2-(2-pyridyl)thiazolidine, including stopped-flow rapid-scanning spectrophotometric studies, 2137-40

METAL

- Spectroscopic studies of trans-bis(hexafluoroarsenato)tetrakis(thiazyl trifluoride)metal(II) complexes (M = Mn, Fe, Co, Ni, or Cu); crystal structure of the manganese(II) complex: an example of exceptionally short N-S bonds of AsF_6^- as a unidentate ligand, 61-3

- Direct electrochemical synthesis of cationic complexes, 118-20
 Direct oxidative addition-reductive elimination reactions between trans- $[\text{MCl}(\text{CO})\text{L}_2]$ and $[\text{MCl}_2(\text{CO})\text{L}_2]$ or trans- $[\text{PtCl}_4(\text{PEt}_3)_2]$ (M = Rh or Ir, L = tertiary phosphine), 319-21

- Novel compounds with gold-transition metal bonds; crystal and molecular structure of bis(triphenylphosphine)iminium bis(tetracarbonylcobalto)aurate(I), 366-70

- Matrix isolation studies on cesium, rubidium, and potassium carbonates. The shape of molecular potassium carbonate, 456-62
 Complexation and solvent extraction of lithium salts with 2,3,6,7,9,10-hexahydro-5H-1,4,8,11-benzotetraoxacyclotridecin (benzo-13-crown-4), 501-5

- Bonding in clusters. Part 2. Hexaborane(10) and related metalloboranes, 546-51

- Metal carbonyl photochemistry. Part 3. Behavior of tricarbonyl(η -cyclopentadienyl)manganese and related species at 77 K, 673-7

- Analysis of the luminescence spectra of some uranates, 687-93
 Square planar coordination of the 12-membered macrocyclic tetraamine ligand 1,4,7,10-tetraazacyclododecane-2,6-dione, 694-700

- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 7. Interconversion of carbene and carbyne ligands at a dimetal center. X-ray crystal structures of $[\text{CrPt}(\mu\text{-C}(\text{CO}_2\text{Me})\text{Ph})(\text{CO})_4(\text{PMe}_3)_3]$ and $[\text{MnPt}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)]\text{[BF}_4\text{]}\cdot\text{CH}_2\text{Cl}_2$, 751-62

- Spectrochemistry of solutions. Part 12. Cyano complexes of silver(I) in solution in liquid ammonia, 968-75

- Kinetics and mechanisms of dissociation of metal chelates. Part 3. Effects of ions on the acid hydrolysis of tris(1,10-phenanthroline)iron(II) perchlorate, 1064-6

- Use of alkali and alkaline-earth metal ions in the template synthesis of 12-crown-4, 15-crown-5, and 18-crown-6, 1157-61

- Enthalpies of formation of $[\text{M}(\eta\text{-C}_5\text{H}_5)_2(\text{OOCR})_2]$ complexes; M = Mo, W, or Ti and R = C_6H_5 or CF_3 , 1174-7

- Linear free-energy relationships in the hydrolysis of metal ions. The effect of the ionic medium, 1445-9

- Highly selective membrane transport of copper(II) ion by synthetic linear oligomer carriers, 1486-91

- Equilibria of some α -amino-acids containing sulfur atoms in the chain with metal(II) ions. Part 1. DL-4,4'-Dithiobis(2-aminobutyric acid) with manganese(II), cobalt(II), and nickel(II) in aqueous solution, 1531-4

- Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 1. Reactions of 2,6-diacylpyridine and dicarbonyl compounds with 3,6-dioxaoctane-1,8-diamine, 1669-77

- Synthesis of some pentagonal-bipyramidal complexes of manganese(II), iron(II), cobalt(II), nickel(II), copper(II), and zinc(II) with a heptadentate Schiff-base ligand and the crystal and molecular structures of a copper(II) complex, 1685-90

- Ketoximate complexes. Part 3. Structure and properties of tris chelates of cobalt(III), iron(II), and ruthenium(II), 1856-62

- Studies on transition metal cyano complexes. Part 3. Heptacyano complexes of tungsten, molybdenum, and vanadium, and a hydridoheptacyano complex of tungsten, 1886-91

- Further studies on the interaction of nitric oxide with transition metal alkyls, 1898-905

- Reactions of metal carbonyl derivatives. Part 25. The bridging properties of tetraethyl diphosphite, $(\text{EtO})_2\text{POP}(\text{OEt})_2$, 1918-23

- Studies of mixed-metal hydroxy-bridged complexes. Part 1. Complexes with bis(ethylenediamine)dihydroxocobalt(III) as ligand, 1924-7

METAL(contd)

- Equilibria of some α -amino acids containing sulfur atoms in the chain with metal(II) ions. Part 2. S,S'-methylenebis(L-cysteine) with cobalt(II), nickel(II), and zinc(II) in aqueous solution, 1961-4
- Characterization of cationic coordination complexes using field desorption mass spectrometry, 1994-6
- Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of N-salicylidene-2-aminothiazole, 2063-9
- Structural studies on the cesium alums, CsM(III)[SO₄]₂·12H₂O, 2105-11
- Reactions of methylmercury(II), mercury(II), and zinc(II) ions with 2-methyl-2-(2-pyridyl)thiazolidine, including stopped-flow rapid-scanning spectrophotometric studies, 2137-40
- Optically active complexes of Schiff bases. Part 6. Palladium(II) and platinum(II) complexes with quadridentate Schiff bases of salicylaldehyde, 2147-52
- Photolytic homolysis of the metal-carbon (sp³ or sp²) bond of alkyl or acyl transition metal complexes. An electron spin resonance study using spin trapping; and a note on aminyl oxides [ML_n(N(O)R)]ML_n = Ru(CO)₄(SiMe₃), Os(CO)₄(SiMe₃) or Fe(η -C₃H₅)(CO)₃; R = aryl], 2159-63
- Organosulfur-transition metal chemistry. Part 6. Reactions of cyclooctatetraenyl and cycloheptatrienyl thioethers with metal carbonyls, 2230-4
- The single-crystal electronic and electron spin resonance spectra of copper(II) doped bis(2,2'-bipyridyl)nitritozinc(II) nitrate and bis(2,2'-bipyridyl)nitritocopper(II) tetrafluoroborate: a fluxional CuN₂N'₂O₂ chromophore, 2271-9
- Reversible addition of protic molecules to coordinated di-2-pyridyl ketone in palladium(II), platinum(II), and gold(III) complexes. X-ray crystal structures of dichloro(dihydroxydi-2-pyridylmethane)palladium(II) and dichloro(dihydroxydi-2-pyridylmethane)gold(III) chloride, 2280-7
- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 32. Reactions of tri- μ -hydroxo complexes with aniline and aliphatic amines, 2339-41
- Isolation of the anions [M(CO)₅(SH)]⁻ and [M₂(CO)₁₀(μ -SH)]⁻ (M = Cr, Mo, and W) as salts of the sodium(18-crown-6-ether) cation. X-ray analysis of the sodium carbonyl linked polymeric structures of the tungsten species, 2357-64
- Interpretation of bond length data for transition metal-acetylene complexes, in particular the complex [C₃H₅NH][TaCl₄(PhC \equiv CPH)(NC₂H₅)], 2373-5
- Novel ligational behavior of thiosalicylohydrazide and its derivatives with cobalt(II), nickel(II), copper(II), and palladium(II), 2385-94
- Phosphonate complexes. Part 6. Influence of steric effects, solvation, and chelation on stability, 2423-8
- Esterification of amino acids chelated to cobalt(III), molybdenocene, and platinum(II). Stability of chelated esters versus dechelation 2479-83
- The direct synthesis of alkali-metal pentafluoromanganates(III), 2587-8
- METALATION**
- Triosmium clusters derived from aldehydes, ketones, and ketens and their interconversions, 91-8
- Transition metal-carbon bonds. Part 50. Conversion of mer-[IrCl₃(PMe₂R)₃] (R = Me or Ph) to [IrCl₂(CH₂PMeR)(PMe₂R)₂] containing a Ir-C-P three-membered ring by the action of base: crystal structure of dichlorobis(dimethylphenylphosphine)-(methylphenylphosphinomethyl)-C¹Piridium(III), 1572-7
- METALLOBORANE**
- Extended Hückel molecular-orbital calculations on dodecahedral metalloboranes which do not conform to the polyhedral skeletal electron-pair theory, 1788-97
- METALLOCENE**
- Metallocene derivatives of early transition metals. Part 2. Substituted cyclopentadienyl group 4A dichlorometallocene complexes M(η -C₅H₄R)₂Cl₂ (M = Zr, Hf; R = Me, Et, CHMe₂, CMe₃, SiMe₃), mono- and dialkyl derivatives M(η -C₅H₄R)₂R'X (X = Cl, R'; R' = CH₂SiMe₃, CH₂CMe₃), and d¹ reduction products, 805-13
- METALLODJKOLATE**
- Equilibria of some α -amino acids containing sulfur atoms in the chain with metal(II) ions. Part 2. S,S'-methylenebis(L-cysteine) with cobalt(II), nickel(II), and zinc(II) in aqueous solution, 1961-4

METALLOHEXABORANE

Bonding in clusters. Part 2. Hexaborane(10) and related metalloboranes, 546-51

METALLOHYDRAZIDO

Hydrazido(2-) complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80

METALLOPENTACARBONYL

Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50

METALLOPENTACARBONYLTHIANE

Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50

METATHESIS

Behavior of cyclooctatetraene- and cycloheptatrienetricarbonyliron under olefin-metathesis conditions, 262-6

METHACRYLATE

Complexes of organoaluminum compounds. Part 12. Preparation, nuclear magnetic resonance spectra, and the crystal and molecular structure of bis(μ -isopropylamidodimethylaluminum), 377-80

METHANE

Complexation and exchange reactions of some dimethylamino-substituted Group 4 compounds, 1264-7

Dynamic nuclear magnetic resonance and x-ray diffraction studies of tris(diphenylthiophosphoryl)methane and some related compounds, 1645-50

METHANETHIOLATE

Synthesis and low-frequency vibrational spectra of some bis(alkanethiolato)- and bis(benzenethiolato)aurate(I) complexes 267-70

METHANOL

Ring opening in a nonbasic medium of 2-methyl-6-nitrobenzothiazole and hydrogen-deuterium exchange at the 2-methyl promoted by silver(I), 1520-3

METHOXIDE

Mechanism of ammonia formation by reaction of trans-bis[1,2-bis(diphenylphosphino)ethane]imido(halo)molybdenum(IV) with base in methanol, 40-50

METHOXY

Reactions of hexamethyltungsten(VI) in the presence of trimethylphosphine. Synthesis of methyl, ethylidyne, hydrido-, alkoxo-, and other tungsten compounds. Structures of trans-ethylidyne(methyl)tetrakis(trimethylphosphine)tungsten(IV) and trihydrido(phenoxo)tetrakis(trimethylphosphine)tungsten(IV), 1204-11

Studies of phosphazenes. Part 13. Thermal rearrangement reactions of some methoxycyclophosphazenes, 1928-34

METHOXYCARBONYLCYCLOHEXADIENE

Transition metal-diene complexes. Part 4. The crystal and molecular structure and isomerization of η -cyclopentadienyl(η -3-methoxycarbonylcyclohexa-1,4-diene)rhodium(I), 1034-40

METHOXYCYCLOHEXADIENE

Diene-metal π bonding. Some unexpected effects of group 5 donor ligands on carbon-13 nuclear magnetic resonance parameters and x-ray crystal structures, 884-91

METHOXYCYCLOPHOSPHAZENE

Studies of phosphazenes. Part 13. Thermal rearrangement reactions of some methoxycyclophosphazenes, 1928-34

METHOXYMETHYLPHOSPHONIUM

Preparation and crystal structure analysis of a vinyl ether chelate, dichloro[4-methoxy-2,2,N,N-tetramethylbut-(Z)-3-enylamine]palladium(II), and its conversion into di- μ -chloro-bis[3-(dimethylamino)-1-formyl-2,2-dimethylpropyl-C,N]dipalladium(II), 986-91

METHOXYPHENYL

Synthesis of platinum(II) alkyl and aryl complexes from dipotassium tetrachloroplatinate and tetraorganotin compounds in dimethyl sulfoxide, 933-8

METHOXYTETRAPHENYLBUTADIENYL

Crystal and molecular structures of the isobutene insertion product of endo-hexafluoroacetylacetonato(methoxytetraphenylbutadienyl)palladium(II), 1935-7

METHOXYTETRAPHENYLBUTADIENYLPALLADIUM

Crystal and molecular structures of the isobutene insertion product of endo-hexafluoroacetylacetonato(methoxytetraphenylbutadienyl)palladium(II), 1935-7

METHYL

Further chemistry of trimethylphosphine complexes of rhodium(I): x-ray crystal structures of dodeca(trimethylphosphine)tetrarhodiumhexamercury, $\text{Hg}_6\text{Rh}_4(\text{PMe}_3)_{12}$, and trans-chlorobis(trimethylphosphine)(triphenylphosphine)rhodium(I), 126–31

The possibility of free rotation of *m*-tolyl and substituted pyridine groups about their bonds to square-planar organonickel(II) species, 240–4

Photosubstitution reactions of bis(cyclopentadienyl)dimethyltungsten hexafluorophosphate: some evidence for an α -elimination mechanism, 314–16

Reactions of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_4]_n(\text{CNR})_n$ ($n = 1$ or 2 ; $\text{R} = \text{Me}$, Et , or CH_2Ph) with acetyl and benzoyl chlorides, 322–4

Coordination chemistry of sulfoxes. Part 3. Oxidative addition of the carbon–chlorine bond of (E)-(RS)CICSO to tetrakis(triphenylphosphine)platinum(0) and of a carbon–sulfur bond in $[\text{PtO}(\text{PPh}_3)_2((\text{RS})_2\text{CSO})]$ by an intramolecular process. X-ray crystal and molecular structure of cis-(E)-[Pt(PhS)(PhSCSO)(PPH₃)₂]. C_6H_6 , 342–52

Mono- η -cyclopentadienylmolybdenum chemistry: 1,2-bis(dimethylphosphino)ethanehydrido-, -halo-, -alkyne, and -oxo derivatives, 353–6

Complexes of organoaluminum compounds. Part 12. Preparation, nuclear magnetic resonance spectra, and the crystal and molecular structure of bis(μ -isopropylamidodimethylaluminum), 377–80

Silver(I) complexes of the potentially chelating olefinic ligands 2,2-dimethylbut-3-enyl methyl sulfide and 2,2-dimethyl-2-silabut-3-enyl methyl sulfide. Crystal structure analysis of $[\text{AgL}_2][\text{BF}_4]$, $[\text{AgL}][\text{ClO}_4]$, $\text{AgL}(\text{NO}_3)$, and $\text{AgL}(\text{O}_2\text{CCF}_3)$ ($\text{L} = 2,2$ -dimethylbut-3-enyl methyl sulfide), 481–90

Synthesis of platinum(II) alkyl and aryl complexes from dipotassium tetrachloroplatinate and tetraorganotin compounds in dimethyl sulfoxide, 933–8

Tris(trimethylsilyl)methyltin oxinates and their conversion into bis(trimethylsilyl)methyltin oxinates, 1101–4

Reactions of hexamethyltungsten(VI) in the presence of trimethylphosphine. Synthesis of methyl, ethylidyne, hydrido-, alkoxo-, and other tungsten compounds. Structures of trans-ethylidyne(methyl)tetrakis(trimethylphosphine)tungsten(IV) and trihydrido(phenoxy)tetrakis(trimethylphosphine)tungsten(IV), 1204–11

Oxidative-addition and reductive-elimination reactions involving platinum complexes and tetraorganotin compounds, 1223–32

Molecular structure of tris(trimethylsilyl)amine in the gas phase determined by electron diffraction, 1501–3

Synthesis, reactivity, and crystal and molecular structures of $[\mu\text{-}1,4\text{-bis(diphenylphosphino)butane}]$ -dicarbonylbis(η -cyclopentadienyl)dirhodium(I), 1651–6

Crystal structures of silyl acetate at 150 K and methyl acetate at 145 K, and the molecular structure of silyl acetate in the gas phase, 1988–93

Interaction of tert-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $\text{W}[\text{N}(\text{CMe}_3)\text{CMe}_2](\text{Me})[\text{N}(\text{CMe}_3)][\text{N}(\text{CMe}_3)\text{CMe}_2\text{CMe}_2]$ and its hydrogen chloride adduct, tert-butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088–97

Photochemistry of methyl- and acetyldicarbonyl(η -cyclopentadienyl)iron in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of tricarbonyl(η -cyclopentadienyl)methyliron and acetylmonocarbonyl(η -cyclopentadienyl)iron, 2311–16

Dialkyl sulfoxides as starting materials for the preparation of alkyl-transition metal complexes. Formation of pentaquaamethylchromium(III) and pentacyanomethylcobaltate(III) salts, and the reduction of methyl radicals by vanadium(II), 2462–4

METHYLALUMINUM

Molecular structures of dimethylaluminum octahydrotriborate and dimethylgallium octahydrotriborate in the gas phase as determined by electron diffraction, 2465–70

METHYLAMIDE

Assignment of vibrational spectra of some dialkylamido derivatives of boron, 306–10

METHYLAMINOMETHYLIDYNE

Preparation of the isocyanide complexes trans-[$\text{ReCl}(\text{CNR})(\text{dppe})_2$] ($\text{R} = \text{Me}$ or CMe_3) and their reactions with acid to give carbene complexes. X-ray crystal structure of trans-[$\text{ReCl}(\text{CNH-Me})(\text{dppe})_2$][BF_4], 1629–34

METHYLAMINOSILANE

Complexation and exchange reactions of some dimethylamino-substituted Group 4 compounds, 1264–7

METHYLBENZENE

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 30. Trimethylphosphinechloro-, -acetato-, and -hydrido complexes and related compounds of (hexamethylbenzene)ruthenium, 2003–8

METHYLBENZOQUINONE

Reactions of bis(ethylene)(tricyclohexyl- and triphenylphosphine)platinum with quinones. Crystal structure of ethylene(2-3- η -2,3,5,6-tetramethylbenzo-1,4-quinone)(tricyclohexylphosphine)-platinum, 284–91

METHYLBUTYLISOCYANOMETAL

Interaction of tert-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $\text{W}[\text{N}(\text{CMe}_3)\text{CMe}_2](\text{Me})[\text{N}(\text{CMe}_3)][\text{N}(\text{CMe}_3)\text{CMe}_2\text{CMe}_2]$ and its hydrogen chloride adduct, tert-butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088–97

METHYLCYCLOPENTADIENYLIRIDIUM

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 29. Syntheses and x-ray structure determinations of tri- μ -hydroxy-bis(η -pentamethylcyclopentadienyl)rhodium] hydroxide undecahydrate and -iridium acetate tetradecahydrate and related complexes, 1997–2002

METHYLCYCLOPENTADIENYL RHODIUM

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 29. Syntheses and x-ray structure determinations of tri- μ -hydroxy-bis(η -pentamethylcyclopentadienyl)rhodium] hydroxide undecahydrate and -iridium acetate tetradecahydrate and related complexes, 1997–2002

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 31. Tri- μ -phenoxorhodium complexes and a facile hydrogen/deuterium exchange reaction, 2335–8

METHYLCYCLOPROPANE

Reactions and properties of some trimethyleneplatinum(IV) complexes. Part 11. Platinacyclobutanes derived from methylcyclopropane, 1738–45

METHYLDIPHENYLPHOSPHINEGOLD

Characterization of two-, three-, and four-coordinate gold(I) complexes by gold-197 Moessbauer and proton-decoupled phosphorus-31 nuclear magnetic resonance spectroscopy, 2098–104

METHYLDITHIANE

Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 3. Novel fluxional rearrangements in bis(trimethylhaloplatinum) 1,3-dithian, 1,3,5-trithian, and β -2,4,6-trimethyl-1,3,5-trithian complexes, 1846–55

METHYLDITHIATRIAZABICYCLOEICOSAPENTENE

Iron(II) complexes of a potentially quinquedentate macrocyclic ligand having an N_3S_2 donor set and the crystal and molecular structures of a high-spin ($S = 2$) complex and a low-spin ($S = 0$) complex, 1965–72

METHYLDITHIATRIAZABICYCLOEICOSAPENTENE-IRON

Iron(II) complexes of a potentially quinquedentate macrocyclic ligand having an N_3S_2 donor set and the crystal and molecular structures of a high-spin ($S = 2$) complex and a low-spin ($S = 0$) complex, 1965–72

METHYLENEBISCYSTEINE

Equilibria of some α -amino acids containing sulfur atoms in the chain with metal(II) ions. Part 2. S,S' -methylenebis(L-cysteine) with cobalt(II), nickel(II), and zinc(II) in aqueous solution, 1961–4

METHYLGALLIUM

Molecular structures of dimethylaluminum octahydrotriborate and dimethylgallium octahydrotriborate in the gas phase as determined by electron diffraction, 2465–70

METHYLIDENE

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 6. Synthesis of platinum–chromium and -tungsten compounds. X-ray crystal structure of dehydro-tetracarbonyl- ϵ - μ -(methoxy-*p*-tolylmethylidene)- α -bis-tris(trimethylphosphine)platinumtungsten(Pt-W), 743–50

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 7. Interconversion of carbene and carbyne ligands at a dimetal center. X-ray crystal structures of $[\text{CrPt}(\mu\text{-}$

METHYLIDENE(contd)

$\text{C}(\text{CO}_2\text{Me})\text{Ph}(\text{CO})_4(\text{PMe}_3)_3$ and $[\text{MnPt}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)](\text{BF}_4)\cdot\text{CH}_2\text{Cl}_2$, 751-62

METHYLIDYNE

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 7. Interconversion of carbene and carbyne ligands at a dimetal center. X-ray crystal structures of $[\text{CrPt}(\mu\text{-C}(\text{CO}_2\text{Me})\text{Ph})(\text{CO})_4(\text{PMe}_3)_3]$ and $[\text{MnPt}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)](\text{BF}_4)\cdot\text{CH}_2\text{Cl}_2$, 751-62

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 8. Synthesis of the trimetal compounds $[\text{M}(\text{W}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\eta\text{-C}_5\text{H}_5))_2]$ ($\text{M} = \text{Ni}, \text{Pd}, \text{or Pt}$) and crystal structures of the platinum and nickel complexes, 763-70

METHYLIMIDAZOLIDINYLDIENE

Carbene complexes. Part 17. Crystal structure of trans-tetracarbonylbis(1,3-dimethylimidazolidin-2-ylidene)molybdenum(0), structural comparison with the cis isomer, and a kinetic study of the trans \rightarrow cis isomerization, 701-4

METHYLIRON

Photochemistry of methyl- and acetyldicarbonyl(η -cyclopentadienyl)iron in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of tricarbonyl(η -cyclopentadienyl)methyliron and acetylmonocarbonyl(η -cyclopentadienyl)iron, 2311-16

METHYLMOLYBDENUM

Photochemistry of tricarbonyl(η -cyclopentadienyl)methylmolybdenum in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of dicarbonyl(η -cyclopentadienyl)methylmolybdenum and dicarbonyl(η -cyclopentadienyl)(dinitrogen)methylmolybdenum, 2199-2204

METHYLPENTYNE

Reaction of 4-methylpent-2-yne with dodecacarbonyltriruthenium. The structure of a novel alkyne dimerization dehydrogenation product, 2023-8

METHYLPHENANANTHROLINE

Ternary complexes of copper(I) with 2,9-dimethyl-1,10-phenanthroline and some oxygen-donor ligands, 452-5

METHYLPHENYLPHOSPHINE

The possibility of free rotation of *m*-tolyl and substituted pyridine groups about their bonds to square-planar organonickel(II) species, 240-4

Hydrazido(2-) complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80

METHYLPHENYLPHOSPHINEHYDRAZIDOPYRIDINE-CARBOXYLATOTUNGSTEN

Hydrazido(2-) complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80

METHYLPHENYLPHOSPHINEHYDRAZIDOQUINOLINE-CARBOXYLATOTUNGSTEN

Hydrazido(2-) complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80

METHYLPHENYLPHOSPHINOHYDRAZIDOMETAL

Hydrazido(2-) complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80

METHYLPHOSPHINE

The possibility of free rotation of *m*-tolyl and substituted pyridine groups about their bonds to square-planar organonickel(II) species, 240-4

Transition metal-carbon bonds. Part 50. Conversion of $[\text{IrCl}_2(\text{PMe}_2\text{R})_3]$ ($\text{R} = \text{Me or Ph}$) to $[\text{IrCl}_2(\text{C}^1\text{H}_2\text{PMeR})(\text{PMe}_2\text{R})_2]$ containing a Ir-C-P three-membered ring by the action of base: crystal structure of dichlorobis(dimethylphenylphosphine)-methylphenylphosphinomethyl-C¹P¹iridium(III), 1572-7

Interaction of *tert*-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $[\text{W}(\text{N}(\text{CMe}_3)\text{CMe}_2)(\text{Me})(\text{N}(\text{CMe}_3))][\text{N}(\text{CMe}_3)\text{CMe}_2\text{CMe}_2]$ and its hydrogen chloride adduct. *tert*-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97

METHYLPHOSPHINOETHANE

Mono- η -cyclopentadienylmolybdenum chemistry: 1,2-bis(dimethylphosphino)ethanehydrido-, -halo-, -alkyne-, and -oxo derivatives, 353-6

METHYLPYRIDYL

The possibility of free rotation of *m*-tolyl and substituted pyridine groups about their bonds to square-planar organonickel(II) species, 240-4

Reactions of methylmercury(II), mercury(II), and zinc(II) ions with

2-methyl-2-(2-pyridyl)thiazolidine, including stopped-flow rapid-scanning spectrophotometric studies, 2137-40

METHYLPYRIDYLTHIAZOLIDINE

Reactions of methylmercury(II), mercury(II), and zinc(II) ions with 2-methyl-2-(2-pyridyl)thiazolidine, including stopped-flow rapid-scanning spectrophotometric studies, 2137-40

METHYLSILYL

Nuclear magnetic resonance spectra of some silyl and trimethylsilyl pseudohalides, 1349-51

Molecular structure of tris(trimethylsilyl)amine in the gas phase determined by electron diffraction, 1501-3

METHYLSILYLATION

Preparation of alkyl-substituted partial trimethylsilyl silicates from olivine, 1957-60

METHYLSILYLMETHYL

Interaction of H_2 with $\text{Re}_3(\mu\text{-Cl})_3(\text{CH}_2\text{SiMe}_3)_6$, its CO, PPh₃, and pyridine adducts, and with $\text{Re}_3(\mu\text{-Cl})_3\text{Cl}(\text{CH}_2\text{SiMe}_3)_5$. Crystal structures of $[\text{H}(\text{Re}_3(\mu\text{-Cl})_3)_2(\text{CH}_2\text{SiMe}_3)_6]$, $\text{Re}_3(\mu\text{-Cl})_3\text{Cl}(\text{CH}_2\text{SiMe}_3)_5(\text{PPh}_3)$, and $\text{Re}_3(\mu\text{-Cl})_3(\mu\text{-CH}_2\text{SiMe}_3)_3(\text{CH}_2\text{SiMe}_3)_3$, 705-16

METHYLTHALLIUM

Influence of temperature on the thallium-205 chemical shift of dimethylthallium(III) derivatives, 132-6

METHYLTHIO

Mono- η -cyclopentadienylmolybdenum chemistry. Some oxo-, oxohalo-, halo-, thio-, η -disulfido-, and thiohalo-derivatives, 847-51

METHYLTRITHIANE

Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 3. Novel fluxional rearrangements in bis(trimethylhaloplatinum) 1,3-dithian, 1,3,5-trithian, and β -2,4,6-trimethyl-1,3,5-trithian complexes, 1846-55

Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50

METHYLTUNGSTEN

Interaction of *tert*-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $[\text{W}(\text{N}(\text{CMe}_3)\text{CMe}_2)(\text{Me})(\text{N}(\text{CMe}_3))][\text{N}(\text{CMe}_3)\text{CMe}_2\text{CMe}_2]$ and its hydrogen chloride adduct. *tert*-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97

METHYLVINYL

Reactions of coordinative ligands. Part 25. The synthesis of μ -allenedicarbonylbis(η^5 -indenyl)dirhodium and protonation to form a bridged cationic vinyl complex. Molecular structures of μ -allenedicarbonylbis(η^5 -indenyl)dirhodium and dicarbonylbis(η^5 -indenyl)- μ -(1-methylvinyl)dirhodium(Rh-Rh) tetrafluoroborate 2321-7

METHYLVOLURATE

Ketoximate complexes. Part 3. Structure and properties of tris chelates of cobalt(III), iron(II), and ruthenium(II), 1856-62

MICROBE

Model compounds for microbial iron-transport compounds. Part 1. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22

MIXED

Electron spin resonance spectra of a titanium-IV/III mixed-valence tetranuclear species $[\text{Ti}_4(\text{OR})_{12}\text{O}]$, 2328-30

MIXT

Diagrams of existence of chloroamines and bromoamines in aqueous solution, 2300-10

MNDO

Bonding in clusters. Part 3. Protonation of nido-pentaborane(9), nido-hexaborane(10), and closo-hexaborate(6)(2-), 2515-22

MO

Niobium organometallic chemistry. Part 6. Electron spin resonance study of bonding in pseudotetrahedral bis(η -cyclopentadienyl)niobium(IV) complexes, 64-8

Crystallographic studies of the boron-nitrogen bond in aminoboranes. Part 5. The crystal and molecular structure of 1,5,9-triaza-13-boratricyclodecane, 511-14

Bonding in clusters. Part 2. Hexaborane(10) and related metalloboranes, 546-51

The potassium fluoride-boric acid system. Hydrogen bonding in $\text{K.F.H}_3\text{BO}_3$, 783-7

The electronic states of the tetrahedral iron clusters of iron-sulfur proteins. A theoretical model, 1180-9

Strong hydrogen bonding in the polyfluorides: ab initio calculations

- MO(contd)
and a new method of preparing potassium hydrogen difluoride, 1219-22
Extended Hückel molecular-orbital calculations on dodecahedral metalloboranes which do not conform to the polyhedral skeletal electron-pair theory, 1788-97
Bonding in clusters. Part 3. Protonation of nido-pentaborane(9), nido-hexaborane(10), and closo-hexaborate(6)(2-), 2515-22
- MOESSBAUER
Further studies on the spin cross-over phenomenon in diisothiocyanatobis(1,10-phenanthroline)iron(II), 441-6
Group 4A organometallic compounds. Part 8. Preparation and Moessbauer spectra of five- and six-coordinate di- and triorganotin compounds containing mixed phenyl and butyl groups on tin, 552-8
Model compounds for microbial iron-transport compounds. Part 1. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22
Low-temperature magnetochemical and spectroscopic studies of variable-spin tris(monothiocarbamato)iron(III) and tris(diselenocarbamato)iron(III) complexes, 1294-9
Antimony-121 Moessbauer study of the effects of calcination on the structure of tin-antimony oxides, 1442-4
Moessbauer investigations of some chemical treatments of iron surfaces, 1450-5
 $^5\text{T}_2 = ^1\text{A}_1$ and $^6\text{A}_1 = ^7\text{T}_2$ spin transitions in iron(II) and iron(III) complexes of 2,2'-bi-2-imidazole and related ligands, 1492-7
A tin-119 Moessbauer study of the phase transitions in tin difluoride, 1831-6
Iron(II) complexes of a potentially quinquedentate macrocyclic ligand having an N_3S_2 donor set and the crystal and molecular structures of a high-spin ($S = 2$) complex and a low-spin ($S = 0$) complex, 1965-72
Stereochemical role of lone pairs in main-group elements. Part 2. Structure and bonding in trichloro(triamethylthiourea)antimony(III) studied by means of x-ray crystallography and antimony-121 Moessbauer spectroscopy, 2083-7
Characterization of two-, three-, and four-coordinate gold(I) complexes by gold-197 Moessbauer and proton-decoupled phosphorus-31 nuclear magnetic resonance spectroscopy, 2098-104
Europium-151 Moessbauer spectra of some orthorhombic perovskites, 2245-9
Tin-119 Moessbauer spectroscopic study of a single crystal of α - SnF_2 and partially oriented α - PbSnF_4 , 2296-9
- MOL
The possibility of free rotation of *m*-tolyl and substituted pyridine groups about their bonds to square-planar organonickel(II) species, 240-4
Molecular structure of bis(difluorophosphino)germylamine in the gas phase, determined by electron diffraction, 1047-50
Crystal and molecular structure of bis(*N*-allylsalicylideneiminato)nickel(II) and -copper(II), 1773-9
Synthesis and structure of bis(diethyldithiocarbamato)nitridotellurium(V): a technetium-nitrogen triple bond, 1798-801
Crystal structure and infrared and Raman spectra of tetramethylammonium di- μ -fluoro-bis[aquadifluorooxovanadate(IV)], 1802-6
Crystal and molecular structures of the isobutene insertion product of endo-hexafluoroacetylacetonato(methoxytetraphenylbutadienyl)palladium(II), 1935-7
Crystal and molecular structure of the (2,6-bis[1-(2-imidazol-4-ylethylimino)ethyl]pyridine)zinc(II) and -copper(II) cations: five-coordinate relatives of a copper(I) oxygen carrier, 1951-6
Crystal structures of silyl acetate at 150 K and methyl acetate at 145 K, and the molecular structure of silyl acetate in the gas phase, 1988-93
Reaction of ethylene with dodecacarbonyltriruthenium and the dynamic processes of $[\text{Ru}_3\text{H}_2(\text{CO})_9(\text{C}_2\text{R}_2)]$ ($\text{R} = \text{H}, \text{Me}, \text{and Et}$) 2017-20
Reaction of 4-methylpent-2-yne with dodecacarbonyltriruthenium. The structure of a novel alkyne dimerization dehydrogenation product, 2023-8
Crystal and molecular structure of sodium μ -(imidazol-1-yl)- NN' -bis(glycylglycinate)- NN' -Ocuprate(II) hexahydrate: structure-magnetism relationship in imidazolate-bridged binuclear copper(II) complexes, 2045-8
Copper coordination to thioether ligands. Spectroscopic studies of dimeric copper(II) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the crystal structure of di- μ -bromobis(bromo[2-(3,3-dimethyl-2-thiabutyl)pyridine-*N,S*]copper(II)), 2054-8
Molecular structures of dimethylaluminum octahydrotriborate and dimethylgallium octahydrotriborate in the gas phase as determined by electron diffraction, 2465-70
- MOLYBDATE
Photochemical studies of the alkylammonium molybdates. Part 5. Photolysis in weak acid solutions, 628-34
Topochemically controlled hydrogen reduction of scheelite-related rare earth metal molybdates, 668-72
Isolation of the anions $[\text{M}(\text{CO})_5(\text{SH})^-]$ and $[\text{M}_2(\text{CO})_{10}(\mu\text{-SH})^-]$ ($\text{M} = \text{Cr}, \text{Mo}, \text{and W}$) as salts of the sodium(18-crown-6-ether) cation. X-ray analysis of the sodium carbonyl linked polymeric structures of the tungsten species, 2357-64
- MOLYBDENOCENE
Esterification of amino acids chelated to cobalt(III), molybdenocene, and platinum(II). Stability of chelated esters versus dechelation 2479-83
- MOLYBDENUM
Mechanism of ammonia formation by reaction of trans-bis[1,2-bis(diphenylphosphino)ethane]imido(halo)molybdenum(IV) with base in methanol, 40-50
Single-crystal electron spin resonance spectra of tris(diethyldithiocarbamato)oxomolybdenum(V) and chlorobis(diethyldithiocarbamato)oxomolybdenum(V) diluted in isomorphous host lattices, 142-9
Kinetic and mechanistic studies on the disproportionation equilibrium of μ -oxobis(bis(isopropyl thioxanthato)oxomolybdenum(V)) and on the decomposition reaction of bis(isopropyl thioxanthato)dioxomolybdenum(VI), 292-6
Preparation and crystal structure of hexa- μ -acetatodichlorido- μ_3 -oxotetraoxotetramolybdenum(V)-acetic anhydride (1/1), 311-13
Mono- η -cyclopentadienylmolybdenum chemistry: 1,2-bis(dimethylphosphino)ethanehydrido-, -halo-, -alkyne-, and -oxo derivatives, 353-6
Novel compounds with gold-transition metal bonds; crystal and molecular structure of bis(triphenylphosphine)iminium bis(tetracarbonylcobalto)aurate(I), 366-70
Crystal structure studies of hydrazido(2-)-quinolin-8-olato complexes of molybdenum and tungsten, 390-9
Redox potential-structure relationships in metal complexes. Part 3. The electrochemical activation of coordinated hydrazido(2-) ligands, 419-24
Topochemically controlled hydrogen reduction of scheelite-related rare earth metal molybdates, 668-72
Carbene complexes. Part 17. Crystal structure of trans-tetracarbonylbis(1,3-dimethylimidazolidin-2-ylidene)molybdenum(0), structural comparison with the *cis* isomer, and a kinetic study of the trans \rightarrow *cis* isomerization, 701-4
Mono- η -cyclopentadienylmolybdenum chemistry. Some oxo-, oxohalo-, halo-, thio-, η -disulfido-, and thiohalo-derivatives, 847-51
Reactions of coordinated ligands. Part 24. Reaction of bis(but-2-yne)carbonyl(η -cyclopentadienyl or η^5 -indenyl)molybdenum tetrafluoroborate with acetonitrile and phosphines; crystal structures of $[\text{Mo}(\text{CO})(\text{MeC}_2\text{Me})(\eta^5\text{-C}_5\text{H}_7)(\text{PEt}_3)]\text{BF}_4$ and $[\text{Mo}(\text{MeC}_2\text{Me})(\eta^5\text{-C}_5\text{H}_7)(\text{PMe}_2)_2]\text{BF}_4$, 873-83
Open-shell molybdenum carbonyl complexes and the binding of π -acid ligands to higher-oxidation-state molybdenum sites, 892-3
Dioxomolybdenum(VI) complexes of quadridentate chiral Schiff bases and the crystal and molecular structure of dioxo[(2R)propene-1,2-diylbis(salicylideneiminato)]molybdenum(VI), 902-8
Enthalpies of formation of $[\text{M}(\eta\text{-C}_5\text{H}_5)_2(\text{OOCR})_2]$ complexes; $\text{M} = \text{Mo}, \text{W}, \text{or Ti}$ and $\text{R} = \text{C}_6\text{H}_5 \text{ or } \text{CF}_3$, 1174-7
Enthalpies of formation of $[\text{Mo}(\eta\text{-C}_5\text{H}_5)_2(\text{SR})_2]$ complexes; $\text{R} = \text{Pr}, \text{CHMe}_2, \text{Bu}, \text{or } \text{CMe}_3$, 1178-9
Transition metal tetrafluoride oxide-antimony pentafluoride adducts; preparation and characterization of the adducts $\text{MF}_4\text{O} \cdot \text{SbF}_5$ ($\text{M} = \text{Mo}, \text{W}, \text{or Re}$) and crystal structures of $\text{MoF}_4\text{O} \cdot \text{SbF}_5$ and $\text{ReF}_4\text{O} \cdot \text{SbF}_5$, 1212-18
Cyclopropenyl and oxocyclobutenyl complexes of molybdenum. Crystal and molecular structures of (2,2'-bipyridine)bromodicyclobutyl(1-3- η -1,2,3-triphenylcyclopropenyl)molybdenum(II) and (2,2'-bipyridine)bromodicyclobutyl(2-4- η -1-oxo-2,3,4-triphenylcyclobutenyl)molybdenum(II), 1310-16
Tetracarbonyl diazaphosphole complexes of Group 6B metals: the role of steric effects, 1544-9
Electrochemical behavior of $[\text{Fe}_2\text{M}_2\text{S}_8(\text{SR})_6]^{2-}$ ($\text{M} = \text{Mo or W}$) and the roles of molybdenum and tungsten in nitrogenases, 1664

MOLYBDENUM (contd)

- Trimethylphosphine complexes of molybdenum, tungsten, niobium, and tantalum. X-ray crystal structures of di- μ -hydrido-dihydrohexakis(trimethylphosphine)dimolybdenum(II)(Mo-Mo) and of μ -dimethylphosphido- μ -hydridotetrahydridopentakis(trimethylphosphine)ditungsten(II,IV)(W-W), 1892-7
- Hydrazido(2-)-complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80
- Reaction of diiodonitrosyltris(3,5-dimethylpyrazolyl)borato)molybdenum with α,ω -alkanediols, 2-chloro-, and 2-methoxyethanol 2021-2
- Interaction of *tert*-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $W[N(CMe_3)CMe_2](Me)[N(CMe_3)]_2[N(CMe_3)CMe_2]$ and its hydrogen chloride adduct. *tert*-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97
- Organosulfur-transition metal chemistry. Part 6. Reactions of cyclooctatetraenyl and cycloheptatrienyl thioethers with metal carbonyls, 2230-4
- Organosulfur-transition metal chemistry. Part 7. Sulfur inversion in dimolybdenum complexes: crystal and molecular structure of dicarbonyl- η -cycloheptatrienyltri- μ -*tert*-butylthio(trimethyl phosphite)dimolybdenum(Mo-Mo), 2235-44
- Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachlorooxomolybdenum(VI) and -oxotungsten(VI) and tetrabromooxotungsten(VI), 2501-7
- MOLYBDOALUMINATE**
- Aluminum-27 nuclear magnetic resonance studies of heteropolyanions containing aluminum as heteroatom, 1615-16
- MONOTHIOMENZOATE**
- Metal complexes of sulfur ligands. Part 21. Reactions of $[Ru(SOCHPh)_2(PMe_2Ph)_2]$ with $Ph_2P(CH_2)_nPh$ ($n = 1$ or 2) and PMe_2Ph and of *cis*- $[RuCl_2(PMe_2Ph)_4]$ with ammonium monothiobenzoate. Crystal and molecular structure of $[Ru(SOCHPh)_2(PMe_2Ph)(Ph_2P(CH_2)_2PPh_2)]$. MeOH, 2508-14
- MONOXIDE**
- Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9
- Equilibrium and kinetic study of the reaction between phthalocyaninatoiron(II) and carbon monoxide in dimethyl sulfoxide, 1120-3
- MULTIDENTATE**
- Coordination chemistry of higher oxidation states. Part 2. Neutral and cationic complexes of platinum(IV) with bi- and multidentate ligands, 2153-8
- MYOCHRISIN**
- Proton and carbon-13 nuclear magnetic resonance studies of gold(I) thiomalate ('Myocrisin') in aqueous solution: dependence of the solution structure on pH and ionic strength, 1657-63
- NAPHTHOL**
- Studies of chelation. Part 9. Cobalt complexes of 1-[(substituted phenyl)azo]-2-naphthol and 1-[(substituted phenylimino)methyl]-2-naphthol ligands. Tautomerism and reactivity, 559-66
- NEUTRON**
- Spin density and manganese electronic structure in phthalocyaninatomanganese(II), 1837-45
- A neutron diffraction investigation of the defect rutile structure of tin-antimony oxide, 2447-51
- NICKEL**
- Chemistry of the metal carbonyls. Part 78. Synthesis and x-ray crystal structures of $[NiOs_3(\mu-H)_2(\mu-CO)_2(CO)_8(PPh_3)_2]$ and $[Os_3Rh(\mu-H)_2(acac)(CO)_{10}]$ (acac = acetylacetonate), 171-9
- Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9
- The possibility of free rotation of *m*-tolyl and substituted pyridine groups about their bonds to square-planar organonickel(II) species, 240-4
- Square planar coordination of the 12-membered macrocyclic tetraamine ligand 1,4,7,10-tetraazacyclododecane-2,6-dione, 694-700
- Kinetics and mechanisms of reduction of a nickel(IV) complex by ascorbate ion, 721-5
- Chemistry of di- and trimetal complexes with bridging carbene or carbene ligands. Part 8. Synthesis of the trimetal compounds $[M(W(\mu-CC_6H_4Me-4)(CO)_2(\eta-C_5H_5))_2]$ ($M = Ni, Pd, or Pt$) and crystal structures of the platinum and nickel complexes, 763-70
- Synthesis and properties of dialkyl complexes of nickel(II). The crystal structure of bis(pyridine)bis(trimethylsilylmethyl)nickel(II-

-), 777-82
- Alkyne complexes of platinum. Part 5. Di- and triplatinum complexes with bridging trimethylsilyl-substituted alkyne ligands; crystal structure of bis(η -cycloocta-1,5-diene)- μ -phenyl(trimethylsilyl)acetylenediplatinum, 862-72
- The magnetic, spectral, and structural properties of trans-tetraaminedinitronickel(II), 997-1003
- Preparation and spectra of a series of tautomeric compounds, $[NiCo(\eta-dienyl)(CO)_4L]$ (dienyl = C_5H_5 or C_5H_4Me ; L = tertiary phosphine or arsine), 1057-60
- Spin-spin interactions in polynuclear nickel(II) complexes: a susceptibility and low-temperature magnetization study of the linear trimer hexakis(allylamine)hexakis- μ -benzotriazolyltrnickel(II)-triphenylphosphine oxide (1/2), 1069-73
- Coupling of organic halides electrocatalyzed by the $Ni^{II}/Ni^I/Ni^0-PPh_3$ system. A mechanistic study based on an electroanalytical approach, 1074-81
- High-spin nickel(II) complexes of pentaaza macrocycles: characterization, electronic spectra, and thermodynamic properties, 1438-41
- $^5T_2 = ^1A_1$ and $^6A_1 = ^7T_2$ spin transitions in iron(II) and iron(III) complexes of 2,2'-bi-2-imidazole and related ligands, 1492-7
- Equilibria of some α -amino acids containing sulfur atoms in the chain with metal(II) ions. Part 1. DL-4,4'-Dithiobis(2-aminobutyric acid) with manganese(II), cobalt(II), and nickel(II) in aqueous solution, 1531-4
- Coordination properties of N-protected amino acids. Solution and solid-state behavior of bis(benzoyloxycarbonyl-L-tryptophanato)-nickel(II) and its mixed complexes, 1665-8
- Intramolecular ligand rearrangement in the isomerization of a seven-coordinate to a six-coordinate nickel(II) complex of a multidentate Schiff base. The crystal and molecular structures of the six-coordinate product, 1691-6
- Crystal and molecular structure of bis(N-allylsalicylideneiminato)nickel(II) and -copper(II), 1773-9
- Equilibria of some α -amino acids containing sulfur atoms in the chain with metal(II) ions. Part 2. S,S'-methylenebis(L-cysteine) with cobalt(II), nickel(II), and zinc(II) in aqueous solution, 1961-4
- Synthesis and characterization of the reaction products from bis(thiosalicylhydrazido)nickel(II) in base and acid solution, 2176-82
- Zirconium phosphates partially exchanged with transition metal ions: characterization and stereochemical changes induced by heat treatment, 2376-84
- Novel ligational behavior of thiosalicylhydrazide and its derivatives with cobalt(II), nickel(II), copper(II), and palladium(II), 2385-94
- NICKELBORANE**
- Extended Hückel molecular-orbital calculations on dodecahedral metalboranes which do not conform to the polyhedral skeletal electron-pair theory, 1788-97
- NICKELOCENE**
- Redox properties of tetrachlorobis(dimethylphenylphosphine)iridium: the synthesis of halide-bridged mixed-metal mixed-valence complexes and the crystal and molecular structure of *cd*-di- μ -chloro-*agh*-trichloro-*ef*-bis(dimethylphenylphosphine)-*b*-trimethylarsinepalladium(II)iridium(III), 1515-19
- NIOBIUM**
- Niobium organometallic chemistry. Part 6. Electron spin resonance study of bonding in pseudotetrahedral bis(η -cyclopentadienyl)niobium(IV) complexes, 64-8
- Mono- η -cyclopentadienyl niobium chemistry: ternary phosphine, carbonyl, 3,4-dimethylhexa-2,4-diene, halo, and hydrido derivatives, 85-90
- Metallocene derivatives of early transition elements. Part 1. Niobium(IV) chlorides, chloroalkyls, and dialkyls $[Nb(\eta-C_5H_4X)_2RR']$, and the crystal and molecular structure of $[Nb(\eta-C_5H_5)_2(CH_2Ph)_2]$, 180-6
- Reduction and polymorphic transformation of B-niobium pentoxide, 255-61
- Crystal structure of tetrachlorobis(o-phenylenebis(dimethylarsine))niobium(IV), 652-4
- Carbonyl complexes of niobium and tantalum and evidence of a niobium dinitrogen complex: the structure of carbonyldichlorocyclopentadienylbis(dimethylphenylphosphine)tantalum, 793-9
- Preparation, properties, and crystal and molecular structures of the cyanomethane adducts of niobium(IV) chloride and di- μ -sulfidobis(dichloroniobium(IV)), 1304-9

NIOBIUM(contd)

Synthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43

NITRATE

Influence of temperature on the thallium-205 chemical shift of dimethylthallium(III) derivatives, 132-6

Hydrolysis of hexaquaaluminum(III) in organic media, 1233-4

Crystal structure and electronic properties of bis(2,2'-bipyridyl)nitratocopper(II) nitrate monohydrate, 2070-7

NITRATOCOPPER

Crystal structure and electronic properties of bis(2,2'-bipyridyl)nitratocopper(II) nitrate monohydrate, 2070-7

NITRIC

Reactions of nitrogen monoxide with dicyclopentadienyltitanium complexes, including the formation of isocyanate from nitrogen monoxide and carbon monoxide, 271-5

Kinetics and mechanism of the decomposition of the S-nitrosothio-urionium ion, 331-5

Further studies on the interaction of nitric oxide with transition metal alkyls, 1898-905

NITRIDATION

Moessbauer investigations of some chemical treatments of iron surfaces, 1450-5

NITRIDE

Resonance-Raman studies of the nitride-bridged complex tripotassium μ -nitridobis[aquatetrachlororuthenate(IV)], 1239-40

Tetrasulfur dinitride; its preparation, crystal structure, and solid-state decomposition to give poly(sulfur nitride), 2188-91

NITRIDO

A spectroscopic and crystallographic study of the $[\text{ReNCl}_4]^-$ ion, 1061-3

NITRIDORHENATE

A spectroscopic and crystallographic study of the $[\text{ReNCl}_4]^-$ ion, 1061-3

NITRILE

Photosubstitution reactions of bis(cyclopentadienyl)dimethyltungsten hexafluorophosphate: some evidence for an α -elimination mechanism, 314-16

NITRITE

The magnetic, spectral, and structural properties of trans-tetraamminedinitronickel(II), 997-1003

The single-crystal electronic and electron spin resonance spectra of copper(II) doped bis(2,2'-bipyridyl)nitritozinc(II) nitrate and bis(2,2'-bipyridyl)nitritocopper(II) tetrafluoroborate: a fluxional $\text{CuN}_2\text{N}'_2\text{O}_2$ chromophore, 2271-9

NITRITIZINC

The single-crystal electronic and electron spin resonance spectra of copper(II) doped bis(2,2'-bipyridyl)nitritozinc(II) nitrate and bis(2,2'-bipyridyl)nitritocopper(II) tetrafluoroborate: a fluxional $\text{CuN}_2\text{N}'_2\text{O}_2$ chromophore, 2271-9

NITRO

Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9

NITROAMINE

Reduction of nitroamine (NH_2NO_2) by vanadium(II) and chromium(II) in acid solution, 2009-10

NITRODOTECHNETIUM

Synthesis and structure of bis(diethyldithiocarbamate)nitridotechnetium(V): a technetium-nitrogen triple bond, 1798-801

NITROGEN

Crystallographic studies of the boron-nitrogen bond in aminoboranes. Part 5. The crystal and molecular structure of 1,5,9-triaza-13-boratricyclodecane, 511-14

Carbonyl complexes of niobium and tantalum and evidence of a niobium dinitrogen complex: the structure of carbonyldichlorocyclopentadienylbis(dimethylphenylphosphine)tantalum, 793-9

Redox potential-structure relationships in metal complexes. Part 4. Electron-poor dinitrogen complexes of rhenium(I), 800-4

Nuclear magnetic resonance spectra of some silyl and trimethylsilyl pseudohalides, 1349-51

Preparation of the isocyanide complexes trans- $[\text{ReCl}(\text{CNR})(\text{dppe})_2]$ ($\text{R} = \text{Me}$ or CMe_3) and their reactions with acid to give carbene complexes. X-ray crystal structure of trans- $[\text{ReCl}(\text{CNH-Me})(\text{dppe})_2][\text{BF}_4]$, 1629-34

Synthesis and structure of bis(diethyldithiocarbamate)nitridotechnetium(V): a technetium-nitrogen triple bond, 1798-801

Hydrazido(2-) complexes as intermediates in the conversion of

ligating dinitrogen into ammonia and hydrazine, 1973-80

Reduction of nitroamine (NH_2NO_2) by vanadium(II) and chromium(II) in acid solution, 2009-10

NITROGENASE

Open-shell molybdenum carbonyl complexes and the binding of π -acid ligands to higher-oxidation-state molybdenum sites, 892-3

Electrochemical behavior of $[\text{Fe}_6\text{M}_2\text{S}_6(\text{SR})_6]^{2-}$ ($\text{M} = \text{Mo}$ or W) and the roles of molybdenum and tungsten in nitrogenases, 1664

NITROPALLADIUM

Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9

NITROSO

Kinetics and mechanism of the decomposition of the S-nitrosothio-urionium ion, 331-5

NITROSOALKANE

Further studies on the interaction of nitric oxide with transition metal alkyls, 1898-905

NITROSOHYDROXYLAMINATE

Further studies on the interaction of nitric oxide with transition metal alkyls, 1898-905

NITROSOTHIURONIUM

Kinetics and mechanism of the decomposition of the S-nitrosothio-urionium ion, 331-5

NITROSYL

Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9

The reaction of cysteine with the pentacyanonitrosylferrate(2-) ion, 435-40

Paramagnetic carbenemetal complexes. Part 2. Synthesis and spectroscopic studies of stable electron-rich olefin-derived paramagnetic carbenecarbonyl- and carbenenitrosyliron(I) complexes, 1583-92

Synthesis, reactivity, and crystal and molecular structures of $[\mu-1,4\text{-bis}(\text{diphenylphosphino})\text{butane}]_2\text{-dicarbonylbis}(\eta\text{-cyclopentadienyl})\text{dirhodium(I)}$, 1651-6

Evidence for dimer formation of nitrosyl(meso-2,3,7,8,12,13,17,18-octaethyl-5-nitroporphyrinato)iron(II) and its implication in the interpretation of the electron spin resonance spectrum of the nitrosylhemoglobin-salicylate system, 1726-8

Synthesis, reactivity, and electrochemical behavior of new five-coordinate nitrosyl cobalt complexes, 2127-31

NITROSYLHEMOGLOBIN

Evidence for dimer formation of nitrosyl(meso-2,3,7,8,12,13,17,18-octaethyl-5-nitroporphyrinato)iron(II) and its implication in the interpretation of the electron spin resonance spectrum of the nitrosylhemoglobin-salicylate system, 1726-8

NMR

Influence of temperature on the thallium-205 chemical shift of dimethylthallium(III) derivatives, 132-6

The possibility of free rotation of m-tolyl and substituted pyridine groups about their bonds to square-planar organonickel(II) species, 240-4

Reactions of bis(cycloocta-1,5-diene)platinum with quinones; crystal structure of (1-2;5-6- η -cycloocta-1,5-diene)(2-3;5-6- η -2,6-di-tert-butylbenzo-1,4-quinone)platinum, 276-83

Reaction of bidentate isonitrile ligands with iron carbonyls, 297-301

Direct oxidative addition-reductive elimination reactions between trans- $[\text{MCl}(\text{CO})\text{L}_2]$ and $[\text{MCl}_3(\text{CO})\text{L}_2]$ or trans- $[\text{PtCl}_4(\text{PEt}_3)_2]$ ($\text{M} = \text{Rh}$ or Ir , $\text{L} =$ tertiary phosphine), 319-21

Carbon-oxygen and -hydrogen cleavage in the reaction of $[\text{Fe}_2(\text{CO})_3(\eta\text{-C}_5\text{H}_5)_2\text{L}]$ [$\text{L} = \text{P}(\text{OR})_3$ or PR_3] with phosphite and phosphine ligands, 325-7

Coordination chemistry of sulfines. Part 3. Oxidative addition of the carbon-chlorine bond of (E)-(RS)ClCSO to tetrakis(triphenylphosphine)platinum(0) and of a carbon-sulfur bond in $[\text{PtO}(\text{PPh}_3)_2((\text{RS})_2\text{CSO})]$ by an intramolecular process. X-ray crystal and molecular structure of cis-(E)- $[\text{Pt}(\text{PhS})(\text{PhSCSO})(\text{PPH}_3)_2]\cdot\text{C}_6\text{H}_6$, 342-52

Reactivity of uranyl ion with quinquedentate chelating hydrazine derivatives. Part 3. 2,6-Diacetylpyridine (2'-pyridylhydrazone) (4'-toluoylhydrazone), 357-61

Complexes of organoaluminum compounds. Part 12. Preparation, nuclear magnetic resonance spectra, and the crystal and molecular structure of bis(μ -isopropylamidodimethylaluminum), 377-80

Ternary complexes of copper(I) with 2,9-dimethyl-1,10-phenanthroline and some oxygen-donor ligands, 452-5

A carbon-13 nuclear magnetic resonance study of (arene)(cyclopentadienyl)iron(0) complexes, 1009-14

NMR(contd)

- tadienyl)iron salts, 529-34
- Transition metal-carbon bonds. Part 49. Action of amines on cis-[PtCl₂(PPR₃)(C₃H₄)]; crystal structures of chloro(1-methylene-2-tert-butylaminoethyl-C'N)(tri-n-propylphosphine)platinum (4-membered ring) and trans-bis-μ-(1-methylene-2-methylaminoethyl-C'N)bis(chloro(tri-n-propylphosphine)platinum) (8-membered ring), 575-80
- Tin-119 Fourier-transform nuclear magnetic resonance study of rhodium-tin complexes formed in aqueous hydrochloric acid solutions of rhodium trichloride and tin dichloride, 639-44
- Phosphorus-31, selenium-77, and mercury-199 nuclear magnetic resonance studies of bis(tributylphosphine selenide)mercury(II) complexes, 658-60
- Nuclear magnetic shift and relaxation effects resulting from complexation of lanthanide ions with endo-cis-bicyclo[2.2.1]hept-5-ene-2,3-dicarboxylic acid, 678-82
- Metalocene derivatives of early transition metals. Part 2. Substituted cyclopentadienyl group 4A dichlorometallocene complexes M(η-C₅H₄R)₂Cl₂ (M = Zr, Hf; R = Me, Et, CHMe₂, CMe₃, SiMe₃), mono- and dialkyl derivatives M(η-C₅H₄R)₂R'X (X = Cl, R'; R' = CH₂SiMe₃, CH₂CMe₃), and d¹ reduction products, 805-13
- Metalocene derivatives of early transition elements. Part 3. Synthesis, characterization, conformation, and rotational barriers [for the Zr-C(sp³) bond] of [Zr(η-C₅H₄R)₂(CH(SiMe₃)₂)Cl] and the crystal and molecular structures of the tert-butyl and trimethylsilyl complexes (R = CMe₃ or SiMe₃), 814-21
- Reactions of silanes and germanes with iridium complexes. Part 3. Reactions of some silyl derivatives of oxygen, sulfur, selenium, nitrogen, and phosphorus with trans-carbonyl diiodobis(triethylphosphine)iridium(I), 836-9
- Some binuclear complexes of platinum containing single PF₂ bridges, 840-2
- Reactions of coordinated ligands. Part 24. Reaction of bis(but-2-ynyl)carbonyl(η-cyclopentadienyl or η⁵-indenyl)molybdenum tetrafluoroborate with acetonitrile and phosphines; crystal structures of [Mo(CO)(MeC₂Me)(η⁵-C₅H₇)(PEt₃)] [BF₄] and [Mo(CMe₂Me)(η⁵-C₅H₇)(PMe₃)₂] [BF₄], 873-83
- Diene-metal π bonding. Some unexpected effects of group 5 donor ligands on carbon-13 nuclear magnetic resonance parameters and x-ray crystal structures, 884-91
- Reactions of silanes and germanes with iridium complexes. Part 4. Reactions with carbonylhydridotris(triphenylphosphine)iridium(I), 1010-18
- Platinum-195 nuclear magnetic resonance study of platinum(0) complexes containing a series of acetylenes, 1082-8
- Vanadium-51 and oxygen-17 nuclear magnetic resonance study of vanadate(V) equilibria and kinetics, 1105-10
- Oxidative-addition and reductive-elimination reactions involving platinum complexes and tetraorganotin compounds, 1223-32
- Nuclear magnetic resonance spectra of some silyl and trimethylsilyl pseudohalides, 1349-51
- Synthesis, molecular structure, and nuclear magnetic resonance investigation of the platinanonaborane and diplatinadecaborane cluster compounds, [4,4-(PMe₃Ph)₂-arachno-4-PtB₈H₁₂] and [6,6,9,9-(PMe₃Ph)₄-arachno-6,9-Pt₂B₈H₁₀], 1415-29
- A new route to isomers of icosaborane(26), B₂₀H₂₆. The use of 115.5 MHz boron-11 and boron-11-proton nuclear magnetic resonance spectroscopy for the comparison and characterization of separated isomers and the identification of three further icosaboranes as 1,2'-, 2,5'-, and 5,5'-(or 5,7')-(B₁₀H₁₃)₂, 1430-7
- Rates and activation parameters for solvent exchange with [M(PR₃)₂(solvent)₂H]⁺ (M = Rh(III) or Ir(III), R = cyclohexyl or phenyl) cations, 1481-5
- Crystal structure and carbon-13 nuclear magnetic resonance spectrum of bis(tetramethylammonium) tetrakis(2-hydroxyethanethiolato)-μ₃-sulfido-ferrate and electron spin resonance spectrum of [Fe₃S₄(SCH₂CH₂OH)₄]³⁻ in aqueous solution, 1550-5
- Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 2. Gel-permeation chromatography, 1606-8
- Aluminum-27 nuclear magnetic resonance studies of heteropolyanions containing aluminum as heteroatom, 1615-16
- Reactions of hydrogenated thiamine derivatives with K₂[MX₄], where M is Pd^{II} or Pt^{II} and X is Cl or Br, 1635-44
- Proton and carbon-13 nuclear magnetic resonance studies of gold(I) thiomalate ('Mycrisin') in aqueous solution: dependence of the solution structure on pH and ionic strength, 1657-63
- Carbon-13 nuclear magnetic resonance in isotopically enriched high-spin iron(III) porphyrins: π-electron spin distribution, 1729-34
- Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 3. Novel fluxional rearrangements in bis(trimethylhaloplatinum) 1,3-dithian, 1,3,5-trithian, and β-2,4,6-trimethyl-1,3,5-trithian complexes, 1846-55
- Ketoximate complexes. Part 3. Structure and properties of tris chelates of cobalt(III), iron(II), and ruthenium(II), 1856-62
- Solution behavior of some benzene complexes of osmium and the x-ray crystal structure of μ₃-benzynes-1,1,1,2,2,2,3,3,3-nonacarbonyl-μ-dimethylarsino-μ-hydrido-triosmium(2Os-Os) 1879-85
- Studies on transition metal cyano complexes. Part 3. Heptacyano complexes of tungsten, molybdenum, and vanadium, and a hydridoheptacyano complex of tungsten, 1886-91
- Studies of phosphazenes. Part 13. Thermal rearrangement reactions of some methoxycyclophosphazenes, 1928-34
- Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50
- Hydrazido(2-) complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80
- Heteronuclear two-dimensional nuclear magnetic resonance: decaborane, 2014-16
- Reaction of ethylene with dodecacarbonyltriruthenium and the dynamic processes of [Ru₃H₂(CO)₉(C₂R₂)] (R = H, Me, and Et) 2017-20
- Ortho-metalation products of phenol and aniline with dodecacarbonyltriosmium. X-ray crystal structure of nonacarbonyl(μ₃-5-fluoro-2-iminophenyl)di-μ-hydrido-triangulo-triosmium, 2039-44
- Lanthanide ethylenediaminetetraacetate chelates as aqueous shift reagents: evidence for effective axial symmetry in bidentate cytidine 5'-monophosphate and alanine complexes, 2078-82
- Interaction of tert-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of W[N(CMe₃)CMe₂](Me)[N(CMe₃)] [N(CMe₃)CMe-CMe₂] and its hydrogen chloride adduct. tert-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97
- Characterization of two-, three-, and four-coordinate gold(I) complexes by gold-197 Moessbauer and proton-decoupled phosphorus-31 nuclear magnetic resonance spectroscopy, 2098-104
- Optically active complexes of Schiff bases. Part 6. Palladium(II) and platinum(II) complexes with quadridentate Schiff bases of salicylaldehyde, 2147-52
- Coordination chemistry of higher oxidation states. Part 2. Neutral and cationic complexes of platinum(IV) with bi- and multidentate ligands, 2153-8
- Reactions of stable dichloroplatinum η²-olefin α-diimine complexes. Retention of the five-coordinate structure upon halogen exchange and ligand substitution with olefins, α-diimines, and N,N'-disubstituted 1,2-diaminoethanes, 2164-71
- Synthesis and characterization of the reaction products from bis(thiosalicylhydrazido)nickel(II) in base and acid solution, 2176-82
- Conformations of diphosphinoamines: variable-temperature nuclear magnetic resonance and x-ray crystallographic studies, 2192-8
- Organosulfur-transition metal chemistry. Part 7. Sulfur inversion in dimolybdenum complexes: crystal and molecular structure of dicarbonyl-η-cycloheptatrienyltri-μ-tert-butylthio(trimethyl phosphite)dimolybdenum(Mo-Mo), 2235-44
- The reactions of carbidoheptadecacarbonylhexaruthenium with dissolved and anchored phosphines. Crystal and molecular structure of μ₆-carbido-μ-carbonyl-pentadecacarbonyl(ethylidiphenylphosphine)-octahedro-hexaruthenium, 2263-70
- Reactions of alkali metal azides with some organophosphorus(V) compounds, 2292-5
- Effect of organic groups on the carbonyl insertion reaction of platinum(II), 2317-20
- Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 4. Ring reversal, pyramidal inversion, and novel fluxional rearrangements in [PtXMe₃]₂(MeSCH₂SeMe) complexes, 2439-46

NMR(contd)

Nuclear magnetic resonance and electronic spectral studies on the formation of π -olefin-tetracyanocobaltate(I) complexes, 2529-36

The chemistry of isomers of icosaborane(26), $B_{20}H_{26}$: synthesis and nuclear magnetic resonance study of various isomers of platinahenicosaboranes and diplatinaicosaboranes, and the x-ray crystal and molecular structures of 7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane and 4-(2'-nido-decaboranyl)-7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane, 2573-84

Calorimetric titration and proton nuclear magnetic resonance studies of adduct formation between cobalt(III) β -diketonates and a lanthanide shift reagent, 2596-8

NONACARBONYLFLUOROIMINOPHENYLDIHYDRI-DOTRIOSMIUM

Ortho-metalation products of phenol and aniline with dodecacarbonyltriosmium. X-ray crystal structure of nonacarbonyl(μ_3 -5-fluoro-2-iminophenyl)di- μ -hydrido-triangulo-triosmium, 2039-44

NONRIGIDITY

Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 4. Ring reversal, pyramidal inversion, and novel fluxional rearrangements in $[PtXMe_3]_2(MeSCH_2SeMe)_2$ complexes, 2439-46

NUCLEAR

Phosphorus-31, selenium-77, and mercury-199 nuclear magnetic resonance studies of bis(tributylphosphine selenide)mercury(II) complexes, 658-60

NUCLEOPHILE

Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17

Synthesis and characterization of the reaction products from bis(thiosialacylohydrazido)nickel(II) in base and acid solution, 2176-82

NUCLEOPHILIC

Patterns of nucleophilic attack on ethene complexes of ruthenium(I), 2112-18

Kinetics and equilibria of reversible chelate ring-opening nucleophilic substitution reactions of [(σ -dimethylaminophenyl)-dimethylarsine]rhodium(III) complexes, 2429-33

Kinetics of nucleophilic attack on coordinated organic moieties. Part 19. Addition of anilines to tricarbonyl(1-5- η -dienyl)iron cations, 2489-95

NUMBER

Preparation of three- and four-coordinate gold(I) complexes; crystal structure of bis(σ -phenylenebis(dimethylarsine))gold(I) bis(pentafluorophenyl)aurate(I), 655-7

OCTACARBONYL

Reaction of 4-methylpent-2-yne with dodecacarbonyltriruthenium. The structure of a novel alkyne dimerization dehydrogenation product, 2023-8

OCTACARBONYLISOPROPYLDIMETHYLHEPTATRI-ENETRIRUTHENIUM

Reaction of 4-methylpent-2-yne with dodecacarbonyltriruthenium. The structure of a novel alkyne dimerization dehydrogenation product, 2023-8

OCTAHYDROTRIBORATE

Molecular structures of dimethylaluminum octahydrotriborate and dimethylgallium octahydrotriborate in the gas phase as determined by electron diffraction, 2465-70

OCTATETRAENE

Reduction-oxidation properties of organotransition metal complexes. 12. Formation of carbon-carbon bonds via oxidative dimerization of $[Fe(CO)_3(\eta^4-C_8H_8)]$ and reduction of $[Fe_2(CO)_6(\eta^2-\eta^3-C_{10}H_6)]^{2+}$. Structures of $[Fe_2(CO)_4(P(OPh)_3)_2(\eta^2-\eta^3-C_{10}H_6)]$ and $[Fe(CO)_3(\eta^4-C_{10}H_6)]$, 1317-26

OCTENE

Stereoselectivity in the cross-metathesis of oct-1-ene and cis- or trans-oct-2-ene, 1089-92

OLEFIN

Silver(I) complexes of the potentially chelating olefinic ligands 2,2-dimethylbut-3-enyl methyl sulfide and 2,2-dimethyl-2-silabut-3-enyl methyl sulfide. Crystal structure analysis of $[AgL_2][BF_4]$, $[AgL][ClO_4]$, $AgL(NO_3)$, and $AgL(O_2CCF_3)$ ($L = 2,2$ -dimethylbut-3-enyl methyl sulfide), 481-90

Reactions of stable dichloroplatinum η^2 -olefin α -diimine complexes. Retention of the five-coordinate structure upon halogen exchange and ligand substitution with olefins, α -

diimines, and N,N' -disubstituted 1,2-diaminoethanes, 2164-71

Nuclear magnetic resonance and electronic spectral studies on the formation of π -olefin-tetracyanocobaltate(I) complexes, 2529-36

OLEUM

The behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 1. Monophenyl derivatives, 212-18

OLIGOMER

Highly selective membrane transport of copper(II) ion by synthetic linear oligomer carriers, 1486-91

OLIGOMERIZATION

Vanadium-51 and oxygen-17 nuclear magnetic resonance study of vanadate(V) equilibria and kinetics, 1105-10

OLIVINE

Preparation of alkyl-substituted partial trimethylsilyl silicates from olivine, 1957-60

OPTICAL

The light-induced blackening of red mercury(II) sulfide, 833-5

ORDER

Crystallographic studies of the boron-nitrogen bond in aminoboranes. Part 5. The crystal and molecular structure of 1,5,9-triaza-13-boratricyclotridecane, 511-14

ORGANO

Solvent isotope effects in the acidolysis and other electrophilic substitution reactions of pentaquaorganochromium(III) ions in aqueous solution, 2452-61

ORGANOPHOSPHORUS

Reactions of alkali metal azides with some organophosphorus(V) compounds, 2292-5

ORTHORHOMBIC

Europium-151 Moessbauer spectra of some orthorhombic perovskites, 2245-9

OSMATE

Thermochemistry of hexafluoroanions of M(IV) ($M = Si, Ti, Mn, Re$) and lattice energy calculations for their salts, 726-33

Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoosmate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrahalonitridoosmate(VI), 1812-19

OSMIUM

Triosmium clusters derived from aldehydes, ketones, and ketenes and their interconversions, 91-8

Chemistry of the metal carbonyls. Part 76. Platinum-osmium carbonyl complexes derived from decacarbonyl-di- μ -hydridotriosmium; x-ray crystal structure of $[Os_3Pt(\mu-H)_2(CO)_{10}(P(cyclo-C_6H_{11})_3)]$, 155-61

Chemistry of the metal carbonyls. Part 77. Some reactions of the platinumtriosmium complexes $[Os_3Pt(\mu-H)_2(CO)_{10}(PR_3)]$ with donor molecules; x-ray crystal structures of $[Os_3Pt(\mu-H)_2(CO)_{10}(PPh_3)_2]$ and $[OsPt_2(CO)_5(PPh_3)_2(\mu_3-MeC_2Me)]$, 162-70

Chemistry of the metal carbonyls. Part 78. Synthesis and x-ray crystal structures of $[NiOs_3(\mu-H)_2(\mu-CO)_2(CO)_8(PPh_3)_2]$ and $[Os_3Rh(\mu-H)_2(acac)(CO)_{10}]$ ($acac =$ acetylacetonate), 171-9

The preparation, characterization, and some reactions of undecacarbonyl(methyl cyanide)triosmium (3Os-Os), 407-12

Combined x-ray and neutron diffraction study of $[Os_4(CO)_{11}H_3(C-HCHPh)]$, 788-92

Synthesis and reactivity of trinuclear osmium and dinuclear and trinuclear ruthenium compounds derived from hydroxyalkynes, 828-32

Chemistry of the metal carbonyls. Part 80. Diosmiumdiplatinum carbonyl complexes derived from tetracarbonyldihydroosmium. X-ray crystal structure of 1,2,2,2,3,4,4,4-octacarbonyl-1,2,3,4-di- μ -hydrido-1,3-bis(triphenylphosphine)-tetrahydro-diplatinumdiosmium (4Pt-Os)(Os-Os), 1274-7

Reactions of diisopropylcarbodiimide with some ruthenium and osmium hydrides, leading to ready dehydrogenation of an isopropyl group; crystal and molecular structure of carbonylchloro(N -isopropenyl- N' -isopropylformamidinato)bis(triphenylphosphine)ruthenium(II), 1327-30

Structural and mechanistic studies of coordination compounds.

Part 30. Synthesis and characterization of some octahedral haloamine complexes of osmium(III), 1697-700

Thermal degradation of dimethylvinylarsine in triosmium clusters to give bridging vinyl, vinylidene, and acetylene ligands, 1718-21

Solution behavior of some benzene complexes of osmium and the x-ray crystal structure of μ_3 -benzyne-1,1,1,2,2,2,3,3,3-nonacarbonyl- μ -dimethylarsino- μ -hydrido-triosmium (2Os-Os) 1879-85

OSMIUM(contd)

Ortho-metalation products of phenol and aniline with dodecacarbonyltriosmium. X-ray crystal structure of nonacarbonyl(μ_3 -5-fluoro-2-iminophenyl)di- μ -hydrido-triangulo-triosmium, 2039-44

Products of the pyrolysis of undecacarbonyl(trimethyl phosphite)triosmium: the molecular and crystal structure of $[\text{Os}_3\text{C}(\text{CO})_3]\text{H}(\text{OP}(\text{OMe})_2)(\text{P}(\text{OMe})_3)]$, 2250-7

OVERLAP

Is the angular overlap model chemically significant?, 1714-17

OXALATE

Reactivity of coordination compounds in the solid state. Part 1. Mixed-ligand complexes of oxalate and 2,2'-bipyridyl with copper(II): their preparation, interconversion, and novel solid-state reactivity, 1540-3

OXAPENTYLIDYNEFFERRATE

Synthesis and crystal structures of tetraethylammonium μ_3 -acetyl- $\text{Cl}-(\text{Fe}^{\text{I}}\text{Fe}^{\text{II}})(\text{Fe}^{\text{I}}\text{Fe}^{\text{II}})$ -nonacarbonyl-triangulo-triferrate and tetraethylammonium μ -carbonylnonacarbonyl- μ_3 -2,4-dioxapentylidyne-triangulo-triferrate, 2496-500

OXIDATIVE

Oxidative-addition and reductive-elimination reactions involving platinum complexes and tetraorganotin compounds, 1223-32

Influence of light on the oxidative addition of bromine to trans-dichlorobis(triethylphosphine)platinum. Crystal structure of all-trans-dibromodichlorobis(triethylphosphine)platinum, 2589-91

OXIDE

Reduction and polymorphic transformation of B-niobium pentoxide, 255-61

Reactions of nitrogen monoxide with dicyclopentadienyltitanium complexes, including the formation of isocyanate from nitrogen monoxide and carbon monoxide, 271-5

Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Comments, 328-9

Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Reply to comments, 329-30

Kinetics and mechanism of the decomposition of the S-nitrosothionuronium ion, 331-5

Mono- η -cyclopentadienylmolybdenum chemistry: 1,2-bis(dimethylphosphino)ethanehydrido-, -halo-, -alkyne-, and -oxo derivatives, 353-6

Topochemically controlled hydrogen reduction of scheelite-related rare earth metal molybdates, 668-72

Transition metal tetrafluoride oxide-antimony pentafluoride adducts; preparation and characterization of the adducts $\text{MF}_4\text{O.SbF}_5$ (M = Mo, W, or Re) and crystal structures of $\text{MoF}_4\text{O.SbF}_5$ and $\text{ReF}_4\text{O.SbF}_5$, 1212-18

Antimony-121 Moessbauer study of the effects of calcination on the structure of tin-antimony oxides, 1442-4

Further studies on the interaction of nitric oxide with transition metal alkyls, 1898-905

Photolytic homolysis of the metal-carbon (sp^3 or sp^2) bond of alkyl or acyl transition metal complexes. An electron spin resonance study using spin trapping; and a note on aminyl oxides $[\text{ML}_n(\text{N}(\text{O})\text{R})]\text{ML}_n = \text{Ru}(\text{CO})_4(\text{SiMe}_3)$, $\text{Os}(\text{CO})_4(\text{SiMe}_3)$ or $\text{Fe}(\eta\text{-C}_3\text{H}_5)(\text{CO})_2$; R = aryl], 2159-63

A neutron diffraction investigation of the defect rutile structure of tin-antimony oxide, 2447-51

OXIDN

Reduction-oxidation properties of organotransition-metal complexes. Part 10. Formation and reactivity of the paramagnetic cyclobutadiene-iron and -ruthenium derivatives $[\text{M}(\text{CO})_3\text{NL}_n(\text{C}_4\text{Ph}_4)]^+$ (n = 1-3, L = phosphorus donor), 34-9

Triosmium clusters derived from aldehydes, ketones, and ketenes and their interconversions, 91-8

Direct electrochemical synthesis of cationic complexes, 118-20

Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9

Reactions of nitrogen monoxide with dicyclopentadienyltitanium complexes, including the formation of isocyanate from nitrogen monoxide and carbon monoxide, 271-5

Direct oxidative addition-reductive elimination reactions between trans- $[\text{MCl}(\text{CO})\text{L}_2]$ and $[\text{MCl}_2(\text{CO})\text{L}_2]$ or trans- $[\text{PtCl}_4(\text{PEt}_3)_2]$ (M = Rh or Ir, L = tertiary phosphine), 319-21

Coordination chemistry of sulfines. Part 3. Oxidative addition of the carbon-chlorine bond of (E)-(RS)CICSO to tetrakis(triphenylphosphine)platinum(0) and of a carbon-sulfur bond in

$[\text{PtO}(\text{PPh}_3)_2((\text{RS})_2\text{CSO})]$ by an intramolecular process. X-ray crystal and molecular structure of cis-(E)- $[\text{Pt}(\text{PhS})(\text{PhSCSO})(\text{PPH}_3)_2]$, C_6H_6 , 342-52

Reactions of coordinated ligands. Part 23. Metalla-ring-forming reactions between hexafluoroacetone and η^4 -1,3-diene(η^5 -indenyl)rhodium complexes; the crystal and molecular structures of rhodium η^5 -indenyl methoxydihexenyl-O and η^4 -diene oxidoethylindene-O complexes, 400-6

Redox potential-structure relationships in metal complexes. Part 3. The electrochemical activation of coordinated hydrazido(2-) ligands, 419-24

The reaction of cysteine with the pentacyanonitrosylferrate(2-) ion, 435-40

Polymer-supported oxobis(pentane-2,4-dionato)vanadium(IV) catalyst for reactions involving tert-butyl hydroperoxide, 447-51

Flash-photolysis studies of the electron-transfer reactions of dioxygen complexes of cobalt(III) with tris(2,2'-bipyridyl)ruthenium(III), 478-80

Kinetics and mechanisms of redox reactions in aqueous solution. Part 6. Oxidation of cyclohexanone by aquamanganese(III) ions in aqueous perchloric acid, 581-5

Model compounds for microbial iron-transport compounds. Part 1. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22

Bis(arylazooximate)palladium(II): synthesis, palladium-nitrogen bond lability, and redox activity, 623-7

Redox potential-structure relationships in metal complexes. Part 4. Electron-poor dinitrogen complexes of rhenium(I), 800-4

Reactions of silanes and germanes with iridium complexes. Part 3. Reactions of some silyl derivatives of oxygen, sulfur, selenium, nitrogen, and phosphorus with trans-carbonyliodobis(triethylphosphine)iridium(I), 836-9

Transition metal complexes of pyrrole pigments. Part 20. Redox behavior of chromium complexes with macrocyclic tetrapyrroles, 855-61

Open-shell molybdenum carbonyl complexes and the binding of π -acid ligands to higher-oxidation-state molybdenum sites, 892-3

Equilibrium and kinetic parameters of the oxygenation reaction of oxygen carriers. Conformational effects in cobalt(II) Schiff-base chelates derived from salicylaldehyde and substituted ethylenediamines, 1115-19

Preparation, characterization, and properties of 1,1'-azo-o-carboranes, 1190-5

Reduction-oxidation properties of organotransition metal complexes. 12. Formation of carbon-carbon bonds via oxidative dimerization of $[\text{Fe}(\text{CO})_3(\eta^4\text{-C}_8\text{H}_8)]$ and reduction of $[\text{Fe}_2(\text{CO})_9(\eta^5\text{-}\eta^5\text{-C}_{16}\text{H}_{16})]^{2+}$. Structures of $[\text{Fe}_2(\text{CO})_9(\text{P}(\text{OPh})_3)_2(\eta^5\text{-}\eta^5\text{-C}_{16}\text{H}_{16})]$, $[\text{PF}_6]^-$ and $[\text{Fe}(\text{CO})_3(\eta^4\text{-C}_{16}\text{H}_{16})]$, 1317-26

Coordination chemistry of sulfines. Part 4. Influence of the phosphine cone angle on both the oxidative addition of carbon-sulfur and carbon-chlorine side bonds in $[\text{Pt}(\text{PR}_3)_2(\text{CXYC}=\text{S}=\text{O})]$ complexes and the (E)-(Z) isomerization, 1342-8

$^5\text{T}_2 = ^1\text{A}_1$ and $^6\text{A}_1 = ^7\text{T}_2$ spin transitions in iron(II) and iron(III) complexes of 2,2'-bi-2-imidazole and related ligands, 1492-7

Regioselective formation of peroxyquinolatoncobalt(III) complexes in the oxygenation of 2,6-di-tert-butylphenols with cobalt(II) Schiff base complexes, 1504-14

Redox properties of tetrachlorobis(dimethylphenylphosphine)iridium: the synthesis of halide-bridged mixed-metal mixed-valence complexes and the crystal and molecular structure of cd-di- μ -chloro-agh-trichloro-ef-bis(dimethylphenylphosphine)-b-trimethylarsinepalladium(II)iridium(III), 1515-19

Paramagnetic carbenemetal complexes. Part 2. Synthesis and spectroscopic studies of stable electron-rich olefin-derived paramagnetic carbenecarbonyl- and carbenenitrosyliron(I) complexes, 1583-92

Synthesis, reactivity, and crystal and molecular structures of $[\mu\text{-}1,4\text{-bis(diphenylphosphino)butane}]$ -dicarbonylbis(η -cyclopentadienyl)dirhodium(I), 1651-6

Studies on the oxidation of iron(II) ion during the formation of Fe_3O_4 and $\alpha\text{-FeO}(\text{OH})$ by air oxidation of $\text{Fe}(\text{OH})_2$ suspensions, 1807-11

Kinetics of the oxidation of hydrogen peroxide by bis(2,2'-bipyridine)silver(II) ions, 1863-7

Syntheses of cationic tri- and dicarbonyl complexes of manganese(I) with diphosphines from the appropriate neutral bromocarbonyls, 2049-53

Electrochemistry of platinum(II) coordination compounds. Part 3. Redox behavior of triangular platinum-cobalt clusters.

OXIDN(contd)

Electrochemically induced generation of the tetranuclear cluster $[\text{Pt}_2\text{Co}_2(\mu\text{-CO})_2(\text{CO})_2(\text{PPh}_3)_2]$, 2059-62

Coordination chemistry of higher oxidation states. Part 2. Neutral and cationic complexes of platinum(IV) with bi- and multidentate ligands, 2153-8

Activation of dioxygen and catalytic oxidation of ethanol to acetaldehyde and hydrogen peroxide by copper(I) complexes containing 2,2'-bipyridyl and tertiary phosphine ligands, 2585-6

OXIDO

Crystal structure of benzyltriphenylphosphonium pentachlorosulfate(VI) and a study of the vibrational spectra of salts containing $[\text{WCl}_5\text{Y}]^-$ (Y = O or S) ions, 2409-13

OXIMATE

Bis(arylazooximate)palladium(II); synthesis, palladium-nitrogen bond lability, and redox activity, 623-7

OXIME

Cyclopalladation of 1-tetralone (3,4-dihydronaphthalen-1-one) oximes, 205-11

Kinetics and mechanisms of reduction of a nickel(IV) complex by ascorbate ion, 721-5

OXINATE

Tris(trimethylsilyl)methyltin oxinates and their conversion into bis(trimethylsilyl)methyltin oxinates, 1101-4

OXO

Crystal structure of di- μ_3 -oxooctakis- μ -(trifluoroacetato)ditin(II)-ditin(IV)-benzene (1/1), 69-73

Kinetic and mechanistic studies on the disproportionation equilibrium of μ -oxobis[bis(isopropyl thioxanthato)oxomolybdenum(V)] and on the decomposition reaction of bis(isopropyl thioxanthato)dioxomolybdenum(VI), 292-6

Preparation and crystal structure of hexa- μ -acetatodichlorodi- μ_3 -oxotetraoxotetramolybdenum(V)-acetic anhydride (1/1), 311-13

Studies of phosphazenes. Part 13. Thermal rearrangement reactions of some methoxycyclophosphazenes, 1928-34

Electron spin resonance spectra of a titanium IV/III mixed-valence tetranuclear species $[\text{Ti}_4(\text{OR})_{12}\text{O}]$, 2328-30

Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachlorooxomolybdenum(VI) and -oxotungsten(VI) and tetrabromooxotungsten(VI), 2501-7

OXOCYCLOBUTENYL

Cyclopropenyl and oxocyclobutenyl complexes of molybdenum. Crystal and molecular structures of (2,2'-bipyridine)bromodicarbonyl(1-3- η -1,2,3-triphenylcyclopropenyl)molybdenum(II) and (2,2'-bipyridine)bromodicarbonyl(2-4- η -1-oxo-2,3,4-triphenylcyclobutenyl)molybdenum(II), 1310-16

OXOCYCLOPHOSPHAZENE

Studies of phosphazenes. Part 13. Thermal rearrangement reactions of some methoxycyclophosphazenes, 1928-34

OXOCYCLOPHOSPHAZENE

Studies of phosphazenes. Part 13. Thermal rearrangement reactions of some methoxycyclophosphazenes, 1928-34

OXOMETAL

Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachlorooxomolybdenum(VI) and -oxotungsten(VI) and tetrabromooxotungsten(VI), 2501-7

OXOMOLYBDENUM

Single-crystal electron spin resonance spectra of tris(diethyldithiocarbamate)oxomolybdenum(V) and chlorobis(diethyldithiocarbamate)oxomolybdenum(V) diluted in isomorphous host lattices, 142-9

Redox potential-structure relationships in metal complexes. Part 3. The electrochemical activation of coordinated hydrazido(2-) ligands, 419-24

Mono- η -cyclopentadienylmolybdenum chemistry. Some oxo-, oxohalo-, halo-, thio-, η -disulfido-, and thiohalo-derivatives, 847-51

Dioxomolybdenum(VI) complexes of quadridentate chiral Schiff bases and the crystal and molecular structure of dioxo(2R)-propene-1,2-diylbis(salicylideneiminato)molybdenum(VI), 902-8

OXOTITANIUM

Electron spin resonance spectra of a titanium IV/III mixed-valence tetranuclear species $[\text{Ti}_4(\text{OR})_{12}\text{O}]$, 2328-30

OXOVANADATE

Crystal structure and infrared and Raman spectra of tetramethylammonium di- μ -fluoro-bis[aquadifluorooxovanadate(IV)], 1802-6

OXYGEN

Standard enthalpies of formation of bis(pentane-2,4-dionato)copp-

er(II) and tetrakis[bis(pentane-2,4-dionato)cobalt(II)] and an estimation of the metal-oxygen bond energies, 99-102

Further chemistry of trimethylphosphine complexes of rhodium(I): x-ray crystal structures of dodeca(trimethylphosphine)tetrarhodiumhexamercury, $\text{Hg}_6\text{Rh}_4(\text{PMe}_3)_{12}$, and trans-chlorobis(trimethylphosphine)(triphenylphosphine)rhodium(I), 126-31

Spectroscopy of cobalt-ethylenediamine-oxygen adducts in the supercages of zeolites, 914-22

Structural and mechanistic studies of coordination compounds.

Part 28. Some octahedral ruthenium complexes of 5,5,7,12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradeca-1,3,8,10-tetraene produced by oxidative dehydrogenation reactions, 1019-23

Vanadium-51 and oxygen-17 nuclear magnetic resonance study of vanadate(V) equilibria and kinetics, 1105-10

Equilibrium and kinetic parameters of the oxygenation reaction of oxygen carriers. Conformational effects in cobalt(II) Schiff-base chelates derived from salicylaldehyde and substituted ethylenediamines, 1115-19

Enthalpies of formation of $[\text{M}(\eta\text{-C}_5\text{H}_5)_2(\text{OOCR})_2]$ complexes; M = Mo, W, or Ti and R = C_6H_5 or CF_3 , 1174-7

$^3T_2 = ^1A_1$ and $^6A_1 = ^2T_2$ spin transitions in iron(II) and iron(III) complexes of 2,2'-bi-2-imidazole and related ligands, 1492-7

Regioselective formation of peroxyquinolatoncobalt(III) complexes in the oxygenation of 2,6-di-tert-butylphenols with cobalt(II) Schiff base complexes, 1504-14

A study of substituent and base effects on the electron spin resonance spectra of the molecular oxygen adducts of cobalt(II) porphyrin chelates, 2365-9

Activation of dioxygen and catalytic oxidation of ethanol to acetaldehyde and hydrogen peroxide by copper(I) complexes containing 2,2'-bipyridyl and tertiary phosphine ligands, 2585-6

OXYGENATION

Equilibrium and kinetic parameters of the oxygenation reaction of oxygen carriers. Conformational effects in cobalt(II) Schiff-base chelates derived from salicylaldehyde and substituted ethylenediamines, 1115-19

PAIR

Mechanism of ammonia formation by reaction of trans-bis[1,2-bis(diphenylphosphino)ethane]imido(halo)molybdenum(IV) with base in methanol, 40-50

Influence of temperature on the thallium-205 chemical shift of dimethylthallium(III) derivatives, 132-6

Spectrochemistry of solutions. Part 12. Cyano complexes of silver(I) in solution in liquid ammonia, 968-75

PALLADATE

Reactivity of tetra-n-butylammonium di- μ -chlorobis[bis(pentafluorophenyl)palladate(II)]. A general method for the synthesis of cis isomers of neutral and anionic palladium(II) complexes, 463-5

PALLADATION

Cyclopalladation of 1-tetralone (3,4-dihydronaphthalen-1-one) oximes, 205-11

Syntheses and characterization of the cyclopalladated complexes of benzyl butyl sulfides, 2405-8

PALLADIUM

Mechanism of complex formation between benzene-1,2-diol and aquapalladium(II). Equilibria and kinetics in acidic aqueous perchlorate media, 137-41

Cyclopalladation of 1-tetralone (3,4-dihydronaphthalen-1-one) oximes, 205-11

Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9

Photochemistry of planar four-coordinate palladium(II) complexes. Part 2. Trans-cis isomerization of dihalobis(tri-n-propylphosphine)palladium(II) in solution, 302-5

Hydrolysis of α -amino acid esters in mixed-ligand complexes with ethylenediaminepalladium(II), 362-5

Reactivity of tetra-n-butylammonium di- μ -chlorobis[bis(pentafluorophenyl)palladate(II)]. A general method for the synthesis of cis isomers of neutral and anionic palladium(II) complexes, 463-5

Bis(arylazooximate)palladium(II); synthesis, palladium-nitrogen bond lability, and redox activity, 623-7

Photochemical preparation of the cis isomers of dichlorobis(tri-n-alkylphosphine)palladium(II) (alkyl = Et, Pr, or Bu); the crystal structure analysis of the overcrowded n-propyl homolog, 635-8

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 8. Synthesis of the trimetal compounds $[\text{M}(\text{W}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\eta\text{-C}_5\text{H}_5))_2]$ (M = Ni, Pd, or Pt) and crystal structures of the platinum and nickel complexes, 763-70

PALLADIUM(contd)

- Preparation and crystal structure analysis of a vinyl ether chelate, dichloro[4-methoxy-2,2,N,N-tetramethylbut-(Z)-3-enylamine]-palladium(II), and its conversion into di- μ -chloro-bis[3-(dimethylamino)-1-formyl-2,2-dimethylpropyl-C,N]dipalladium(II), 986-91
- Redox properties of tetrachlorobis(dimethylphenylphosphine)iridium: the synthesis of halide-bridged mixed-metal mixed-valence complexes and the crystal and molecular structure of $\text{cd-di-}\mu$ -chloro- $\text{agb-trichloro-ef-bis(dimethylphenylphosphine)-b-trimethylarsinepalladium(II)iridium(III)}$, 1515-19
- Reactions of hydrogenated thiamine derivatives with $\text{K}_2[\text{MX}_4]$, where M is Pd^{II} or Pt^{II} and X is Cl or Br, 1635-44
- Fast reactions at planar four-coordinate complexes. Part 4. The reaction of chelate dichloropalladium(II) complexes with some bidentate ligands, 1722-5
- Crystal and molecular structures of the isobutene insertion product of endo-hexafluoroacetylacetonato(methoxytetraphenylbutadienyl)palladium(II), 1935-7
- Optically active complexes of Schiff bases. Part 6. Palladium(II) and platinum(II) complexes with quadridentate Schiff bases of salicylaldehyde, 2147-52
- Palladium(II) complexation of ambidentate *cis-s-cis*-enaminones: synthesis of some bis(4-anilino-pent-3-en-2-onato) and bis(3-amino-1-phenylbut-2-en-1-onato) complexes of palladium(II) and x-ray crystal structure of bis[4-(2-bromoanilino)pent-3-en-2-onato]palladium(II), 2212-16
- Reversible addition of protic molecules to coordinated di-2-pyridyl ketone in palladium(II), platinum(II), and gold(III) complexes. X-ray crystal structures of dichloro(dihydroxydi-2-pyridylmethane)palladium(II) and dichloro(dihydroxydi-2-pyridylmethane)gold(III) chloride, 2280-7
- Mechanisms of complex formation in the reactions of 1,2-dihydroxybenzene and 1,2-dihydroxy-4-methylbenzene with palladium(II) chloride and with aquapalladium(II), equilibria and kinetics in acid media, 2331-4
- Novel ligational behavior of thiosalicylohydrazide and its derivatives with cobalt(II), nickel(II), copper(II), and palladium(II), 2385-94
- Reduction chemistry of hydrido(triethylphosphine) complexes of platinum(II) or palladium(II) and aqueous chemistry of tris(triethylphosphine)palladium(0), 2550-5
- PASSIVATION**
- Moessbauer investigations of some chemical treatments of iron surfaces, 1450-5
- PENTAACETATOBISTRIETHYLPHOSPHITETRICOPPER**
- Phosphite complexes of copper(II) carboxylates and their derivatives. Crystal structure of a penta- μ -acetato-bis(triethylphosphite)tricopper(II), 2119-26
- PENTABORANE**
- Bonding in clusters. Part 3. Protonation of nido-pentaborane(9), nido-hexaborane(10), and closo-hexaborate(6)(2-), 2515-22
- PENTACARBONYL**
- Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50
- PENTACHLORO**
- Studies in cyclophosphazenes. Part 10. The mechanism for trans-isomer preference in the nongeminal diamination of hexachlorocyclotriphosphazene, 1283-8
- Crystal structure of benzyltriphenylphosphonium pentachlorosulfidostungstate(VI) and a study of the vibrational spectra of salts containing $[\text{WCl}_5\text{Y}]$ (Y = O or S) ions, 2409-13
- PENTACHLOROANTIMONATE**
- Low-frequency vibrational spectra of some 4-benzylpiperidinium and N-benzylpiperazinium pentachloroantimonates(III) and pentahalobismuthates(III). Partial crystal structure determination of 4-benzylpiperidinium pentachloroantimonate(III), 909-13
- PENTAFLUORO**
- The direct synthesis of alkali-metal pentafluoromanganates(III), 2587-8
- PENTAFLUOROMANGANATE**
- The direct synthesis of alkali-metal pentafluoromanganates(III), 2587-8
- PENTAHALO**
- Low-frequency vibrational spectra of some 4-benzylpiperidinium and N-benzylpiperazinium pentahalooantimonates(III) and pentahalobismuthates(III). Partial crystal structure determination

- of 4-benzyl-piperidinium pentachloroantimonate(III), 909-13
- PENTAKISTRIMETHYLPHOSPHINE**
- Trimethylphosphine complexes of molybdenum, tungsten, niobium, and tantalum. X-ray crystal structures of di- μ -hydrido-dihydrido-hexakis(trimethylphosphine)dimolybdenum(II)(Mo-Mo) and of μ -dimethylphosphido- μ -hydridotetrahydridopentakis(trimethylphosphine)ditungsten(II,IV)(W-W), 1892-7
- PENTANEDIONATO**
- Standard enthalpies of formation of bis(pentane-2,4-dionato)copper(II) and tetrakis[bis(pentane-2,4-dionato)cobalt(II)] and an estimation of the metal-oxygen bond energies, 99-102
- PENTANEDIONATOCOPPER**
- Standard enthalpies of formation of bis(pentane-2,4-dionato)copper(II) and tetrakis[bis(pentane-2,4-dionato)cobalt(II)] and an estimation of the metal-oxygen bond energies, 99-102
- PENTANEDIONATOVANADIUM**
- Polymer-supported oxobis(pentane-2,4-dionato)vanadium(IV) catalyst for reactions involving tert-butyl hydroperoxide, 447-51
- PENTAOSMIUM**
- Products of the pyrolysis of undecaacarbonyl(trimethyl phosphite)triosmium: the molecular and crystal structure of $[\text{Os}_5\text{C}(\text{CO})_{13}\text{H}(\text{OP}(\text{OMe})_2)_2(\text{P}(\text{OMe})_3)]$, 2250-7
- PENTOXIDE**
- Reduction and polymorphic transformation of B-niobium pentoxide, 255-61
- PEPTIDE**
- CH-acidity of amino acid esters coordinated to cobalt(III). Racemization during the formation of peptides, 2484-8
- PERCHLORATO**
- Synthesis, spectroscopic, and structural properties of 2,2-dimethylpropane-1,3-diaminecopper(II) complexes. Temperature-dependent tetragonal distortion in some thermochromic complexes. Crystal and molecular structure of bis(2,2-dimethylpropane-1,3-diamine)diperchloratocopper(II), 8-12
- PERIODATE**
- Unstable intermediates. Part 197. Electron-gain and -loss centers in irradiated periodates: an electron spin resonance study, 2183-7
- PEROVSKITE**
- Europium-151 Moessbauer spectra of some orthorhombic perovskites, 2245-9
- PEROXIDE**
- Kinetics of the oxidation of hydrogen peroxide by bis(2,2'-bipyridine)silver(II) ions, 1863-7
- PEROXYCOBALT**
- Flash-photolysis studies of the electron-transfer reactions of dioxygen complexes of cobalt(III) with tris(2,2'-bipyridyl)ruthenium(III), 478-80
- PEROXYQUINOLATOCOBALT**
- Regioselective formation of peroxyquinolatocobalt(III) complexes in the oxygenation of 2,6-di-tert-butylphenols with cobalt(II) Schiff base complexes, 1504-14
- PHASE**
- Hydrolysis of hexaquaaluminum(III) in organic media, 1233-4
- A tin-119 Moessbauer study of the phase transitions in tin difluoride, 1831-6
- PHENANTHROLINE**
- Further studies on the spin cross-over phenomenon in diisothiocyanatobis(1,10-phenanthroline)iron(II), 441-6
- Ternary complexes of copper(I) with 2,9-dimethyl-1,10-phenanthroline and some oxygen-donor ligands, 452-5
- Studies of some ternary complexes of copper(II) involving π -bonding ligands, 543-5
- Kinetics and mechanisms of dissociation of metal chelates. Part 3. Effects of ions on the acid hydrolysis of tris(1,10-phenanthroline)iron(II) perchlorate, 1064-6
- Coordination properties of N-protected amino acids. Solution and solid-state behavior of bis(benzoyloxycarbonyl-L-tryptophanato)-nickel(II) and its mixed complexes, 1665-8
- PHENOL**
- Model compounds for microbial iron-transport compounds. Part 1. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22
- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 31. Tri- μ -phenoxorhodium complexes and a facile hydrogen/deuterium exchange reaction, 2335-8
- PHENOLATE**
- Small molecule analogs for the specific metal-binding site of lactoferrin. Part 2. Phenolato complexes of copper(II) and the nature of the charge-transfer transition in the visible region,

PHENOLATE(contd)

1701-7

PHENOXO

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 31. Tri- μ -phenoxorhodium complexes and a facile hydrogen/deuterium exchange reaction, 2335-8

PHENOXORHODIUM

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 31. Tri- μ -phenoxorhodium complexes and a facile hydrogen/deuterium exchange reaction, 2335-8

PHENOXY

Reactions of hexamethyltungsten(VI) in the presence of trimethylphosphine. Synthesis of methyl, ethylidyne, hydrido-, alkoxo-, and other tungsten compounds. Structures of trans-ethylidyne(methyl)tetrakis(trimethylphosphine)tungsten(IV) and trihydrido(phenoxo)tetrakis(trimethylphosphine)tungsten(IV), 1204-11

PHENYL

Further chemistry of trimethylphosphine complexes of rhodium(I): x-ray crystal structures of dodeca(trimethylphosphine)tetrarhodiumhexamercury, $\text{Hg}_6\text{Rh}_4(\text{PMe}_3)_{12}$, and trans-chlorobis(trimethylphosphine)(triphenylphosphine)rhodium(I), 126-31

Tris(trimethylsilyl)methyltin oxinates and their conversion into bis(trimethylsilyl)methyltin oxinates, 1101-4

Reaction of bicyclo[n.1.0]alkanes ($n = 3-6$) with the olefin-metathesis catalysts tungsten hexachloride-tetraphenyltin and tungsten hexachloride-ethylaluminum dichloride, 1111-14

PHENYLACETYLENE

Dirhenium complexes containing two, three, and four linked acetylene molecules derived from the reaction of $[\text{Re}_2(\text{CO})_{10}]$ with RC_2R ($\text{R} = \text{Ph}$ or Me); the x-ray crystal structure of $[\text{Re}_2(\text{CO})_4(\text{PhCCPh})_2][\text{CNCH}_2\text{SO}_2\text{C}_6\text{H}_4\text{Me-p}]_2 \cdot \text{CH}_2\text{Cl}_2$, 771-6

Alkyne complexes of platinum. Part 6. The synthesis of compounds containing platinumacyclopenta-2,4-diene and diplatinacyclohexa-2,5-diene rings, 1981-7

PHENYLARSINEGOLD

Characterization of two-, three-, and four-coordinate gold(I) complexes by gold-197 Moessbauer and proton-decoupled phosphorus-31 nuclear magnetic resonance spectroscopy, 2098-104

PHENYL CARBAMOYL

Highly selective membrane transport of copper(II) ion by synthetic linear oligomer carriers, 1486-91

PHENYL CARBAMOYL LAZIRIDINE

Highly selective membrane transport of copper(II) ion by synthetic linear oligomer carriers, 1486-91

PHENYL CYCLOBUTADIENE

Reduction-oxidation properties of organotransition-metal complexes. Part 10. Formation and reactivity of the paramagnetic cyclobutadiene-iron and -ruthenium derivatives $[\text{M}(\text{CO})_3 \eta^4\text{C}_4\text{Ph}_4]^+$ ($n = 1-3$, $\text{L} = \text{phosphorus donor}$), 34-9

PHENYLDITELLURIDE

Studies on organometallic hetero-multiple-bridged molecules. Part 7. Synthesis and properties of dichalcogenide-bridged complexes of rhenium(I) and the crystal and molecular structures of the diphenyl ditelluride-bridged complex, $[\text{Re}_2\text{Br}_2(\text{CO})_6(\text{Te}_2\text{Ph}_2)]$, 1004-9

PHENYLPHOSPHINE

Further chemistry of trimethylphosphine complexes of rhodium(I): x-ray crystal structures of dodeca(trimethylphosphine)tetrarhodiumhexamercury, $\text{Hg}_6\text{Rh}_4(\text{PMe}_3)_{12}$, and trans-chlorobis(trimethylphosphine)(triphenylphosphine)rhodium(I), 126-31

The possibility of free rotation of m -tolyl and substituted pyridine groups about their bonds to square-planar organonickel(II) species, 240-4

Reactions of bis(ethylene)(tricyclohexyl- and triphenylphosphine)platinum with quinones. Crystal structure of ethylene-2,3- η -2,3,5,6-tetramethylbenzo-1,4-quinone(tricyclohexylphosphine)platinum, 284-91

Chemistry of the metal carbonyls. Part 80. Dismidiumdiplatinum carbonyl complexes derived from tetracarbonyldihydridoosmium. X-ray crystal structure of 1,2,2,2,3,4,4,4-octacarbonyl-1,2,3,4-di- μ -hydrido-1,3-bis(triphenylphosphine)-tetrahedro-diplatinumdismidium ($4\text{Pt-Os}(\text{Os-Os})$), 1274-7

PHENYLPHOSPHINE CARBONYL COBALTA PLATINUM

M

Electrochemistry of platinum(II) coordination compounds. Part 3. Redox behavior of triangular platinum-cobalt clusters. Electrochemically induced generation of the tetranuclear cluster

$[\text{Pt}_2\text{Co}_2(\mu\text{-CO})_2(\text{CO})_2(\text{PPh}_3)_2]$, 2059-62

PHENYLPHOSPHINEGOLD

Characterization of two-, three-, and four-coordinate gold(I) complexes by gold-197 Moessbauer and proton-decoupled phosphorus-31 nuclear magnetic resonance spectroscopy, 2098-104

PHENYLPHOSPHINOETHANE

Coordination chemistry of higher oxidation states. Part 2. Neutral and cationic complexes of platinum(IV) with bi- and multidentate ligands, 2153-8

PHENYLPHOSPHINOETHANEHEPTACARBONYL COBALTA PLATINUM

Electrochemistry of platinum(II) coordination compounds. Part 3. Redox behavior of triangular platinum-cobalt clusters. Electrochemically induced generation of the tetranuclear cluster $[\text{Pt}_2\text{Co}_2(\mu\text{-CO})_2(\text{CO})_2(\text{PPh}_3)_2]$, 2059-62

PHENYLPHOSPHONIC

The behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 1. Monophenyl derivatives, 212-18

PHENYLTHIOBICYCLOOCTADIENETRICARBONYL IRON

Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)tricarbonyliron hexafluorophosphates, 1906-17

PHENYLTHIOPHOSPHORYLMETHANE

Dynamic nuclear magnetic resonance and x-ray diffraction studies of tris(diphenylthiophosphoryl)methane and some related compounds, 1645-50

PHENYL TIN

Group 4A organometallic compounds. Part 8. Preparation and Moessbauer spectra of five- and six-coordinate di- and triorganotin compounds containing mixed phenyl and butyl groups on tin, 552-8

Reaction of bicyclo[n.1.0]alkanes ($n = 3-6$) with the olefin-metathesis catalysts tungsten hexachloride-tetraphenyltin and tungsten hexachloride-ethylaluminum dichloride, 1111-14

PHOSPHATE

Mechanism of cadmium and lead ion exchange by α -zirconium bis(monohydrogenorthophosphate) monohydrate, 385-9

The structures of hypervalent phosphorus(III) anions $\text{P}(\text{CN})_4$, aBr_4^- . Transition from ψ -trigonal-bipyramidal to ψ -octahedral coordination and deviation from valence shell electron pair repulsion theory, 413-18

A procedure for the calculation of enthalpy changes from continuous-titration calorimetric experiments, 1246-50

Zirconium phosphates partially exchanged with transition metal ions: characterization and stereochemical changes induced by heat treatment, 2376-84

PHOSPHAZENYL CYCLOPHOSPHAZENE

Conformational studies of the phosphazeny side chain in cyclophosphazenes. Part 3. Crystal and molecular structure of $\text{N}_3\text{P}_3\text{Cl}_4(\text{NEt}_2)(\text{NPPH}_2)$, 599-603

PHOSPHIDOPENTAHYDRIDOPENTAKISTRIMETHYLPHOSPHINEDITUNGSTEN

Trimethylphosphine complexes of molybdenum, tungsten, niobium, and tantalum. X-ray crystal structures of di- μ -hydrido-dihydrohexakis(trimethylphosphine)dimolybdenum(II)(Mo-Mo) and of μ -dimethylphosphido- μ -hydridotetrahydridopentakis(trimethylphosphine)ditungsten(II,IV)(W-W), 1892-7

PHOSPHINE

Mono- η -cyclopentadienyl niobium chemistry: ternary phosphine, carbonyl, 3,4-dimethylhexa-2,4-diene, halo, and hydrido derivatives, 85-90

Transition metal-carbon bonds. Part 48. Allene complexes from halo-bridged platinum(II) complexes: crystal structures of cis- $[\text{PtCl}_2(\text{PPh}_3)(\text{C}_3\text{H}_4)]$ and cis- $[\text{PtCl}_2(\text{PMe}_2\text{Ph})(\text{C}_3\text{H}_4)]$, 121-5

Further chemistry of trimethylphosphine complexes of rhodium(I): x-ray crystal structures of dodeca(trimethylphosphine)tetrarhodiumhexamercury, $\text{Hg}_6\text{Rh}_4(\text{PMe}_3)_{12}$, and trans-chlorobis(trimethylphosphine)(triphenylphosphine)rhodium(I), 126-31

Chemistry of the metal carbonyls. Part 76. Platinum-osmium carbonyl complexes derived from decacarbonyldi- μ -hydridotriosmium; x-ray crystal structure of $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{P}(\text{cyclo-C}_6\text{H}_{11})_3)]$, 155-61

Chemistry of the metal carbonyls. Part 77. Some reactions of the platinumtriosmium complexes $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{PR}_3)]$ with donor molecules; x-ray crystal structures of $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{PPh}_3)_2]$ and $[\text{Os}_3\text{Pt}(\text{CO})_5(\text{PPh}_3)_2(\mu_3\text{-MeC}_2\text{Me})]$, 162-70

PHOSPHINE(contd)

- Gas-phase molecular structure of difluoro(isoselenocyanato)phosphine determined by electron diffraction, 187-90
- Oxo-centered triruthenium formate complexes. Diphosphine adducts of oxo-centered triruthenium acetates, 191-5
- Complexes of rhodium(I) with carbon monoxide, bis(diphenylphosphino)methane, or bis(diphenylarsino)methane, and various anionic ligands, 228-33
- Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9
- The possibility of free rotation of *m*-tolyl and substituted pyridine groups about their bonds to square-planar organonickel(II) species, 240-4
- Reactions of bis(ethylene)(tricyclohexyl- and triphenylphosphine)platinum with quinones. Crystal structure of ethylene(2-3- η -2,3,5,6-tetramethylbenzo-1,4-quinone)(tricyclohexylphosphine)platinum, 284-91
- Photochemistry of planar four-coordinate palladium(II) complexes. Part 2. Trans-cis isomerization of dihalobis(tri-*n*-propylphosphine)palladium(II) in solution, 302-5
- Photosubstitution reactions of bis(cyclopentadienyl)dimethyltungsten hexafluorophosphate: some evidence for an α -elimination mechanism, 314-16
- Direct oxidative addition-reductive elimination reactions between trans-[MCl(CO)L₂] and [MCl₂(CO)L₂] or trans-[PtCl₂(PEt₃)₂] (M = Rh or Ir, L = tertiary phosphine), 319-21
- Carbon-oxygen and -hydrogen cleavage in the reaction of [Fe₂(CO)₉(η -C₅H₅)₂][L] [L = P(OR)₃ or PR₃] with phosphite and phosphine ligands, 325-7
- Coordination chemistry of sulfines. Part 3. Oxidative addition of the carbon-chlorine bond of (E)-(RS)ClCSO to tetrakis(triphenylphosphine)platinum(0) and of a carbon-sulfur bond in [PtO(PPh₃)₂(RS)₂CSO] by an intramolecular process. X-ray crystal and molecular structure of cis-(E)-[Pt(PhS)(PhSCSO)(PPH₃)₂], C₂₄H₃₆, 342-52
- Novel compounds with gold-transition metal bonds; crystal and molecular structure of bis(triphenylphosphine)iminium bis(tetracarbonylcobalt)aurate(I), 366-70
- Reactivity of tetra-*n*-butylammonium di- μ -chlorobis[bis(pentafluorophenyl)palladate(II)]. A general method for the synthesis of cis isomers of neutral and anionic palladium(II) complexes, 463-5
- Electron spin resonance studies of axial ligation to cobalt(II) complexes. Part 2. Interaction with phosphorus ligands. Analysis of the cobalt bonding parameters and the phosphorus hyperfine coupling, 590-8
- Bis(aryloxazomato)palladium(II); synthesis, palladium-nitrogen bond lability, and redox activity, 623-7
- Photochemical preparation of the cis isomers of dichlorobis(tri-*n*-alkylphosphine)palladium(II) (alkyl = Et, Pr, or Bu); the crystal structure analysis of the overcrowded *n*-propyl homolog, 635-8
- Synthesis and properties of dialkyl complexes of nickel(II). The crystal structure of bis(pyridine)bis(trimethylsilylmethyl)nickel(II), 777-82
- Carbonyl complexes of niobium and tantalum and evidence of a niobium dinitrogen complex: the structure of carbonyldichlorocyclopentadienylbis(dimethylphenylphosphine)tantalum, 793-9
- Reactions of silanes and germanes with iridium complexes. Part 3. Reactions of some silyl derivatives of oxygen, sulfur, selenium, nitrogen, and phosphorus with trans-carbonyliridobis(triethylphosphine)iridium(I), 836-9
- Reactions of coordinated ligands. Part 24. Reaction of bis(but-2-ynyl)carbonyl(η -cyclopentadienyl or η^5 -indenyl)molybdenum tetrafluoroborate with acetonitrile and phosphines; crystal structures of [Mo(CO)(MeC₂Me)(η^5 -C₅H₇)(PEt₃)][BF₄] and [Mo(MeC₂Me)(η^5 -C₅H₇)(PMe₃)₂][BF₄], 873-83
- Open-shell molybdenum carbonyl complexes and the binding of π -acid ligands to higher-oxidation-state molybdenum sites, 892-3
- Mechanisms of organometallic substitution reactions. Part 4. Kinetics of replacement of dimethyl sulfoxide (dmsO) from [RuX₂(η -C₆H₅)(dmsO)] (X = Cl or Br) complexes by triphenylphosphine, 923-7
- Chemistry of the Group IB metals. Part 15. Some diphenylbis(pyrazolyl)borate complexes of silver, and the crystal and molecular structures of [diphenylbis(1-pyrazolyl)borato-N₂,N₂'][(tri-*p*-tolylphosphine)silver(I)], 956-61
- Reactions of silanes and germanes with iridium complexes. Part 4. Reactions with carbonylhydrottris(triphenylphosphine)iridium(I), 1010-18
- Preparation, structures, and reactions of some difluorothiophosphonate and difluoroselenophosphonate complexes of platinum(II), 1028-33
- Preparation and spectra of a series of tautomeric compounds, [NiCo(η -dienyl)(CO)₄L] (dienyl = C₅H₅ or C₅H₄Me; L = tertiary phosphine or arsine), 1057-60
- Platinum-195 nuclear magnetic resonance study of platinum(0) complexes containing a series of acetylenes, 1082-8
- Reactions of hexamethyltungsten(VI) in the presence of trimethylphosphine. Synthesis of methyl, ethylidyne, hydrido-, alkoxo-, and other tungsten compounds. Structures of trans-ethylidyne(methyl)tetrakis(trimethylphosphine)tungsten(IV) and trihydrido(phenoxo)tetrakis(trimethylphosphine)tungsten(IV), 1204-11
- Cyclopentadienylruthenium and -osmium chemistry. Part 11. Reactions and structures of chloro(η -cyclopentadienyl)bis(triphenylphosphine)ruthenium and its trimethylphosphine analog, 1398-405
- The structures and fluxional behavior of the binary carbonyls; a new approach. Part 3. The fluxional behavior of [Fe₃(CO)₁₁L], L = PR₃ or P(OR)₃, 1535-9
- Synthesis, reactivity, and crystal and molecular structures of [μ -1,4-bis(diphenylphosphino)butane]-dicarbonylbis(η -cyclopentadienyl)dirhodium(I), 1651-6
- Further studies on the interaction of nitric oxide with transition metal alkyls, 1898-905
- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 30. Trimethylphosphinechloro-, -acetato-, and -hydrido complexes and related compounds of (hexamethylbenzene)ruthenium, 2003-8
- Evidence for asymmetrical cleavage of halide-bridged platinum(II) complexes by nucleophiles, 2132-6
- Coordination chemistry of higher oxidation states. Part 2. Neutral and cationic complexes of platinum(IV) with bi- and multidentate ligands, 2153-8
- The reactions of carbidoheptadecacarbonylhexaruthenium with dissolved and anchored phosphines. Crystal and molecular structure of μ_6 -carbido- μ -carbonyl-pentadecacarbonyl(ethylidyne)phenylphosphine-octahydro-hexaruthenium, 2263-70
- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 9. Reactivity of the cations [MPt(μ -CC₆H₄Me-4)(CO)₂(PR₃)₂(η -C₅H₅)]⁺ (M = Mn or Re, PR₃ = PMe₃ or PMe₂Ph) towards tertiary phosphines and the toluene-*p*-thiolate anion: x-ray crystal structures of [MnPt(μ -C(PMe₃)C₆H₄Me-4)(CO)₂(PMe₃)₂(η -C₅H₅)] [BF₄] and [MnPt(SC₆H₄Me-4)(μ -C(PMe₃)C₆H₄Me-4)(μ -CO)(CO)(PMe₃)₂(η -C₅H₅)] [BF₄], 2471-8
- Metal complexes of sulfur ligands. Part 21. Reactions of [Ru(SOCPPh)₂(PMe₂Ph)₂] with Ph₂P(CH₂)_nPPh₂ (n = 1 or 2) and PMe₂Ph and of cis-[RuCl₂(PMe₂Ph)₄] with ammonium monothiobenzoate. Crystal and molecular structure of [Ru(SOCPPh)₂(PMe₂Ph)(Ph₂P(CH₂)₂PPh₂)] MeOH, 2508-14
- Reduction chemistry of hydrido(triethylphosphine) complexes of platinum(II) or palladium(II) and aqueous chemistry of tris(triethylphosphine)palladium(0), 2550-5
- Activation of dioxygen and catalytic oxidation of ethanol to acetaldehyde and hydrogen peroxide by copper(I) complexes containing 2,2'-bipyridyl and tertiary phosphine ligands, 2585-6
- Influence of light on the oxidative addition of bromine to trans-dichlorobis(triethylphosphine)platinum. Crystal structure of all-trans-dibromodichlorobis(triethylphosphine)platinum, 2589-91
- Synthesis and some reactions of the rhodacyclopentadiene complex tetracarbonyltetra(methoxycarbonyl)butadienediyltriphenylphosphineiridium(Rh-Rh), 2593-5
- PHOSPHINO**
- Some binuclear complexes of platinum containing single PF₂ bridges, 840-2
- PHOSPHINOALKANE**
- Metal complexes of sulfur ligands. Part 21. Reactions of [Ru(SOCPPh)₂(PMe₂Ph)₂] with Ph₂P(CH₂)_nPPh₂ (n = 1 or 2) and PMe₂Ph and of cis-[RuCl₂(PMe₂Ph)₄] with ammonium monothiobenzoate. Crystal and molecular structure of [Ru(SOCPPh)₂(PMe₂Ph)(Ph₂P(CH₂)₂PPh₂)] MeOH, 2508-14
- PHOSPHINOAMINE**
- The molecular structures of difluorophosphino(disilyl)amine and bis(difluorophosphino)silylamine in the gas phase, determined by electron diffraction, 425-30
- Conformations of diphosphinoamines: variable-temperature nuclear magnetic resonance and x-ray crystallographic studies, 2192-8

PHOSPHINOETHANE

Mono- η -cyclopentadienylmolybdenum chemistry: 1,2-bis(dimethylphosphino)ethanehydrido-, halo-, alkyne-, and -oxo derivatives, 353-6

PHOSPHINOMETHYL

Transition metal-carbon bonds. Part 50. Conversion of mer-[$\text{IrCl}_3(\text{PMe}_2\text{R})_3$] ($\text{R} = \text{Me}$ or Ph) to [$\text{IrCl}_2(\text{CH}_2\text{PMe}_2\text{R})(\text{PMe}_2\text{R})_2$] containing a Ir-C-P three-membered ring by the action of base: crystal structure of dichlorobis(dimethylphenylphosphine)(methylphenylphosphinomethyl-C¹P)iridium(III), 1572-7

PHOSPHITE

Carbon-oxygen and -hydrogen cleavage in the reaction of [$\text{Fe}_2(\text{CO})_3(\eta\text{-C}_5\text{H}_5)_2\text{L}$] [$\text{L} = \text{P(OR)}_3$ or PR_3] with phosphite and phosphine ligands, 325-7

Crystal and molecular structure of tetra- μ_3 -carbonyloctacarbonyl-trakis(triphenyl phosphite)-octahedro-hexarhodium, 515-18

Electron spin resonance studies of axial ligation to cobalt(II) complexes. Part 2. Interaction with phosphorus ligands. Analysis of the cobalt bonding parameters and the phosphorus hyperfine coupling, 590-8

Cyclopentadienylruthenium and -osmium chemistry. Part 14. The reaction between chloro(cyclopentadienyl)bis(triphenylphosphine)ruthenium and trifluoroacetonitrile: crystal structure of [1,3-bis(trifluoromethyl)-2,4-diazabutadienylamido-N,N'](η -cyclopentadienyl)(trimethyl phosphite)ruthenium, 1169-73

The structures and fluxional behavior of the binary carbonyls; a new approach. Part 3. The fluxional behavior of [$\text{Fe}_3(\text{CO})_{11}\text{L}$], $\text{L} = \text{PR}_3$ or P(OR)_3 , 1535-9

Phosphite complexes of copper(II) carboxylates and their derivatives. Crystal structure of a penta- μ -acetato-bis(triethyl phosphite)tricopper(I,II), 2119-26

Synthesis, reactivity, and electrochemical behavior of new five-coordinate nitrosyl cobalt complexes, 2127-31

Substitution of acetonitrile coordinated to iron(II) by trimethyl phosphite. A kinetic study of the formation and disappearance of tetrakis(acetonitrile)bis(trimethyl phosphite)iron(II), 2172-5

Products of the pyrolysis of undecacarbonyl(trimethyl phosphite)triosmium: the molecular and crystal structure of [$\text{Os}_3(\text{CO})_{11}\text{H}(\text{OP(OMe)}_2)(\text{P(OMe)}_2)_3$], 2250-7

PHOSPHITENITROSYLCOBALT

Synthesis, reactivity, and electrochemical behavior of new five-coordinate nitrosyl cobalt complexes, 2127-31

PHOSPHONATE

Phosphonate complexes. Part 5. An improved multiparametric refinement program, MUCOMP, for complex formation studies from potentiometric data, 2419-22

Phosphonate complexes. Part 6. Influence of steric effects, solvation, and chelation on stability, 2423-8

PHOSPHORODITHIOATE

Niobium organometallic chemistry. Part 6. Electron spin resonance study of bonding in pseudotetrahedral bis(η -cyclopentadienyl)niobium(IV) complexes, 64-8

PHOSPHORUS

Direct oxidative addition-reductive elimination reactions between trans-[$\text{MCl}(\text{CO})\text{L}_2$] and [$\text{MCl}_3(\text{CO})\text{L}_2$] or trans-[$\text{PtCl}_4(\text{PEt}_3)_2$] ($\text{M} = \text{Rh}$ or Ir , $\text{L} = \text{tertiary phosphine}$), 319-21

Phosphorus-31, selenium-77, and mercury-199 nuclear magnetic resonance studies of bis(tributylphosphine selenide)mercury(II) complexes, 658-60

Platinum-195 nuclear magnetic resonance study of platinum(0) complexes containing a series of acetylenes, 1082-8

Interaction of tert-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $\text{W}[\text{N}(\text{CMe}_3)_3\text{CMe}_2][\text{Me}][\text{N}(\text{CMe}_3)_3][\text{N}(\text{CMe}_3)_3\text{CMe}_2]$ and its hydrogen chloride adduct. tert-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97

Characterization of two-, three-, and four-coordinate gold(I) complexes by gold-197 Moessbauer and proton-decoupled phosphorus-31 nuclear magnetic resonance spectroscopy, 2098-104

Reactions of alkali metal azides with some organophosphorus(V) compounds, 2292-5

PHOTOCHEM

Photochemistry of planar four-coordinate palladium(II) complexes. Part 2. Trans-cis isomerization of dihalobis(tri-n-propylphosphine)palladium(II) in solution, 302-5

Photosubstitution reactions of bis(cyclopentadienyl)dimethyltungsten hexafluorophosphate: some evidence for an α -elimination

mechanism, 314-16

Photochemical studies of the alkylammonium molybdates. Part 5.

Photolysis in weak acid solutions, 628-34

Photochemical preparation of the cis isomers of dichlorobis(tri-n-alkylphosphine)palladium(II) (alkyl = Et, Pr, or Bu); the crystal structure analysis of the overcrowded n-propyl homolog, 635-8

Metal-to-ligand charge-transfer excited-state photochemistry of pentacarbonyl(pyridazine-N)chromium and tetracarbonyl(isopropyl(2-pyridylmethylene)amine-N,N')chromium. The difference between the photochemical behavior of the former in solution at 243 K and in an argon matrix at 10 K, 1524-30

Influence of light on the oxidative addition of bromine to trans-dichlorobis(triethylphosphine)platinum. Crystal structure of all-trans-dibromodichlorobis(triethylphosphine)platinum, 2589-91

PHOTOISOMERIZATION

Photochemistry of planar four-coordinate palladium(II) complexes.

Part 2. Trans-cis isomerization of dihalobis(tri-n-propylphosphine)palladium(II) in solution, 302-5

PHOTOLYSIS

Photochemistry of planar four-coordinate palladium(II) complexes.

Part 2. Trans-cis isomerization of dihalobis(tri-n-propylphosphine)palladium(II) in solution, 302-5

Photochemical studies of the alkylammonium molybdates. Part 5.

Photolysis in weak acid solutions, 628-34

Metal carbonyl photochemistry. Part 3. Behavior of tricarbonyl(η -cyclopentadienyl)manganese and related species at 77 K, 673-7

Photolytic homolysis of the metal-carbon (sp^3 or sp^2) bond of alkyl or acyl transition metal complexes. An electron spin resonance study using spin trapping; and a note on aminyl oxides [$\text{ML}_n(\text{N}(\text{O})\text{R})$] [$\text{ML}_n = \text{Ru}(\text{CO})_4(\text{SiMe}_3)$, $\text{Os}(\text{CO})_4(\text{SiMe}_3)$ or $\text{Fe}(\eta\text{-C}_3\text{H}_5)(\text{CO})_3$; $\text{R} = \text{aryl}$], 2159-63

Photochemistry of tricarbonyl(η -cyclopentadienyl)methylmolybdenum in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of dicarbonyl(η -cyclopentadienyl)methylmolybdenum and dicarbonyl(η -cyclopentadienyl)(dinitrogen)methylmolybdenum, 2199-2204

Photochemistry of methyl- and acetyldicarbonyl(η -cyclopentadienyl)iron in frozen gas matrices at 12 K. Infrared spectroscopic evidence for the formation of tricarbonyl(η -cyclopentadienyl)methyliron and acetylmonocarbonyl(η -cyclopentadienyl)iron, 2311-16

PHOTOPRODUCT

Photochemical studies of the alkylammonium molybdates. Part 5.

Photolysis in weak acid solutions, 628-34

PHOTOSUBSTITUTION

Metal-to-ligand charge-transfer excited-state photochemistry of pentacarbonyl(pyridazine-N)chromium and tetracarbonyl(isopropyl(2-pyridylmethylene)amine-N,N')chromium. The difference between the photochemical behavior of the former in solution at 243 K and in an argon matrix at 10 K, 1524-30

PHTHALOCYANINATO

Spin density and cobalt electronic structure in phthalocyaninatocobalt(II): a polarized neutron diffraction study, 734-42

Spin density and manganese electronic structure in phthalocyaninatomanganese(II), 1837-45

PHTHALOCYANINATOCOBALT

New adducts of phthalocyaninatocobalt(II) with base molecules.

Part 3. Chemical and spectroscopic relations between mono (low- and high-spin) and bis adducts, 535-8

Spin density and cobalt electronic structure in phthalocyaninatocobalt(II): a polarized neutron diffraction study, 734-42

PHTHALOCYANINATOIRON

Equilibrium and kinetic study of the reaction between phthalocyaninatoiron(II) and carbon monoxide in dimethyl sulfoxide, 1120-3

PHTHALOCYANINATOMANGANESE

Spin density and manganese electronic structure in phthalocyaninatomanganese(II), 1837-45

PHTHALOCYANINE

Equilibrium and kinetic study of the reaction between phthalocyaninatoiron(II) and carbon monoxide in dimethyl sulfoxide, 1120-3

PI

Diene-metal π bonding. Some unexpected effects of group 5 donor ligands on carbon-13 nuclear magnetic resonance parameters and x-ray crystal structures, 884-91

PIPERIDINIUM

Synthesis and crystal and molecular structure of di- μ -(N-methylpiperidinium-4-thiolate)bis[dichlorozinc(II)] monohydrate, 852-4

PLATINAALKADIENE

Alkyne complexes of platinum. Part 6. The synthesis of compounds containing platinaacyclopenta-2,4-diene and diplatinaacyclohexa-2,5-diene rings, 1981-7

PLATINABORANE

The chemistry of isomers of icosaborane(26), $B_{20}H_{26}$: synthesis and nuclear magnetic resonance study of various isomers of platinahenicosaboranes and diplatinaadocosaboranes, and the x-ray crystal and molecular structures of 7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane and 4-(2'-nido-decaboranyl)-7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane, 2573-84

PLATINACYCLOBUTANE

Reactions and properties of some trimethyleneplatinum(IV) complexes. Part 11. Platinaacyclobutanes derived from methylcyclopropane, 1738-45

PLATINACYCLOPENTADIENE

Alkyne complexes of platinum. Part 6. The synthesis of compounds containing platinaacyclopenta-2,4-diene and diplatinaacyclohexa-2,5-diene rings, 1981-7

PLATINAHENICOSABORANE

The chemistry of isomers of icosaborane(26), $B_{20}H_{26}$: synthesis and nuclear magnetic resonance study of various isomers of platinahenicosaboranes and diplatinaadocosaboranes, and the x-ray crystal and molecular structures of 7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane and 4-(2'-nido-decaboranyl)-7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane, 2573-84

PLATINANONABORANE

Synthesis, molecular structure, and nuclear magnetic resonance investigation of the platinaonaborane and diplatinaadecaborane cluster compounds, [4,4-(PMe_2Ph)₂-arachno-4-Pt(B_9H_{12})] and [6,6,9,9-(PMe_2Ph)₄-arachno-6,9-Pt(B_9H_{10})], 1415-29

PLATINAOXACYCLOPENTENONE

Reactions of acetylenes with noble-metal carbonyl halides. Part 4. The formation of a platinaoxacyclopentenone ring, 2395-404

PLATINAUNDECABORANE

The chemistry of isomers of icosaborane(26), $B_{20}H_{26}$: synthesis and nuclear magnetic resonance study of various isomers of platinahenicosaboranes and diplatinaadocosaboranes, and the x-ray crystal and molecular structures of 7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane and 4-(2'-nido-decaboranyl)-7,7-bis(dimethylphenylphosphine)-nido-7-platinaundecaborane, 2573-84

PLATINUM

Transition metal-carbon bonds. Part 48. Allene complexes from halo-bridged platinum(II) complexes: crystal structures of cis-[PtCl₂(PPR₃)(C₃H₄)] and cis-[PtCl₂(PMe₂Ph)(C₃H₄)], 121-5

Chemistry of the metal carbonyls. Part 76. Platinum-osmium carbonyl complexes derived from decacarbonyldi-μ-hydridotriosmium; x-ray crystal structure of [Os₃Pt(μ-H)₂(CO)₁₀(P(cyclo-C₆H₁₁)₃)], 155-61

Chemistry of the metal carbonyls. Part 77. Some reactions of the platinumtriosmium complexes [Os₃Pt(μ-H)₂(CO)₁₀(PR₃)] with donor molecules; x-ray crystal structures of [Os₃Pt(μ-H)₂(CO)₁₀(PPh₃)₂] and [OsPt₂(CO)₅(PPh₃)₂(μ₃-MeC₂Me)], 162-70

Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9

Reactions of bis(cycloocta-1,5-diene)platinum with quinones; crystal structure of (1-2,5-6-η-cycloocta-1,5-diene)(2-3,5-6-η-2,6-di-tert-butylbenzo-1,4-quinone)platinum, 276-83

Reactions of bis(ethylene)(tricyclohexyl- and triphenylphosphine)-platinum with quinones. Crystal structure of ethylene(2-3-η-2,3,5,6-tetramethylbenzo-1,4-quinone)(tricyclohexylphosphine)-platinum, 284-91

Direct oxidative addition-reductive elimination reactions between trans-[MCl(CO)L₂] and [MCl₂(CO)L₂] or trans-[PtCl₄(PEt₃)₂] (M = Rh or Ir, L = tertiary phosphine), 319-21

Coordination chemistry of sulfines. Part 3. Oxidative addition of the carbon-chlorine bond of (E)-(RS)ClCSO to tetrakis(triphenylphosphine)platinum(0) and of a carbon-sulfur bond in [PtO(PPh₃)₂(RS)₂CSO] by an intramolecular process. X-ray crystal and molecular structure of cis-(E)-[Pt(PhS)(PhSCSO)(PPH₃)₂], C₂₆H₃₆, 342-52

Electronic, infrared, and resonance-Raman spectra of mixed-valence iodide-bridged linear-chain complexes of platinum, 524-8

Transition metal-carbon bonds. Part 49. Action of amines on cis-

[PtCl₂(PPR₃)(C₃H₄)] crystal structures of chloro(1-methylene-2-tert-butylaminoethyl-C'N)(tri-n-propylphosphine)platinum (4-membered ring) and trans-bis-μ-(1-methylene-2-methylaminoethyl-C'N)bis(chloro(tri-n-propylphosphine)platinum) (8-membered ring), 575-80

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 6. Synthesis of platinum-chromium and -tungsten compounds. X-ray crystal structure of de(tetracarbonyl-μ-(methoxy-p-tolylmethylidene)-ab(tetrakis(trimethylphosphine)platinumtungsten(Pt-W)), 743-50

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 7. Interconversion of carbene and carbyne ligands at a dimetal center. X-ray crystal structures of [CrPt(μ-C(CO₂Me)Ph)(CO)₄(PMe₃)₃] and [MnPt(μ-CC₆H₄Me-4)(CO)₂(PMe₃)₂-(η-C₅H₅)] [BF₄], CH₂Cl₂, 751-62

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 8. Synthesis of the trimetal compounds [M(W(μ-CC₆H₄Me-4)(CO)₂-(η-C₅H₅))₂] (M = Ni, Pd, or Pt) and crystal structures of the platinum and nickel complexes, 763-70

Some binuclear complexes of platinum containing single PF₂ bridges, 840-2

Alkyne complexes of platinum. Part 5. Di- and triplatinum complexes with bridging trimethylsilyl-substituted alkyne ligands; crystal structure of bis(η-cycloocta-1,5-diene)-μ-phenyl(trimethylsilyl)acetylenediplatinum, 862-72

Synthesis of platinum(II) alkyl and aryl complexes from dipotassium tetrachloroplatinate and tetraorganotin compounds in dimethyl sulfoxide, 933-8

Preparation, structures, and reactions of some difluorothiophosphonate and difluoroselenophosphonate complexes of platinum(II), 1028-33

Synthesis and crystal structure of the trimetal compound [Pt₃(C₂H₄)(C₆H₅)₂(1,5-C₈H₁₂)₂]: a complex of platinum(0) and platinum(II), 1051-6

Platinum-195 nuclear magnetic resonance study of platinum(0) complexes containing a series of acetylenes, 1082-8

Chemistry of the metal carbonyls. Part 79. Synthesis and x-ray crystal structures of [N(PPh₃)₂][Fe₂Pt₂(μ-H)(μ-CO)₃(CO)₅(PPh₃)₂], [Fe₂Pt₂(μ-H)₂(CO)₅(PPh₃)₂], and [Fe₂Pt(CO)₅(cyclo-C₆H₁₂)], 1134-45

Oxidative-addition and reductive-elimination reactions involving platinum complexes and tetraorganotin compounds, 1223-32

Chemistry of the metal carbonyls. Part 80. Dismutatediplatinum carbonyl complexes derived from tetracarbonyldihydridoosmium. X-ray crystal structure of 1,2,2,3,4,4,4-octacarbonyl-1,2,3,4-di-μ-hydrido-1,3-bis(triphenylphosphine)-tetrahydro-diplatinumdiosmium (4Pt-Os)(Os-Os), 1274-7

Coordination chemistry of sulfines. Part 4. Influence of the phosphine cone angle on both the oxidative addition of carbon-sulfur and carbon-chlorine side bonds in [Pt⁰(PR₃)₂(XYC=S=O)] complexes and the (E)-(Z) isomerization, 1342-8

Redox properties of tetrachlorobis(dimethylphenylphosphine)iridium: the synthesis of halide-bridged mixed-metal mixed-valence complexes and the crystal and molecular structure of cd-di-μ-chloro-agh-trichloro-ef-bis(dimethylphenylphosphine)-b-trimethylarsinepalladium(II)iridium(III), 1515-19

Nucleophilic attack on olefins coordinated to platinum. Part 3. Effect of substituents on the olefins on the formation of 2-ammonioethanide compounds (H₃NCHRCH⁺-Pt), of four-membered ring complexes, and of five-coordinate species, 1565-71

Reactions of hydrogenated thiamine derivatives with K₂[MX₄], where M is Pd^{II} or Pt^{II} and X is Cl or Br, 1635-44

Fast reactions at planar four-coordinate complexes. Part 4. The reaction of chelate dichloropalladium(II) complexes with some bidentate ligands, 1722-5

Electron spin resonance behavior of the tricarbonyltris(μ-tetracarbonylferrio)-triangulo-triplatinate(1-) carbonyl cluster anion, 1735-7

Reactions and properties of some trimethyleneplatinum(IV) complexes. Part 11. Platinaacyclobutanes derived from methylcyclopropane, 1738-45

Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 3. Novel fluxional rearrangements in bis(trimethylaloplatinum) 1,3-dithian, 1,3,5-trithian, and β-2,4,6-trimethyl-1,3,5-trithian complexes, 1846-55

Electrochemistry of platinum(II) coordination compounds. Part 3.

PLATINUM(contd)

- Redox behavior of triangular platinum-cobalt clusters.
Electrochemically induced generation of the tetranuclear cluster $[\text{Pt}_2\text{Co}_2(\mu\text{-CO})_2(\text{CO})_2(\text{PPh}_3)_2]$, 2059-62
Evidence for asymmetrical cleavage of halide-bridged platinum(II) complexes by nucleophiles, 2132-6
Optically active complexes of Schiff bases. Part 6. Palladium(II) and platinum(II) complexes with quadridentate Schiff bases of salicylaldehyde, 2147-52
Coordination chemistry of higher oxidation states. Part 2. Neutral and cationic complexes of platinum(IV) with bi- and multidentate ligands, 2153-8
Reactions of stable dichloroplatinum η^2 -olefin α -diimine complexes. Retention of the five-coordinate structure upon halogen exchange and ligand substitution with olefins, α -diimines, and N,N'-disubstituted 1,2-diaminoethanes, 2164-71
Reversible addition of protic molecules to coordinated di-2-pyridyl ketone in palladium(II), platinum(II), and gold(III) complexes.
X-ray crystal structures of dichloro(dihydroxydi-2-pyridylmethane)palladium(II) and dichloro(dihydroxydi-2-pyridylmethane)gold(III) chloride, 2280-7
Effect of organic groups on the carbonyl insertion reaction of platinum(II), 2317-20
Reactions of acetylenes with noble-metal carbonyl halides. Part 4. The formation of a platinaoxacyclopentenone ring, 2395-404
Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 4. Ring reversal, pyramidal inversion, and novel fluxional rearrangements in $[\text{PtXMe}_3]_2(\text{MeSCH}_2\text{SeMe})$ complexes, 2439-46
Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 9. Reactivity of the cations $[\text{MPt}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{PR}_3)_2(\eta\text{-C}_5\text{H}_5)]^+$ ($\text{M} = \text{Mn or Re}$, $\text{PR}_3 = \text{PMe}_3 \text{ or PMe}_2\text{Ph}$) towards tertiary phosphines and the toluene- π -thiolate anion: x-ray crystal structures of $[\text{MnPt}(\mu\text{-C}(\text{PMe}_3)_2\text{C}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)][\text{BF}_4]$ and $[\text{MnPt}(\text{SC}_6\text{H}_4\text{Me-4})(\mu\text{-C}(\text{PMe}_3)_2\text{C}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\text{CO})(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)]$, 2471-8
Esterification of amino acids chelated to cobalt(III), molybdenocene, and platinum(II). Stability of chelated esters versus dechelation, 2479-83
Reduction chemistry of hydrido(triethylphosphine) complexes of platinum(II) or palladium(II) and aqueous chemistry of tris(triethylphosphine)palladium(0), 2550-5
Influence of light on the oxidative addition of bromine to trans-dichlorobis(triethylphosphine)platinum. Crystal structure of all-trans-dibromodichlorobis(triethylphosphine)platinum, 2589-91
A pseudo-base of pyridine. A refutation, 2599
A pseudo-base of pyridine. Reply to comments, 2599-600

PNICTIDE

- Preparation of three- and four-coordinate gold(I) complexes; crystal structure of bis[o-phenylenebis(dimethylarsine)]gold(I) bis(pentafluorophenyl)aurate(I), 655-7

POLARIZED

- Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoosmate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoosmate(VI), 1812-19
Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoruthenate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoruthenate(VI), 1820-4

POLEMIC

- Electrochemical behavior of $[\text{Fe}_6\text{M}_2\text{S}_8(\text{SR})_6]^3$ ($\text{M} = \text{Mo or W}$) and the roles of molybdenum and tungsten in nitrogenases, 1664
A pseudo-base of pyridine. Reply to comments, 2599-600
A pseudo-base of pyridine. A refutation, 2599

POLYAMIDOAMINE

- Macro-inorganics. Part 6. Protonation and complex formation of a new series of polymers whose repeating units behave independently, 539-42

POLYCYCLE

- Reduction-oxidation properties of organotransition metal complexes. 12. Formation of carbon-carbon bonds via oxidative dimerization of $[\text{Fe}(\text{CO})_2(\eta^4\text{-C}_6\text{H}_8)]$ and reduction of $[\text{Fe}_2(\text{CO})_6(\eta^5\text{-C}_5\text{H}_5\text{-C}_6\text{H}_5)_2]^{2+}$. Structures of $[\text{Fe}_2(\text{CO})_4(\text{P}(\text{OPh})_3)_2(\eta^5\text{-C}_5\text{H}_5\text{-C}_6\text{H}_5)_2][\text{PF}_6]_2$ and $[\text{Fe}(\text{CO})_3(\eta^4\text{-C}_{10}\text{H}_{16})]$, 1317-26

POLYCYCLIC

- Reduction-oxidation properties of organotransition metal complexes. 12. Formation of carbon-carbon bonds via oxidative

dimerization of $[\text{Fe}(\text{CO})_2(\eta^4\text{-C}_6\text{H}_8)]$ and reduction of $[\text{Fe}_2(\text{CO})_6(\eta^5\text{-C}_5\text{H}_5\text{-C}_6\text{H}_5)_2]^{2+}$. Structures of $[\text{Fe}_2(\text{CO})_4(\text{P}(\text{OPh})_3)_2(\eta^5\text{-C}_5\text{H}_5\text{-C}_6\text{H}_5)_2][\text{PF}_6]_2$ and $[\text{Fe}(\text{CO})_3(\eta^4\text{-C}_{10}\text{H}_{16})]$, 1317-26

POLYETHYLENE

- Use of alkali and alkaline-earth metal ions in the template synthesis of 12-crown-4, 15-crown-5, and 18-crown-6, 1157-61

POLYFLUORIDE

- Strong hydrogen bonding in the polyfluorides: ab initio calculations and a new method of preparing potassium hydrogen difluoride, 1219-22

POLYMER

- Polymer-supported oxobis(pentane-2,4-dionato)vanadium(IV) catalyst for reactions involving tert-butyl hydroperoxide, 447-51
Macro-inorganics. Part 6. Protonation and complex formation of a new series of polymers whose repeating units behave independently, 539-42
Strong hydrogen bonding in the polyfluorides: ab initio calculations and a new method of preparing potassium hydrogen difluoride, 1219-22
Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 4. Hydrolysis using sodium carbonate, 1617-23
Tetrasulfur dinitride; its preparation, crystal structure, and solid-state decomposition to give poly(sulfur nitride), 2188-91

POLYMN

- Complexes of organoaluminum compounds. Part 12. Preparation, nuclear magnetic resonance spectra, and the crystal and molecular structure of bis(μ -isopropylamidodimethylaluminum), 377-80

PORPHINATO

- Transition metal complexes of pyrrole pigments. Part 20. Redox behavior of chromium complexes with macrocyclic tetrapyrroles, 855-61

PORPHYRIN

- Evidence for dimer formation of nitrosyl(meso-2,3,7,8,12,13,17,18-octaethyl-5-nitroporphyrinato)iron(II) and its implication in the interpretation of the electron spin resonance spectrum of the nitrosylhemoglobin-salicylate system, 1726-8
A study of substituent and base effects on the electron spin resonance spectra of the molecular oxygen adducts of cobalt(II) porphyrin chelates, 2365-9

PORPHYRINATO

- Carbon-13 nuclear magnetic resonance in isotopically enriched high-spin iron(III) porphyrins: π -electron spin distribution, 1729-34

POTASSIUM

- Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Comments, 328-9
Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Reply to comments, 329-30
Matrix isolation studies on cesium, rubidium, and potassium carbonates. The shape of molecular potassium carbonate, 456-62
The potassium fluoride-boric acid system. Hydrogen bonding in $\text{KF} \cdot \text{H}_3\text{BO}_3$, 783-7

- Strong hydrogen bonding in the polyfluorides: ab initio calculations and a new method of preparing potassium hydrogen difluoride, 1219-22

- Studies on transition metal cyano complexes. Part 3. Heptacyano complexes of tungsten, molybdenum, and vanadium, and a hydridoheptacyano complex of tungsten, 1886-91
Deuteration of an asymmetric short hydrogen bond. X-ray crystal structure of potassium fluoride- $[\text{H}_2]\text{succinic acid}$, 2141-3

POTENTIAL

- Chemistry of the metal carbonyls. Part 76. Platinum-osmium carbonyl complexes derived from decacarbonyldi- μ -hydridotrisosmium; x-ray crystal structure of $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{P}(\text{cyclo-C}_6\text{H}_{11})_3)]$, 155-61
Redox potential-structure relationships in metal complexes. Part 3. The electrochemical activation of coordinated hydrazido(2-) ligands, 419-24
Flash-photolysis studies of the electron-transfer reactions of dioxygen complexes of cobalt(III) with tris(2,2'-bipyridyl)ruthenium(III), 478-80
Square planar coordination of the 12-membered macrocyclic tetraamine ligand 1,4,7,10-tetraazacyclododecane-2,6-dione, 694-700
Redox potential-structure relationships in metal complexes. Part 4.

POTENTIAL(contd)

- Electron-poor dinitrogen complexes of rhenium(I), 800-4
 Metallocene derivatives of early transition elements. Part 3.
 Synthesis, characterization, conformation, and rotational barriers
 [for the Zr-C(sp³) bond] of [Zr(η -C₅H₄R)₂(CH(SiMe₃)₂)Cl] and
 the crystal and molecular structures of the tert-butyl and
 trimethylsilyl complexes (R = CMe₃ or SiMe₃), 814-21
 Preparation and properties of alkyl- and aryl-substituted closo-
 closo- and closo-nido-hydrazocarbaboranes, 1196-203
 Dynamic nuclear magnetic resonance and x-ray diffraction studies
 of tris(diphenylthiophosphoryl)methane and some related
 compounds, 1645-50

PRASEODYMIUM

- Calorimetric titration studies of adduct formation between
 lanthanide β -diketonates and organic bases in benzene solution,
 2434-8

PROGRAM

- Phosphonate complexes. Part 5. An improved multiparametric
 refinement program, MUCOMP, for complex formation studies
 from potentiometric data, 2419-22

PROPANAL

- Preparation and crystal structure analysis of a vinyl ether chelate,
 dichloro[4-methoxy-2,2,N,N-tetramethylbut-(Z)-3-enylamine]-
 palladium(II), and its conversion into di- μ -chloro-bis[3-
 (dimethylamino)-1-formyl-2,2-dimethylpropyl-C,N]dipalladium
 (II), 986-91

PROPANEDIAMINE

- Synthesis, spectroscopic, and structural properties of 2,2-
 dimethylpropane-1,3-diaminecopper(II) complexes. Tempera-
 ture-dependent tetragonal distortion in some thermochromic
 complexes. Crystal and molecular structure of bis(2,2-
 dimethylpropane-1,3-diamine)diperchloratocopper(II), 8-12

PROPYL

- Preparation and crystal structure analysis of a vinyl ether chelate,
 dichloro[4-methoxy-2,2,N,N-tetramethylbut-(Z)-3-enylamine]-
 palladium(II), and its conversion into di- μ -chloro-bis[3-
 (dimethylamino)-1-formyl-2,2-dimethylpropyl-C,N]dipalladium
 (II), 986-91

PROPYLAMINE

- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part
 32. Reactions of tri- μ -hydroxo complexes with aniline and
 aliphatic amines, 2339-41

PROPYLAMMONIUM

- Photochemical studies of the alkylammonium molybdates. Part 5.
 Photolysis in weak acid solutions, 628-34

PROPYLPHOSPHINE

- Photochemistry of planar four-coordinate palladium(II) complexes.
 Part 2. Trans-cis isomerization of dihalobis(tri-n-propylphosphi-
 ne)palladium(II) in solution, 302-5
 Photochemical preparation of the cis isomers of dichlorobis(tri-n-
 alkylphosphine)palladium(II) (alkyl = Et, Pr, or Bu); the crystal
 structure analysis of the overcrowded n-propyl homolog, 635-8

PROTEIN

- The electronic states of the tetrahedral iron clusters of iron-sulfur
 proteins. A theoretical model, 1180-9

PROTON

- Influence of fluorine substitution on the proton conductivity of
 hydroxyapatite, 949-55

PROTONATION

- Mechanism of ammonia formation by reaction of trans-bis[1,2-
 bis(diphenylphosphino)ethane]imidohalo(molybdenum(IV)
 with base in methanol, 40-50
 Studies involving nitrogen-oxygen donor macrocyclic ligands.
 Interaction of copper(II) with new O₂N₃-donor macrocycles and
 the x-ray analysis of aqua[1,12,16-triaza-3,4,9,10-dibenzo-5,8-
 dioxacyclooctadecane]copper(II) diperchlorate hydrate, 74-9
 The behavior of some organophosphorus(V) compounds in
 strongly acidic solvents. Part 1. Monophenyl derivatives, 212-18
 A proton nuclear magnetic resonance investigation of the
 protonation of bis(ethylenediamine)glycinatocobalt(III) in
 strongly acidic media, 317-18
 Redox potential-structure relationships in metal complexes. Part 3.
 The electrochemical activation of coordinated hydrazido(2-)
 ligands, 419-24
 Macro-inorganics. Part 6. Protonation and complex formation of a
 new series of polymers whose repeating units behave independen-
 tly, 539-42
 Copper(II) complexes of N,N'-bis(β -carbamoyl ethyl)trimethylene-
 diamine in aqueous solution, 683-6

- Binary and ternary complexes of copper(II) containing some
 potentially tridentate ligands, 992-6

- Vanadium-51 and oxygen-17 nuclear magnetic resonance study of
 vanadate(V) equilibria and kinetics, 1105-10

- A procedure for the calculation of enthalpy changes from
 continuous-titration calorimetric experiments, 1246-50

- Potentiometric and spectrophotometric study of the coordination
 compounds formed between copper(II) and dipeptides containing
 tyrosine, 1331-5

- Preparation of the isocyanide complexes trans-[ReCl(CNR)(dppe)-
 2] (R = Me or CMe₃) and their reactions with acid to give
 carbyne complexes. X-ray crystal structure of trans-[ReCl(CNH-
 Me)(dppe)₂][BF₄], 1629-34

- Synthesis of zerovalent bis(η -arene) compounds of zirconium,
 hafnium, niobium, tantalum, and tungsten using the metal vapors
 1938-43

- Equilibria of some α -amino acids containing sulfur atoms in the
 chain with metal(II) ions. Part 2. S,S'-methylenebis(L-cysteine)
 with cobalt(II), nickel(II), and zinc(II) in aqueous solution,
 1961-4

- Hydrazido(2-) complexes as intermediates in the conversion of
 ligating dinitrogen into ammonia and hydrazine, 1973-80

- Reactions of coordinated ligands. Part 25. The synthesis of μ -
 allenedicarbonylbis(η^5 -indenyl)dirhodium and protonation to
 form a bridged cationic vinyl complex. Molecular structures of μ -
 allenedicarbonylbis(η^5 -indenyl)dirhodium and dicarbonylbis(η^5 -
 indenyl)- μ -(1-methylvinyl)dirhodium(Rh-Rh) tetrafluoroborate
 2321-7

- Bonding in clusters. Part 3. Protonation of nido-pentaborane(9),
 nido-hexaborane(10), and closo-hexaborate(6)(2-), 2515-22

PSEUDO

- A pseudo-base of pyridine. Reply to comments, 2599-600

- A pseudo-base of pyridine. A refutation, 2599

PSEUDOHALIDE

- Complexes of rhodium(I) with carbon monoxide, bis(diphenylphos-
 phino)methane, or bis(diphenylarsino)methane, and various
 anionic ligands, 228-33

- Nuclear magnetic resonance spectra of some silyl and trimethylsilyl
 pseudohalides, 1349-51

PYRAZOLYLBORATO

- Chemistry of the Group 1B metals. Part 15. Some diphenylbis(pyra-
 zolyl)borate complexes of silver, and the crystal and molecular
 structures of [diphenylbis(1-pyrazolyl)borato-N²,N^{2'}](tri-p-
 tolylphosphine)silver(I), 956-61

- Chemistry of the Group 1B metals. Part 16. Crystal and molecular
 structures of [ortho-phenylenebis(dimethylarsine)]tetrakis(1-
 pyrazolyl)-borato-N²,N^{2'}copper(I) and bis[ortho-phenylenebis-
 (dimethylarsine)]copper(I) hexafluorophosphate(V), 962-7

PYRAZOLYLBORATOMOLYBDENUM

- Reaction of diiodonitrosyltris(3,5-dimethylpyrazolyl)borato)molyb-
 denum with α,ω -alkanediols, 2-chloro-, and 2-methoxyethanol
 2021-2

PYRIDAZINE

- Metal-to-ligand charge-transfer excited-state photochemistry of
 pentacarbonyl(pyridazine-N)chromium and tetracarbonyl[isoprop-
 yl(2-pyridylmethylene)amine-N,N']chromium. The difference
 between the photochemical behavior of the former in solution at
 243 K and in an argon matrix at 10 K, 1524-30

PYRIDINE

- Photosubstitution reactions of bis(cyclopentadienyl)dimethyltungst-
 en hexafluorophosphate: some evidence for an α -elimination
 mechanism, 314-16

- Zinc complexes of four tetraaza macrocycles: enthalpies of
 formation in acetonitrile solution, 336-41

- New adducts of phthalocyaninatocobalt(II) with base molecules.

- Part 3. Chemical and spectroscopic relations between mono (low-
 and high-spin) and bis adducts, 535-8

- Kinetics of nucleophilic attack on coordinated organic moieties.

- Part 17. Addition of pyridines to [Fe(1-5- η -dienyl)(CO)₃]⁺
 cations (dienyl = C₆H₇, 2-MeOC₆H₆, or C₇H₉), 1162-8

- Structural studies of Group 5A-halide-dithio-ligand complexes.

- Part 6. Crystal structures of dichloro(N,N-diethyldithiocarbama-
 to)tris(pyridine)bismuth(III)-pyridine (1/1) and its diiodo analog
 1379-82

- Structural studies of Group 5A-halide-dithio-ligand complexes.

- Part 8. Crystal structure of N,N'-diethylthiocarbamoylpyridiniu-
 m pentachloropyridinebismuthate(III), 1389-91

- Coordination properties of N-protected amino acids. Solution and
 solid-state behavior of bis(benzoyloxycarbonyl-L-tryptophano)-

PYRIDINE(contd)

nickel(II) and its mixed complexes, 1665-8

Copper coordination to thioether ligands. Chemical, spectroscopic, and crystallographic studies on copper(I) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the 2-(3,3-dimethyl-2-thiabutyl)pyridinium cation, 1746-52

Electronic, infrared, and resonance-Raman spectroscopic study of pyridine complexes of ruthenium(II) and -(III), 1760-7

Calorimetric titration studies of adduct formation between lanthanide β -diketonates and organic bases in benzene solution, 2434-8

A pseudo-base of pyridine. Reply to comments, 2599-600

A pseudo-base of pyridine. A refutation, 2599

PYRIDYLThe possibility of free rotation of *m*-tolyl and substituted pyridine groups about their bonds to square-planar organonickel(II) species, 240-4Studies of some ternary complexes of copper(II) involving π -bonding ligands, 543-5**PYRIDYLAMIDO**

Relation between structure and spectra of pseudotetrahedral copper(II) complexes. Crystal structure of bis(di-2-pyridylamido)copper(II), 196-9

PYRIDYLAMINE

Cation distortion isomerism in three five-coordinate diethylenetriamine(di-2-pyridylamine)copper(II) complexes, 1463-9

PYRIDYLBENZIMIDAZOLEStudies of some ternary complexes of copper(II) involving π -bonding ligands, 543-5**PYRIDYLHYDRAZONE**

Reactivity of uranyl ion with quinquedentate chelating hydrazine derivatives. Part 3. 2,6-Diacetylpyridine (2'-pyridylhydrazone) (4''-toluoylhydrazone), 357-61

PYRIDYLMETHYLENEAMINE

Metal-to-ligand charge-transfer excited-state photochemistry of pentacarbonyl(pyridazine-N)chromium and tetracarbonyl(isopropyl(2-pyridylmethylene)amine-N,N')chromium. The difference between the photochemical behavior of the former in solution at 243 K and in an argon matrix at 10 K, 1524-30

PYRIDYLMETHYLTHIAZOLIDINE

Reactions of methylmercury(II), mercury(II), and zinc(II) ions with 2-methyl-2-(2-pyridyl)thiazolidine, including stopped-flow rapid-scanning spectrophotometric studies, 2137-40

PYRIDYLNITRATO

Crystal structure and electronic properties of bis(2,2'-bipyridyl)nitrato-copper(II) nitrate monohydrate, 2070-7

PYRIDYLNITRATOCOPPER

Crystal structure and electronic properties of bis(2,2'-bipyridyl)nitrato-copper(II) nitrate monohydrate, 2070-7

PYRIDYLTHIOUREAStructural investigations on bismuth-thiourea derivative adducts: crystal structures of tetra[1-allyl-3-(2-pyridyl)thiourea-S]di- μ -chloro-tetrachlorodibismuth(III) and hexa[1-allyl-3-(2-pyridyl)thiourea-S]bismuth(III) nitrate, 23-6**PYRIMIDINYLMETHYLTHIAZOLIDINE**Reactions of hydrogenated thiamine derivatives with $K_2[MX_4]$, where M is Pd^{II} or Pt^{II} and X is Cl or Br, 1635-44**PYROLYSIS**Products of the pyrolysis of undecacarbonyl(trimethyl phosphite)triosmium: the molecular and crystal structure of $[Os_3C(CO)_3H(OP(OMe)_2)(P(OMe)_3)]$, 2250-7**QUANTUM**

Derivatives of the energy levels of a molecular system with respect to parameters of the Hamiltonian, and their application to magnetic susceptibility calculations and least-squares fitting, 1041-6

QUINOLINATO

Crystal structure studies of hydrazido(2-quinolin-8-olato) complexes of molybdenum and tungsten, 390-9

QUINONEReactions of bis(cycloocta-1,5-diene)platinum with quinones; crystal structure of (1-2,5,6- η -cycloocta-1,5-diene)(2-3,5,6- η -2,6-di-*tert*-butylbenzo-1,4-quinone)platinum, 276-83Reactions of bis(ethylene)(tricyclohexyl- and triphenylphosphine)platinum with quinones. Crystal structure of ethylene(2-3- η -2,3,5,6-tetramethylbenzo-1,4-quinone)(tricyclohexylphosphine)platinum, 284-91**QUINQUEDENTATE**

Reactivity of uranyl ion with quinquedentate chelating hydrazine

derivatives. Part 3. 2,6-Diacetylpyridine (2'-pyridylhydrazone) (4''-toluoylhydrazone), 357-61

RACAH

Coordination properties of N-protected amino acids. Solution and solid-state behavior of bis(benzoyloxycarbonyl-L-tryptophanato)-nickel(II) and its mixed complexes, 1665-8

RACEMIZATION

CH-acidity of amino acid esters coordinated to cobalt(III).

Racemization during the formation of peptides, 2484-8

RADICALReduction-oxidation properties of organotransition-metal complexes. Part 10. Formation and reactivity of the paramagnetic cyclobutadiene-iron and -ruthenium derivatives $[M(CO)_3 \cdot nL_n(C_4Ph_4)]^+$ ($n = 1-3$, L = phosphorus donor), 34-9**RADIOLYSIS**A new route to isomers of icosaborane(26), $B_{26}H_{26}$. The use of 115.5 MHz boron-11 and boron-11-proton nuclear magnetic resonance spectroscopy for the comparison and characterization of separated isomers and the identification of three further icosaboranes as 1,2'-, 2,5'-, and 5,5'-(or 5,7')-($B_{10}H_{13}$)₂, 1430-7**RAMAN**

Assignment of vibrational spectra of some dialkylamido derivatives of boron, 306-10

Electronic, infrared, and resonance-Raman spectra of mixed-valence iodide-bridged linear-chain complexes of platinum, 524-8

Photochemical studies of the alkylammonium molybdates. Part 5.

Photolysis in weak acid solutions, 628-34

Analysis of the luminescence spectra of some uranates, 687-93

Resonance-Raman and infrared studies of cyanide-bridged dimetal complexes, 939-41

Spectrochemistry of solutions. Part 12. Cyano complexes of silver(I) in solution in liquid ammonia, 968-75

Characterization of metal-to-ligand charge-transfer and intraligand transitions of fac-[Re(CO)₃L(X)] complexes [L = diimine; X = halide or Mn(CO)₅] and explanation of the photochemistry of [Re(CO)₃L(Mn(CO)₅)] using the resonance Raman effect, 1124-33

Synthesis and vibrational spectroscopic study of compounds containing the dithiocyanato-, isothiocyanato-, and diselenocyanatoiodate(I), 1146-51

Resonance-Raman studies of the nitride-bridged complex tripotassium μ -nitridobis[aquatetrachlororuthenate(IV)], 1239-40

A vibrational spectroscopic study of dodecacarbonyltetrahodium, 1498-500

Metal-to-ligand charge-transfer excited-state photochemistry of pentacarbonyl(pyridazine-N)chromium and tetracarbonyl(isopropyl(2-pyridylmethylene)amine-N,N')chromium. The difference between the photochemical behavior of the former in solution at 243 K and in an argon matrix at 10 K, 1524-30

Electronic, infrared, and resonance-Raman spectroscopic study of pyridine complexes of ruthenium(II) and -(III), 1760-7

Crystal structure and infrared and Raman spectra of tetramethylammonium di- μ -fluoro-bis[aquadifluorooxovanadate(IV)], 1802-6

Studies on transition metal cyano complexes. Part 3. Heptacyano complexes of tungsten, molybdenum, and vanadium, and a hydridoheptacyano complex of tungsten, 1886-91

Crystal structure of benzyltriphenylphosphonium pentachlorosulfidotungstate(VI) and a study of the vibrational spectra of salts containing $[WCl_5Y]$ ($Y = O$ or S) ions, 2409-13

Spectrophotometric studies of the copper(II)-D-o-tyrosine complex. Assignment of the 330-nm dichroic band in copper(II) and iron(III) transferrins, 2544-9

RARE

Topochemically controlled hydrogen reduction of scheelite-related rare earth metal molybdates, 668-72

Calorimetric titration studies of adduct formation between lanthanide β -diketonates and organic bases in benzene solution, 2434-8**RAY**

An electron spin resonance study of crown ethers containing

copper(II), with a d_{z^2} ground state, and silver atoms, 56-60

The electronic structure of copper in the polymer potassium bis(carbonato)cuprate(II) as determined from precise x-ray diffraction data, 371-6

REACTION

Transition metal carbonyl derivatives of the germanes. Part 13.

REACTION(contd)

- Preparation, spectroscopic properties, and the crystal and molecular structure of bis(μ -carbonyl)bis(tricarbonylcobalto)(C-o-Co)germanium(4Co-Ge), [Ge(Co₂(CO)₇)₂]; a new type of Group 4-tetracobalt species, 80-4
- The crystal structure of di- μ -ethanedithiolato- μ -sulfidobis(dichloro-tetrahydrothiophen)tungsten(IV)(W-W); a confacial bioctahedral complex with a tungsten-to-tungsten bond, 506-10
- Dirhenium complexes containing two, three, and four linked acetylene molecules derived from the reaction of [Re₂(CO)₁₀] with RC₂R (R = Ph or Me); the x-ray crystal structure of [Re₂(CO)₄(PhCCPh)₂](CNCH₂SO₂C₆H₄Me-p)₂·CH₂Cl₂, 771-6
- Synthesis and reactivity of trinuclear osmium and dinuclear and trinuclear ruthenium compounds derived from hydroxyalkynes, 828-32
- Kinetics and mechanisms of redox reactions in aqueous solution. Part 7. Decarboxylation of aliphatic acids by aquasilver(II) ions, 897-901
- Spectroscopy of cobalt-ethylenediamine-oxygen adducts in the supercages of zeolites, 914-22
- Preparation and crystal structure analysis of a vinyl ether chelate, dichloro[4-methoxy-2,2,N,N-tetramethylbut-(Z)-3-enylamine]-palladium(II), and its conversion into di- μ -chloro-bis[3-(dimethylamino)-1-formyl-2,2-dimethylpropyl-C,N]dipalladium(II), 986-91
- Coupling of organic halides electrocatalyzed by the Ni^{II}/Ni^I/Ni⁰-PPh₃ system. A mechanistic study based on an electroanalytical approach, 1074-81
- Cyclopentadienylruthenium and -osmium chemistry. Part 14. The reaction between chloro(cyclopentadienyl)bis(triphenylphosphine)ruthenium and trifluoroacetonitrile: crystal structure of [1,3-bis(trifluoromethyl)-2,4-diazabutadienylamido-N,N''](η -cyclopentadienyl)(trimethyl phosphite)ruthenium, 1169-73
- Oxidative-addition and reductive-elimination reactions involving platinum complexes and tetraorganotin compounds, 1223-32
- A procedure for the calculation of enthalpy changes from continuous-titration calorimetric experiments, 1246-50
- Solid-state reaction between strontium carbonate and silica, 1300-3
- Cyclopropenyl and oxocyclobutenyl complexes of molybdenum. Crystal and molecular structures of (2,2'-bipyridine)bromodicarbonyl(1-3- η -1,2,3-triphenylcyclopropenyl)molybdenum(II) and (2,2'-bipyridine)bromodicarbonyl(2-4- η -1-oxo-2,3,4-triphenylcyclobutenyl)molybdenum(II), 1310-16
- Reactions of diisopropylcarbodiimide with some ruthenium and osmium hydrides, leading to ready dehydrogenation of an isopropyl group; crystal and molecular structure of carbonylchloro(N-isopropenyl-N'-isopropylformamidinato)bis(triphenylphosphine)ruthenium(II), 1327-30
- Linear free-energy relationships in the hydrolysis of metal ions. The effect of the ionic medium, 1445-9
- Regioselective formation of peroxyquinolotocobalt(III) complexes in the oxygenation of 2,6-di-tert-butylphenols with cobalt(II) Schiff base complexes, 1504-14
- Bicopper(I) and bicopper(II) complexes of a 30-membered macrocyclic ligand: the inclusion of substrate molecules and the crystal and molecular structures of a μ -hydroxo- and a μ -imidazolato-complex, 1868-78
- Reactions of methylmercury(II), mercury(II), and zinc(II) ions with 2-methyl-2-(2-pyridyl)thiazolidine, including stopped-flow rapid-scanning spectrophotometric studies, 2137-40
- Organosulfur-transition metal chemistry. Part 6. Reactions of cyclooctatetraenyl and cycloheptatrienyl thioethers with metal carbonyls, 2230-4
- Reactions of alkali metal azides with some organophosphorus(V) compounds, 2292-5
- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 31. Tri- μ -phenoxorhodium complexes and a facile hydrogen/deuterium exchange reaction, 2335-8
- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 32. Reactions of tri- μ -hydroxo complexes with aniline and aliphatic amines, 2339-41
- Reactions of acetylenes with noble-metal carbonyl halides. Part 4. The formation of a platinaoxacyclopentenone ring, 2395-404
- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 9. Reactivity of the cations [MPt(μ -CC₆H₄Me-4)(CO)₂(PR₃)₂(η -C₅H₅)]⁺ (M = Mn or Re, PR₃ = PMe₃ or PMe₂Ph) towards tertiary phosphines and the toluene-p-thiolate anion: x-ray crystal structures of [MnPt(μ -C(PMe₃)C₆H₄Me-4)(CO)₂(PMe₃)₂(η -C₅H₅)] [BF₄] and

[MnPt(SC₆H₄Me-4)(μ -C(PMe₃)C₆H₄Me-4)(μ -CO)(CO)(PMe₃)(η -C₅H₅)], 2471-8

- Metal complexes of sulfur ligands. Part 21. Reactions of [Ru(SOCPh)₂(PMe₂Ph)₂] with Ph₂P(CH₂)_nPPh₂ (n = 1 or 2) and PMe₂Ph and of cis-[RuCl₂(PMe₂Ph)₂] with ammonium monothiobenzoate. Crystal and molecular structure of [Ru(SOCPh)₂(PMe₂Ph)(Ph₂P(CH₂)₂PPh₂)]·MeOH, 2508-14
- Kinetics of the reaction between chlorite and hexacyanoferrate(II) in aqueous solution; evidence for an interfacial redox reaction, 2537-43

REACTIVITY

- Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 9. Reactivity of the cations [MPt(μ -CC₆H₄Me-4)(CO)₂(PR₃)₂(η -C₅H₅)]⁺ (M = Mn or Re, PR₃ = PMe₃ or PMe₂Ph) towards tertiary phosphines and the toluene-p-thiolate anion: x-ray crystal structures of [MnPt(μ -C(PMe₃)C₆H₄Me-4)(CO)₂(PMe₃)₂(η -C₅H₅)] [BF₄] and [MnPt(SC₆H₄Me-4)(μ -C(PMe₃)C₆H₄Me-4)(μ -CO)(CO)(PMe₃)(η -C₅H₅)], 2471-8

REAGENT

- Lanthanide ethylenediaminetetraacetate chelates as aqueous shift reagents: evidence for effective axial symmetry in bidentate cytidine 5'-monophosphate and alanine complexes, 2078-82
- Calorimetric titration studies of adduct formation between lanthanide β -diketonates and organic bases in benzene solution, 2434-8
- Calorimetric titration and proton nuclear magnetic resonance studies of adduct formation between cobalt(III) β -diketonates and a lanthanide shift reagent, 2596-8

REARRANGEMENT

- Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9
- Intramolecular ligand rearrangement in the isomerization of a seven-coordinate to a six-coordinate nickel(II) complex of a multidentate Schiff base. The crystal and molecular structures of the six-coordinate product, 1691-6
- Thermal degradation of dimethylvinylarsine in triosmium clusters to give bridging vinyl, vinylidene, and acetylene ligands, 1718-21
- Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron. Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)tricarbonyliron hexafluorophosphates, 1906-17
- Studies of phosphazenes. Part 13. Thermal rearrangement reactions of some methoxycyclophosphazenes, 1928-34
- Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50
- Alkyne complexes of platinum. Part 6. The synthesis of compounds containing platinacyclopenta-2,4-diene and diplatinacyclohexa-2,5-diene rings, 1981-7

REDISTRIBUTION

- Oxidative-addition and reductive-elimination reactions involving platinum complexes and tetraorganotin compounds, 1223-32

REDN

- An electron spin resonance study of crown ethers containing copper(II), with a d₂ ground state, and silver atoms, 56-60
- Mono- η -cyclopentadienylniobium chemistry: ternary phosphine, carbonyl, 3,4-dimethylhexa-2,4-diene, halo, and hydrido derivatives, 85-90
- Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9
- Reduction and polymorphic transformation of B-niobium pentoxide, 255-61
- Direct oxidative addition-reductive elimination reactions between trans-[MCl(CO)L₂] and [MCl₂(CO)L₂] or trans-[PtCl₄(PEt₃)₂] (M = Rh or Ir, L = tertiary phosphine), 319-21
- Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Comments, 328-9
- Iron-graphite lamellar compounds prepared by chemical reduction of iron trichloride with potassium-graphite in tetrahydrofuran. Reply to comments, 329-30
- Redox potential-structure relationships in metal complexes. Part 3. The electrochemical activation of coordinated hydrazido(2-) ligands, 419-24
- Model compounds for microbial iron-transport compounds. Part 1. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22
- Bis(arylazooximate)palladium(II); synthesis, palladium-nitrogen bond lability, and redox activity, 623-7

REDN(contd)

- Photochemical studies of the alkylammonium molybdates. Part 5. Photolysis in weak acid solutions, 628-34
- Topochemically controlled hydrogen reduction of scheelite-related rare earth metal molybdates, 668-72
- Kinetics and mechanisms of reduction of a nickel(IV) complex by ascorbate ion, 721-5
- Metallocene derivatives of early transition metals. Part 2. Substituted cyclopentadienyl group 4A dichlorometallocene complexes $M(\eta-C_5H_4R)_2Cl_2$ ($M = Zr, Hf$; $R = Me, Et, CHMe_2, CMe_3, SiMe_3$), mono- and dialkyl derivatives $M(\eta-C_5H_4R)_2R'X$ ($X = Cl, R'$; $R' = CH_2SiMe_3, CH_2CMe_3$), and d^1 reduction products, 805-13
- Transition metal complexes of pyrrole pigments. Part 20. Redox behavior of chromium complexes with macrocyclic tetrapyrroles, 855-61
- Kinetics of the reduction of (ethylenediaminetetraacetato)cobaltate(III) and related complexes by chromium(II) ions, 894-6
- Kinetics and mechanism of the reaction between tetrachloro- and tetrabromaurate(III) and thiocyanate, 1093-100
- Equilibrium and kinetic parameters of the oxygenation reaction of oxygen carriers. Conformational effects in cobalt(II) Schiff-base chelates derived from salicylaldehyde and substituted ethylenediamines, 1115-19
- Reduction-oxidation properties of organotransition metal complexes. 12. Formation of carbon-carbon bonds via oxidative dimerization of $[Fe(CO)_3(\eta^4-C_8H_8)]$ and reduction of $[Fe_2(CO)_6(\eta^5-C_5H_5-C_6H_5)]^{2+}$. Structures of $[Fe_2(CO)_4(P(OPh)_3)_2(\eta^5-\eta^5-C_5H_5)]$, $[PF_6]^-$ and $[Fe(CO)_3(\eta^4-C_6H_6)]$, 1317-26
- Hydrazido(2-) complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80
- Reduction of nitroamine (NH_2NO_2) by vanadium(II) and chromium(II) in acid solution, 2009-10
- Electrochemistry of platinum(II) coordination compounds. Part 3. Redox behavior of triangular platinum-cobalt clusters. Electrochemically induced generation of the tetranuclear cluster $[Pt_2Co_2(\mu-CO)_3(CO)_3(PPh_3)_2]$, 2059-62
- Electron spin resonance studies of electron addition to bis(cyclopentadienyl)titanium(IV) dichloride and cyclopentadienyltitanium(I-V) trichloride, 2258-62
- Reduction chemistry of hydrido(triethylphosphine) complexes of platinum(II) or palladium(II) and aqueous chemistry of tris(triethylphosphine)palladium(0), 2550-5
- Structural and mechanistic studies of coordination compounds. Part 31. The chromium(II) reduction of some trans-tetraaminedichlororuthenium(III) cations, 2556-8
- REDOX
- Redox potential-structure relationships in metal complexes. Part 3. The electrochemical activation of coordinated hydrazido(2-) ligands, 419-24
- Flash-photolysis studies of the electron-transfer reactions of dioxygen complexes of cobalt(III) with tris(2,2'-bipyridyl)ruthenium(III), 478-80
- Bis(aryloximate)palladium(II); synthesis, palladium-nitrogen bond lability, and redox activity, 623-7
- Tin-119 Fourier-transform nuclear magnetic resonance study of rhodium-tin complexes formed in aqueous hydrochloric acid solutions of rhodium trichloride and tin dichloride, 639-44
- Transition metal complexes of pyrrole pigments. Part 20. Redox behavior of chromium complexes with macrocyclic tetrapyrroles, 855-61
- Electrochemistry of platinum(II) coordination compounds. Part 3. Redox behavior of triangular platinum-cobalt clusters. Electrochemically induced generation of the tetranuclear cluster $[Pt_2Co_2(\mu-CO)_3(CO)_3(PPh_3)_2]$, 2059-62
- REDUCTIVE
- Mono- η -cyclopentadienyl niobium chemistry: ternary phosphine, carbonyl, 3,4-dimethylhexa-2,4-diene, halo, and hydrido derivatives, 85-90
- REFLECTANCE
- Crystal structure and spectroscopic properties of a polynuclear complex between bis(2-aminoethyl)aminecopper(II) and hexacyanoferrate(III), 111-17
- Spectroscopy of cobalt-ethylenediamine-oxygen adducts in the supercages of zeolites, 914-22
- RELAXATION
- Nuclear magnetic shift and relaxation effects resulting from complexation of lanthanide ions with endo-cis-bicyclo[2.2.1]hept-5-ene-2,3-dicarboxylic acid, 678-82

Nuclear magnetic resonance spectra of some silyl and trimethylsilyl pseudohalides, 1349-51

RESIN

Protonation and complex formation with heavy-metal ions of two tetrafunctional amines and of a new structurally related ion exchange resin, 2559-64

RESOLN

Behavior of cyclooctatetraene- and cycloheptatrienetricarbonyliron under olefin-metathesis conditions, 262-6

RESONANCE

Resonance-Raman studies of the nitride-bridged complex tripotassium μ -nitridobis[aquatetrachlororuthenate(IV)], 1239-40

RHENATE

Thermochemistry of hexafluoroanions of M(IV) ($M = Si, Ti, Mn$, or Re) and lattice energy calculations for their salts, 726-33

A spectroscopic and crystallographic study of the $[ReNCl_4]^-$ ion, 1061-3

Solubility of salts of hexachlororhenate(IV) ions with complex cations in water and in water + alcohol mixtures: free energies of transfer of the complex ions, 2034-8

RHENIUM

Interaction of H_2 with $Re_3(\mu-Cl)_3(CH_2SiMe_3)_6$, its CO, PPh_3 , and pyridine adducts, and with $Re_3(\mu-Cl)_3Cl(CH_2SiMe_3)_5$. Crystal structures of $H[Re_3(\mu-Cl)_3(CH_2SiMe_3)_6]$, $Re_3(\mu-Cl)_3ClH(CH_2SiMe_3)_5(PPh_3)$, and $Re_3Cl_3(\mu-CH_2SiMe_3)_3(CH_2SiMe_3)_3$, 705-16

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 7. Interconversion of carbene and carbyne ligands at a dimetal center. X-ray crystal structures of $[CrPt(\mu-CO)_2MePh(CO)_4(PMe_3)_3]$ and $[MnPt(\mu-CC_6H_4Me-4)(CO)_2(PMe_3)_2(\eta-C_5H_5)] [BF_4]$, CH_2Cl_2 , 751-62

Dirhenium complexes containing two, three, and four linked acetylene molecules derived from the reaction of $[Re_2(CO)_{10}]$ with RC_2R ($R = Ph$ or Me); the x-ray crystal structure of $[Re_2(CO)_4(PhCCPh)_3(CNCH_2SO_2C_6H_4Me-p)_2] \cdot CH_2Cl_2$, 771-6

Redox potential-structure relationships in metal complexes. Part 4. Electron-poor dinitrogen complexes of rhenium(I), 800-4

Studies on organometallic hetero-multiple-bridged molecules. Part 7. Synthesis and properties of dichalcogenide-bridged complexes of rhenium(I) and the crystal and molecular structures of the diphenyl ditelluride-bridged complex, $[Re_2Br_2(CO)_6(Te_2Ph_2)]$, 1004-9

A spectroscopic and crystallographic study of the $[ReNCl_4]^-$ ion, 1061-3

Characterization of metal-to-ligand charge-transfer and intraligand transitions of fac- $[Re(CO)_3L(X)]$ complexes [$L =$ diimine; $X =$ halide or $Mn(CO)_5$] and explanation of the photochemistry of $[Re(CO)_3L(Mn(CO)_5)]$ using the resonance Raman effect, 1124-33

Transition metal tetrafluoride oxide-antimony pentafluoride adducts; preparation and characterization of the adducts $MF_4O.SbF_5$ ($M = Mo, W$, or Re) and crystal structures of $MoF_4O.SbF_5$ and $ReF_4O.SbF_5$, 1212-18

Preparation of the isocyanide complexes trans- $[ReCl(CNR)(dppe)_2]$ ($R = Me$ or CMe_3) and their reactions with acid to give carbyne complexes. X-ray crystal structure of trans- $[ReCl(CNH-Me)(dppe)_2] [BF_4]$, 1629-34

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 9. Reactivity of the cations $[MPt(\mu-CC_6H_4Me-4)(CO)_2(PR_3)_2(\eta-C_5H_5)]^+$ ($M = Mn$ or Re , $PR_3 = PMe_3$ or PMe_2Ph) towards tertiary phosphines and the toluene-p-thiolate anion: x-ray crystal structures of $[MnPt(\mu-C(PMe_3)_2C_6H_4Me-4)(CO)_2(PMe_3)_2(\eta-C_5H_5)] [BF_4]$ and $[MnPt(SC_6H_4Me-4)(\mu-C(PMe_3)_2C_6H_4Me-4)(\mu-CO)(CO)(PMe_3)(\eta-C_5H_5)]$, 2471-8

Preparation, properties, and crystal and molecular structures of bis(dialkylamine) complexes of rhenium(I), 2523-8

RHODACYCLOPENTADIENE

Synthesis and some reactions of the rhodacyclopentadiene complex tetracarbonyl(tetra(methoxycarbonyl)butadienediyl)triphenylphosphine dirhodium(Rh-Rh), 2593-5

RHODATE

High nuclearity carbonyl clusters of rhodium. Part 2. Crystal and molecular structure of the tetramethylammonium salt of dodeca- μ -carbonyldodecacarbonylhydrido-polyhydro-tridecarhodate(4-)-1-methylpyrrolidin-2-one(1/3), 519-23

New carbide clusters in the cobalt sub-group. Part 7. Preparation and structural characterization of carbidohepta- μ -carbonylheptacarbonyl-polyhydro-hexarhodate(2-) as its bis(tetraphenylphos-

RHODATE(contd)

phonium) salt, 717-20

RHODIUM

Further chemistry of trimethylphosphine complexes of rhodium(I): x-ray crystal structures of dodeca(trimethylphosphine)tetrarhodiumhexamercury, $\text{Hg}_6\text{Rh}_4(\text{PMe}_3)_{12}$, and trans-chlorobis(trimethylphosphine)triphenylphosphine rhodium(I), 126-31

Chemistry of the metal carbonyls. Part 78. Synthesis and x-ray crystal structures of $[\text{NiOs}_3(\mu\text{-H})_2(\mu\text{-CO})_2(\text{CO})_6(\text{PPh}_3)_2]$ and $[\text{Os}_3\text{Rh}(\mu\text{-H})_2(\text{acac})(\text{CO})_{10}]$ (acac = acetylacetonate), 171-9

Complexes of rhodium(I) with carbon monoxide, bis(diphenylphosphino)methane, or bis(diphenylarsino)methane, and various anionic ligands, 228-33

Direct oxidative addition-reductive elimination reactions between trans- $[\text{RhCl}(\text{CO})\text{L}_2]$ and $[\text{MCl}_3(\text{CO})\text{L}_2]$ or trans- $[\text{PtCl}_4(\text{PEt}_3)_2]$ (M = Rh or Ir, L = tertiary phosphine), 319-21

Reactions of coordinated ligands. Part 23. Metalla-ring-forming reactions between hexafluoroacetone and η^4 -1,3-diene(η^5 -indenyl)rhodium complexes; the crystal and molecular structures of rhodium η^5 -indenyl methylxidoheptyl-O and η^4 -diene oxidoethylidene-O complexes, 400-6

Crystal and molecular structure of tetra- μ_3 -carbonyloctacarbonyltriakis(triphenyl phosphite)-octahydro-hexarhodium, 515-18

High nuclearity carbonyl clusters of rhodium. Part 2. Crystal and molecular structure of the tetramethylammonium salt of dodeca- μ -carbonyldodecacarbonylhydrido-polyhedro-tridecarhodate(4-)-1-methylpyrrolidin-2-one(1/3), 519-23

Tin-119 Fourier-transform nuclear magnetic resonance study of rhodium-tin complexes formed in aqueous hydrochloric acid solutions of rhodium trichloride and tin dichloride, 639-44

New carbide clusters in the cobalt sub-group. Part 7. Preparation and structural characterization of carbidohepta- μ -carbonylheptacarbonyl-polyhedro-hexarhodate(2-) as its bis(tetraphenylphosphonium) salt, 717-20

Transition metal-diene complexes. Part 4. The crystal and molecular structure and isomerization of η -cyclopentadienyl(η -3-methoxycarbonylcyclohexa-1,4-diene)rhodium(I), 1034-40

Water-ammonia exchange at aminerrhodium(III) complexes in aqueous ammoniacal solution, 1289-93

Rates and activation parameters for solvent exchange with $[\text{M}(\text{PR}_3)_2(\text{solvent})_2\text{H}_2]^+$ (M = Rh(III) or Ir(III)), R = cyclohexyl or phenyl) cations, 1481-5

A vibrational spectroscopic study of dodecacarbonyltetrarhodium, 1498-500

Ring opening in a nonbasic medium of 2-methyl-6-nitrobenzothiazole and hydrogen-deuterium exchange at the 2-methyl promoted by silver(I), 1520-3

Synthesis, reactivity, and crystal and molecular structures of $[\mu$ -1,4-bis(diphenylphosphino)butane]-dicarbonylbis(η -cyclopentadienyl)dirhodium(I), 1651-6

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 29. Syntheses and x-ray structure determinations of tri- μ -hydroxy-bis(η -pentamethylcyclopentadienyl)rhodium] hydroxide undecahydrate and -iridium acetate tetradecahydrate and related complexes, 1997-2002

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 30. Trimethylphosphinechloro-, -acetato-, and -hydrido complexes and related compounds of (hexamethylbenzene)ruthenium, 2003-8

Interaction of tert-butyl isocyanide with methyl compounds of tungsten, rhodium, zirconium, titanium, and tantalum. Crystal structures of $\text{W}[\text{N}(\text{CMe}_3)\text{CMe}_2][\text{Me}][\text{N}(\text{CMe}_3)]\text{N}(\text{CMe}_3)\text{CMe}_2\text{CMe}_2$ and its hydrogen chloride adduct. tert-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97

Reactions of coordinated ligands. Part 25. The synthesis of μ -allenedicarbonylbis(η^5 -indenyl)dirhodium and protonation to form a bridged cationic vinyl complex. Molecular structures of μ -allenedicarbonylbis(η^5 -indenyl)dirhodium and dicarbonylbis(η^5 -indenyl)- μ -(1-methylvinyl)dirhodium(Rh-Rh) tetrafluoroborate 2321-7

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 31. Tri- μ -phenoxorhodium complexes and a facile hydrogen/deuterium exchange reaction, 2335-8

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 32. Reactions of tri- μ -hydroxo complexes with aniline and aliphatic amines, 2339-41

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 33. The metal-catalyzed disproportionation of acetaldehyde into

acetic acid and ethanol, 2342-52

Kinetics and equilibria of reversible chelate ring-opening nucleophilic substitution reactions of [(o-dimethylaminophenyl)-dimethylarsine]rhodium(III) complexes, 2429-33

Synthesis and some reactions of the rhodacyclopentadiene complex tetracarbonyltetra(methoxycarbonyl)butadienediyltriphenylphosphine dirhodium(Rh-Rh), 2593-5

RING

Ring opening in a nonbasic medium of 2-methyl-6-nitrobenzothiazole and hydrogen-deuterium exchange at the 2-methyl promoted by silver(I), 1520-3

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-coordinate barium(II) complex, 1678-84

Reactions and properties of some trimethyleneplatinum(IV) complexes. Part 11. Platinacyclobutanes derived from methylcyclopropane, 1738-45

Reactions of methylmercury(II), mercury(II), and zinc(II) ions with 2-methyl-2-(2-pyridyl)thiazolidine, including stopped-flow rapid-scanning spectrophotometric studies, 2137-40

Reactions of acetylenes with noble-metal carbonyl halides. Part 4. The formation of a platinaoxacyclopentenone ring, 2395-404

ROTATION

The possibility of free rotation of m-toyl and substituted pyridine groups about their bonds to square-planar organonickel(II) species, 240-4

Dynamic nuclear magnetic resonance and x-ray diffraction studies of tris(diphenylthiophosphoryl)methane and some related compounds, 1645-50

RUBIDIUM

Matrix isolation studies on cesium, rubidium, and potassium carbonates. The shape of molecular potassium carbonate, 456-62

RUTHENATE

Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoruthenate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoruthenate(VI), 1820-4

RUTHENIUM

Reduction-oxidation properties of organotransition-metal complexes. Part 10. Formation and reactivity of the paramagnetic cyclobutadiene-iron and -ruthenium derivatives $[\text{M}(\text{CO})_3\text{-}\eta\text{-C}_4\text{(C-Ph)}_4]^+$ (n = 1-3, L = phosphorus donor), 34-9

Oxo-centered triruthenium formate complexes. Diphosphine adducts of oxo-centered triruthenium acetates, 191-5

Chemistry of low-valent metal isocyanide complexes. Part 3. The synthesis, structure, and dynamic behavior of nonakis(ethyl and isopropyl isocyanide)diiron and -ruthenium complexes. Crystal structure of $[\text{Fe}_2(\mu\text{-CNEt})_2(\text{CNEt})_6]$, 219-27

Flash-photolysis studies of the electron-transfer reactions of dioxygen complexes of cobalt(III) with tris(2,2'-bipyridyl)ruthenium(III), 478-80

Structural and mechanistic studies of coordination compounds.

Part 26. Synthesis and characterization of some octahedral complexes of ruthenium(II) and -(III) with macrocyclic quadridentate thioethers, 495-500

Synthesis and reactivity of trinuclear osmium and dinuclear and trinuclear ruthenium compounds derived from hydroxyalkynes, 828-32

Mechanisms of organometallic substitution reactions. Part 4.

Kinetics of replacement of dimethyl sulfoxide (dmsol) from $[\text{RuX}_2(\eta\text{-C}_5\text{H}_5)(\text{dmsol})]$ (X = Cl or Br) complexes by triphenylphosphine, 923-7

Structural and mechanistic studies of coordination compounds.

Part 28. Some octahedral ruthenium complexes of 5,5',7,12,12',14-hexamethyl-1,4,8,11-tetraazacyclotetradeca-1,3,8,10-tetraene produced by oxidative dehydrogenation reactions, 1019-23

Cyclopentadienylruthenium and -osmium chemistry. Part 14. The reaction between chloro(cyclopentadienyl)bis(triphenylphosphine)ruthenium and trifluoroacetone nitrile: crystal structure of $[\text{1,3-bis(trifluoromethyl)-2,4-diazaabutadienylamido-N,N'}](\eta\text{-cyclopentadienyl})(\text{trimethyl phosphite})\text{ruthenium}$, 1169-73

Resonance-Raman studies of the nitride-bridged complex tripotassium μ -nitridobis[aquatetrachlororuthenate(IV)], 1239-40

Spectroscopic study of the structures of $[\text{M}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_n(\text{CNR})_4-n]$ complexes (n = 1 or 2; M = Fe or Ru) in solution. The structure of cis- $[\eta\text{-C}_5\text{H}_5](\text{OC})\text{Fe}(\mu\text{-CO})(\mu\text{-CNCHMe}_2)\text{Fe}(\text{CNC-HMe}_2)(\eta\text{-C}_5\text{H}_5)]$ in the solid state, 1251-9

RUTHENIUM(contd)

- Reactions of diisopropylcarbodiimide with some ruthenium and osmium hydrides, leading to ready dehydrogenation of an isopropyl group; crystal and molecular structure of carbonylchloro(*N*-isopropenyl-*N'*-isopropylformamidinato)bis(triphenylphosphine)ruthenium(II), 1327-30
- Structural and mechanistic studies of coordination compounds. Part 29. Synthesis and characterization of some *cis*-macrocyclic secondary amine complexes of ruthenium, 1336-41
- Cyclopentadienylruthenium and -osmium chemistry. Part 11. Reactions and structures of chloro(η -cyclopentadienyl)bis(triphenylphosphine)ruthenium and its trimethylphosphine analog, 1398-405
- Electronic, infrared, and resonance-Raman spectroscopic study of pyridine complexes of ruthenium(II) and -(III), 1760-7
- Ketoximate complexes. Part 3. Structure and properties of tris chelates of cobalt(III), iron(II), and ruthenium(II), 1856-62
- Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 30. Trimethylphosphinechloro-, -acetato-, and -hydrido complexes and related compounds of (hexamethylbenzene)ruthenium, 2003-8
- Reaction of ethylene with dodecacarbonyltriruthenium and the dynamic processes of $[\text{Ru}_3\text{H}_2(\text{CO})_9(\text{C}_2\text{R}_2)]$ ($\text{R} = \text{H}, \text{Me}, \text{and Et}$) 2017-20
- Reaction of 4-methylpent-2-yne with dodecacarbonyltriruthenium. The structure of a novel alkynyl dimerization dehydrogenation product, 2023-8
- Interaction of *tert*-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $\text{W}(\text{N}(\text{CMe}_3)\text{CMe}_2)(\text{Me})[\text{N}(\text{CMe}_3)]_2[\text{N}(\text{CMe}_3)\text{CMe}_2]$ and its hydrogen chloride adduct. *tert*-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97
- Patterns of nucleophilic attack on ethene complexes of ruthenium(I), 2112-18
- Cyclopentadienylruthenium and -osmium chemistry. Part 15. Some cyanocarbon and cyanonitrogen complexes: crystal and molecular structures of $[\text{Ru}(\text{N}:\text{C}:\text{C}(\text{CN})\text{C}(\text{CN})\text{C}(\text{CN})_2)(\text{P}(\text{OMe})_3)(\text{PPH}_3)(\eta\text{-C}_5\text{H}_5)]$, 2205-11
- Organosulfur-transition metal chemistry. Part 5. Face bonding of cycloheptatrienyl and cyclooctatetraene ligands in sulfur-ruthenium clusters: crystal and molecular structure of hexacarbonyl- μ_3 - η^7 -cycloheptatrienyl- μ_3 -*tert*-butylthio-triangulo-triruthenium, 2220-9
- Organosulfur-transition metal chemistry. Part 6. Reactions of cyclooctatetraenyl and cycloheptatrienyl thioethers with metal carbonyls, 2230-4
- The reactions of carbidoheptadecacarbonylhexaruthenium with dissolved and anchored phosphines. Crystal and molecular structure of μ_6 -carbido- μ -carbonyl-pentadecacarbonyl(ethyldiphenylphosphine)-octahydro-hexaruthenium, 2263-70
- Metal complexes of sulfur ligands. Part 21. Reactions of $[\text{Ru}(\text{SOCPh})_2(\text{PMe}_2\text{Ph})_2]$ with $\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2$ ($n = 1 \text{ or } 2$) and PMe_2Ph and of *cis*- $[\text{RuCl}_2(\text{PMe}_2\text{Ph})_4]$ with ammonium monothiobenzoate. Crystal and molecular structure of $[\text{Ru}(\text{SOCPh})_2(\text{PMe}_2\text{Ph})(\text{Ph}_2\text{P}(\text{CH}_2)_2\text{PPh}_2)]$. MeOH, 2508-14
- Structural and mechanistic studies of coordination compounds. Part 31. The chromium(II) reduction of some *trans*-tetraaminedichlororuthenium(III) cations, 2556-8

SAFETY

- Reaction of bidentate isonitrile ligands with iron carbonyls, 297-301
- The aquation of *trans*-bis(ethylenediamine)difluorochromium(III) and related ions in aqueous solutions of strong acids, 981-5
- Preparation, characterization, and properties of 1,1'-azo-o-carboranes, 1190-5
- Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachlorooxomolybdenum(VI) and -oxotungsten(VI) and tetrabromooxotungsten(VI), 2501-7

SALICYLALDEHYDE

- Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of *N*-salicylidene-2-aminothiazole, 2063-9
- Optically active complexes of Schiff bases. Part 6. Palladium(II) and platinum(II) complexes with quadridentate Schiff bases of salicylaldehyde, 2147-52

SALICYLATE

- Evidence for dimer formation of nitrosyl(meso-2,3,7,8,12,13,17,18-octaethyl-5-nitroporphyrinato)iron(II) and its implication in the

interpretation of the electron spin resonance spectrum of the nitrosylhemoglobin-salicylate system, 1726-8

SALICYLIDENEAMINOTHIAZOLE

- Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of *N*-salicylidene-2-aminothiazole, 2063-9

SALT

- Synthesis and low-frequency vibrational spectra of some bis(alkanethiolato)- and bis(benzenethiolato)aurate(I) complexes 267-70
- Thermochemistry of hexafluoroanions of M(IV) ($\text{M} = \text{Si}, \text{Ti}, \text{Mn}, \text{or Re}$) and lattice energy calculations for their salts, 726-33
- Kinetics and mechanisms of dissociation of metal chelates. Part 3. Effects of ions on the acid hydrolysis of tris(1,10-phenanthroline-iron(II) perchlorate, 1064-6
- Linear free-energy relationships in the hydrolysis of metal ions. The effect of the ionic medium, 1445-9
- Solubility of salts of hexachlororhenate(IV) ions with complex cations in water and in water + alcohol mixtures: free energies of transfer of the complex ions, 2034-8
- Isolation of the anions $[\text{M}(\text{CO})_2(\text{SH})]$ and $[\text{M}_2(\text{CO})_{10}(\mu\text{-SH})]$ ($\text{M} = \text{Cr}, \text{Mo}, \text{and W}$) as salts of the sodium(18-crown-6 ether) cation. X-ray analysis of the sodium carbonyl linked polymeric structures of the tungsten species, 2357-64
- The direct synthesis of alkali-metal pentafluoromanganates(III), 2587-8

SANDWICH

- Metallocene derivatives of early transition metals. Part 2. Substituted cyclopentadienyl group 4A dichlorometallocene complexes $\text{M}(\eta\text{-C}_5\text{H}_4\text{R})_2\text{Cl}_2$ ($\text{M} = \text{Zr}, \text{Hf}; \text{R} = \text{Me}, \text{Et}, \text{CHMe}_2, \text{CMe}_3, \text{SiMe}_3$), mono- and dialkyl derivatives $\text{M}(\eta\text{-C}_5\text{H}_4\text{R})_2\text{R}'\text{X}$ ($\text{X} = \text{Cl}, \text{R}' = \text{CH}_2\text{SiMe}_3, \text{CH}_2\text{CMe}_3$), and d^1 reduction products, 805-13

SCALE

- An electronegativity scale based upon geometry changes on ionization, 1237-8

SCHIFF

- Electron spin resonance spectra of dibromo and dichloro complexes of vanadium(IV), 1-7
- Dioxomolybdenum(VI) complexes of quadridentate chiral Schiff bases and the crystal and molecular structure of dioxo(2R)propene-1,2-diylbis(salicylideneiminato)molybdenum(VI), 902-8
- Three-, four-, and five-coordination modes of a potentially quinqueadentate 'nitrogen-sulfur' macrocyclic ligand: the crystal and molecular structures of two copper(II) complexes, 942-8
- Equilibrium and kinetic parameters of the oxygenation reaction of oxygen carriers. Conformational effects in cobalt(II) Schiff-base chelates derived from salicylaldehyde and substituted ethylenediamines, 1115-19
- The stereochemistry of oxovanadium(IV) complexes derived from salicylaldehyde and polymethylenediamines, 1241-5
- Regioselective formation of peroxyquinolatoncobalt(III) complexes in the oxygenation of 2,6-di-*tert*-butylphenols with cobalt(II) Schiff base complexes, 1504-14
- Synthesis of some pentagonal-bipyramidal complexes of manganese(II), iron(II), cobalt(II), nickel(II), copper(II), and zinc(II) with a heptadentate Schiff-base ligand and the crystal and molecular structures of a copper(II) complex, 1685-90
- Intramolecular ligand rearrangement in the isomerization of a seven-coordinate to a six-coordinate nickel(II) complex of a multidentate Schiff base. The crystal and molecular structures of the six-coordinate product, 1691-6
- Optically active complexes of Schiff bases. Part 6. Palladium(II) and platinum(II) complexes with quadridentate Schiff bases of salicylaldehyde, 2147-52

SELENIDE

- Phosphorus-31, selenium-77, and mercury-199 nuclear magnetic resonance studies of bis(tributylphosphine selenide)mercury(II) complexes, 658-60
- Studies on organometallic hetero-multiple-bridged molecules. Part 7. Synthesis and properties of dicalcogenide-bridged complexes of rhodium(I) and the crystal and molecular structures of the diphenyl ditelluride-bridged complex, $[\text{Re}_2\text{Br}_2(\text{CO})_6(\text{Te}_2\text{Ph}_2)]$, 1004-9

- Preparation, structures, and reactions of some difluorothiophosphonate and difluoroselenophosphonate complexes of platinum(II), 1028-33

SELENIUM

- Phosphorus-31, selenium-77, and mercury-199 nuclear magnetic

SELENIUM(contd)

resonance studies of bis(tributylphosphine selenide)mercury(II) complexes, 658-60

Reactions of silanes and germanes with iridium complexes. Part 3.

Reactions of some silyl derivatives of oxygen, sulfur, selenium, nitrogen, and phosphorus with trans-carbonyliodobis(triethylphosphine)iridium(I), 836-9

Nuclear magnetic resonance spectra of some silyl and trimethylsilyl pseudohalides, 1349-51

SELENOCARBAMATE

Low-temperature magnetochemical and spectroscopic studies of variable-spin tris(monothiocarbamate)iron(III) and tris(diselenocarbamate)iron(III) complexes, 1294-9

SELENOCYANATO

Synthesis and vibrational spectroscopic study of compounds containing the dithiocyanato-, iodothiocyanato-, and diselenocyanatoiodate(I), 1146-51

SELENOCYANATOIODATE

Synthesis and vibrational spectroscopic study of compounds containing the dithiocyanato-, iodothiocyanato-, and diselenocyanatoiodate(I), 1146-51

SELENOCYANATOPHOSPHINE

Gas-phase molecular structure of difluoro(isoselenocyanato)phosphine determined by electron diffraction, 187-90

SELENOHOSPHONATE

Preparation, structures, and reactions of some difluorothiophosphonate and difluoroselenophosphonate complexes of platinum(II), 1028-33

SELENOTHIOMETHANE

Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 4. Ring reversal, pyramidal inversion, and novel fluxional rearrangements in $[\text{PtXMe}_3]_2(\text{MeSCH}_2\text{SeMe})$ complexes, 2439-46

SILABUTENYL

Silver(I) complexes of the potentially chelating olefinic ligands 2,2-dimethylbut-3-enyl methyl sulfide and 2,2-dimethyl-2-silabut-3-enyl methyl sulfide. Crystal structure analysis of $[\text{AgL}_2][\text{BF}_4]$, $[\text{AgL}][\text{ClO}_4]$, $\text{AgL}(\text{NO}_3)$, and $\text{AgL}(\text{O}_2\text{CCF}_3)$ ($\text{L} = 2,2$ -dimethylbut-3-enyl methyl sulfide), 481-90

SILANE

The crystal structure of di- μ -ethanethiolato- μ -sulfidobis(dichloro-tetrahydrothiophen) tungsten(IV)(W-W): a confacial bioctahedral complex with a tungsten-to-tungsten bond, 506-10

Reactions of silanes and germanes with iridium complexes. Part 4. Reactions with carbonylhydrotis(triphenylphosphine)iridium(I), 1010-18

Complexation and exchange reactions of some dimethylamino-substituted Group 4 compounds, 1264-7

SILICA

Solid-state reaction between strontium carbonate and silica, 1300-3

SILICATE

Heterogeneous equilibrium of calcium silicate hydrate in water at 30°C, 645-51

Thermochemistry of hexafluoroanions of M(IV) ($\text{M} = \text{Si}, \text{Ti}, \text{Mn}, \text{or Re}$) and lattice energy calculations for their salts, 726-33

SILICON

Nuclear magnetic resonance spectra of some silyl and trimethylsilyl pseudohalides, 1349-51

SILVER

An electron spin resonance study of crown ethers containing copper(II), with a d_{22} ground state, and silver atoms, 56-60

Spectrophotometric investigation of equilibria between silver(II) and 2,2'-bipyridine, 431-4

Silver(I) complexes of the potentially chelating olefinic ligands 2,2-dimethylbut-3-enyl methyl sulfide and 2,2-dimethyl-2-silabut-3-enyl methyl sulfide. Crystal structure analysis of $[\text{AgL}_2][\text{BF}_4]$, $[\text{AgL}][\text{ClO}_4]$, $\text{AgL}(\text{NO}_3)$, and $\text{AgL}(\text{O}_2\text{CCF}_3)$ ($\text{L} = 2,2$ -dimethylbut-3-enyl methyl sulfide), 481-90

Kinetics and mechanisms of redox reactions in aqueous solution. Part 7. Decarboxylation of aliphatic acids by aquasilver(II) ions, 897-901

Chemistry of the Group 1B metals. Part 15. Some diphenylbis(pyrazolyl)borate complexes of silver, and the crystal and molecular structures of [diphenylbis(1-pyrazolyl)borato- N_2N_2](tri-p-tolylphosphine)silver(I), 956-61

Spectrochemistry of solutions. Part 12. Cyano complexes of silver(I) in solution in liquid ammonia, 968-75

Ring opening in a nonbasic medium of 2-methyl-6-nitrobenzothiazole and hydrogen-deuterium exchange at the 2-methyl

promoted by silver(I), 1520-3

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-coordinate barium(II) complex, 1678-84

Spectrochemistry of solutions. Part 14. Raman and infrared spectra of thiocyanatosilver(I) complexes in some nonaqueous solutions, 1708-13

Kinetics of the oxidation of hydrogen peroxide by bis(2,2'-bipyridine)silver(II) ions, 1863-7

Location of cations in metal ion-exchanged zeolites. Part 2. Crystal structures of a fully silver-exchanged heulandite, 2288-91

SILYL

The molecular structures of difluorophosphino(disilyl)amine and bis(difluorophosphino)silylamine in the gas phase, determined by electron diffraction, 425-30

Reactions of silanes and germanes with iridium complexes. Part 3. Reactions of some silyl derivatives of oxygen, sulfur, selenium, nitrogen, and phosphorus with trans-carbonyliodobis(triethylphosphine)iridium(I), 836-9

Alkyne complexes of platinum. Part 5. Di- and triplatinum complexes with bridging trimethylsilyl-substituted alkyne ligands; crystal structure of bis(η -cycloocta-1,5-diene)- μ -phenyl(trimethylsilyl)acetylenedi-platinum, 862-72

Nuclear magnetic resonance spectra of some silyl and trimethylsilyl pseudohalides, 1349-51

Crystal structures of silyl acetate at 150 K and methyl acetate at 145 K, and the molecular structure of silyl acetate in the gas phase, 1988-93

SILYLALKYNE

Alkyne complexes of platinum. Part 5. Di- and triplatinum complexes with bridging trimethylsilyl-substituted alkyne ligands; crystal structure of bis(η -cycloocta-1,5-diene)- μ -phenyl(trimethylsilyl)acetylenedi-platinum, 862-72

SILYLAMINE

The molecular structures of difluorophosphino(disilyl)amine and bis(difluorophosphino)silylamine in the gas phase, determined by electron diffraction, 425-30

Molecular structure of tris(methylsilyl)amine in the gas phase determined by electron diffraction, 1501-3

SILYLATION

Trimethylsilylation of zeolites. Evidence for the presence of adjacent aluminum atoms, 1260-3

SILYLMETHYL

Synthesis and properties of dialkyl complexes of nickel(II). The crystal structure of bis(pyridine)bis(trimethylsilylmethyl)nickel(II), 777-82

Metallocene derivatives of early transition elements. Part 3.

Synthesis, characterization, conformation, and rotational barriers [for the $\text{Zr}-(\text{sp}^3)$ bond] of $[\text{Zr}(\eta\text{-C}_5\text{H}_4\text{R})_2(\text{CH}(\text{SiMe}_3)_2\text{Cl})]$ and the crystal and molecular structures of the tert-butyl and trimethylsilyl complexes ($\text{R} = \text{CMe}_3$ or SiMe_3), 814-21

Tris(trimethylsilyl)methyltin oxinates and their conversion into bis(trimethylsilyl)methyltin oxinates, 1101-4

Metallocene derivatives of early transition metals. Part 4. Chemistry of the complexes $[\text{M}(\eta\text{-C}_5\text{H}_5)_2\text{RR}']$ [$\text{M} = \text{Ti}, \text{Zr}, \text{or Hf}$; $\text{R} = \text{CH}_2\text{M}'\text{Me}_3$ ($\text{M}' = \text{C}, \text{Si}, \text{Ge}, \text{or Sn}$) or $\text{CH}(\text{SiMe}_3)_2$; $\text{R}' = \text{Cl}$ or alkyl] and the x-ray structures of $[\text{Zr}(\eta\text{-C}_5\text{H}_5)_2(\text{CH}_2\text{M}'\text{Me}_3)_2]$ ($\text{M}' = \text{C}$ or Si), 1593-605

SODIUM

Crystal structures of dextrorotatory and racemic sodium ammonium tartrate, 1268-73

Crystal structure of sodium dihydrogen triacetate, 1768-9

Reactions of alkali metal azides with some organophosphorus(V) compounds, 2292-5

SOLN

Model compounds for microbial iron-transport compounds. Part 1. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22

Photochemical studies of the alkylammonium molybdates. Part 5. Photolysis in weak acid solutions, 628-34

Thermochemistry of hexafluoroanions of M(IV) ($\text{M} = \text{Si}, \text{Ti}, \text{Mn}, \text{or Re}$) and lattice energy calculations for their salts, 726-33

Equilibrium and kinetic study of the reaction between phthalocyaninatoiron(II) and carbon monoxide in dimethyl sulfoxide, 1120-3

Aluminum-27 nuclear magnetic resonance studies of the hydrolysis of aluminum(III). Part 3. Stopped-flow kinetic studies, 1609-14

Formation of aluminum-bearing ferrite in aqueous suspension by air oxidation, 2217-19

SOLN(contd)

Diagrams of existence of chloroamines and bromoamines in aqueous solution, 2300-10

SOLVATION

Phosphonate complexes. Part 6. Influence of steric effects, solvation, and chelation on stability, 2423-8

SOLVENT

Photochemistry of planar four-coordinate palladium(II) complexes.

Part 2. *Trans*-*cis* isomerization of dihalobis(tri-*n*-propylphosphine)palladium(II) in solution, 302-5

Ligand substitution in bis(*N*-alkylsalicylideneiminato)copper(II) complexes: comparison of activation and transfer data obtained from solvent mixtures, 1825-30

Solubility of salts of hexachlororhenate(IV) ions with complex cations in water and in water + alcohol mixtures: free energies of transfer of the complex ions, 2034-8

Solvent isotope effects in the acidolysis and other electrophilic substitution reactions of pentaquaorganochromium(III) ions in aqueous solution, 2452-61

SOLVOLYSIS

The behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 1. Monophenyl derivatives, 212-18

SOLY

Heterogeneous equilibrium of calcium silicate hydrate in water at 30°C, 645-51

Equilibrium and kinetic study of the reaction between phthalocyaninatoiron(II) and carbon monoxide in dimethyl sulfoxide, 1120-3

Strong hydrogen bonding in aliphatic diol solutions of alkali metal fluorides, 1152-6

SPARTEIN

The d-electron optical activity of tetrahedral dichloro(-)-spartein[cobalt(II)], 976-80

SPECTRA

Chromium(II) chemistry. Part 14. Ferromagnetic and antiferromagnetic tetrabromochromates(II), 27-33

Crystal structure and spectroscopic properties of a polynuclear complex between [bis(2-aminoethyl)amine]copper(II) and hexacyanoferrate(III), 111-17

Characterization of inner- and outer-sphere complexes by thermodynamics and absorption spectra. Part 2. Chloro complexes of copper(II), 245-50

Assignment of vibrational spectra of some dialkylamido derivatives of boron, 306-10

Reactivity of uranyl ion with quinquedentate chelating hydrazine derivatives. Part 3. 2,6-Diacetylpyridine (2'-pyridylhydrazone) (4'-toluoylhydrazone), 357-61

Electronic, infrared, and resonance-Raman spectra of mixed-valence iodide-bridged linear-chain complexes of platinum, 524-8

Photochemical studies of the alkylammonium molybdates. Part 5. Photolysis in weak acid solutions, 628-34

Chemical synthesis with metal atoms. The preparation and structure of cyclooctadiene trifluorophosphine complexes of chromium. The crystal structure of (*η*⁵-cycloocta-1,3-dienyl)hydridotris(trifluorophosphine)chromium, 661-7

Copper(II) complexes of N,N'-bis(β-carbamoylolethyl)trimethylene-diamine in aqueous solution, 683-6

Analysis of the luminescence spectra of some uranates, 687-93

Square planar coordination of the 12-membered macrocyclic tetraamine ligand 1,4,7,10-tetraazacyclododecane-2,6-dione, 694-700

Cation distortion isomerism in three five-coordinate diethylenetriamine(di-2-pyridylamine)copper(II) complexes, 1463-9

Electronic, infrared, and resonance-Raman spectroscopic study of pyridine complexes of ruthenium(II) and -(III), 1760-7

Crystal structure and infrared and Raman spectra of tetramethylammonium di-μ-fluoro-bis[aquadifluoroxyovanadate(IV)], 1802-6

Studies on transition metal cyano complexes. Part 3. Heptacyano complexes of tungsten, molybdenum, and vanadium, and a hydridoheptacyano complex of tungsten, 1886-91

Preparation of alkyl-substituted partial trimethylsilyl silicates from olivine, 1957-60

Characterization of cationic coordination complexes using field desorption mass spectrometry, 1994-6

Crystal structure and electronic properties of bis(2,2'-bipyridyl)thiocyanatocopper(II) tetrafluoroborate, 2029-33

Copper coordination to thioether ligands. Spectroscopic studies of dimeric copper(II) complexes of 2-(3,3-dimethyl-2-thiabutyl)py-

ridine and the crystal structure of di-μ-bromobis(bromo[2-(3,3-dimethyl-2-thiabutyl)pyridine-N,S]copper(II)), 2054-8

The single-crystal electronic and electron spin resonance spectra of copper(II) doped bis(2,2'-bipyridyl)nitritozinc(II) nitrate and bis(2,2'-bipyridyl)nitritocopper(II) tetrafluoroborate: a fluxional CuN₂N'₂O₂ chromophore, 2271-9

Studies on (*η*-cyclooctatetraene)(*η*⁵-fluorenyl)titanium by electron spin resonance and electronic absorption spectroscopy, 2353-6

Nuclear magnetic resonance and electronic spectral studies on the formation of π-olefin-tetracyanocobaltate(I) complexes, 2529-36

SPECTRUM

Spectroscopy of cobalt-ethylenediamine-oxygen adducts in the supercages of zeolites, 914-22

Characterization of cationic coordination complexes using field desorption mass spectrometry, 1994-6

SPHERE

Characterization of inner- and outer-sphere complexes by thermodynamics and absorption spectra. Part 2. Chloro complexes of copper(II), 245-50

SPIN

Further studies on the spin cross-over phenomenon in diisothiocyanatobis(1,10-phenanthroline)iron(II), 441-6

Platinum-195 nuclear magnetic resonance study of platinum(0) complexes containing a series of acetylenes, 1082-8

Low-temperature magnetochemical and spectroscopic studies of variable-spin tris(monothiocarbamate)iron(III) and tris(diseleno-carbamato)iron(III) complexes, 1294-9

⁵T₂ = ¹A₁ and ⁶A₁ = ²T₂ spin transitions in iron(II) and iron(III) complexes of 2,2'-bi-2-imidazole and related ligands, 1492-7

Spin density and manganese electronic structure in phthalocyaninatomanganese(II), 1837-45

SPLITTING

Coordination properties of N-protected amino acids. Solution and solid-state behavior of bis(benzoyloxycarbonyl-L-tryptophanato)-nickel(II) and its mixed complexes, 1665-8

STABILITY

A critical examination of the interaction between copper(II) and glycylglycyl-L-histidine, 491-4

Complexation and solvent extraction of lithium salts with 2,3,6,7,9,10-hexahydro-5H-1,4,8,11-benzotetraoxacyclotridecin (benzo-13-crown-4), 501-5

Macro-inorganics. Part 6. Protonation and complex formation of a new series of polymers whose repeating units behave independently, 539-42

Studies of some ternary complexes of copper(II) involving π-bonding ligands, 543-5

Binary and ternary complexes of copper(II) containing some potentially tridentate ligands, 992-6

Equilibrium and kinetic parameters of the oxygenation reaction of oxygen carriers. Conformational effects in cobalt(II) Schiff-base chelates derived from salicylaldehyde and substituted ethylenediamines, 1115-19

Potentiometric and spectrophotometric study of the coordination compounds formed between copper(II) and dipeptides containing tyrosine, 1331-5

Equilibria of some α-amino-acids containing sulfur atoms in the chain with metal(II) ions. Part 1. DL-4,4'-Dithiobis(2-aminobutyric acid) with manganese(II), cobalt(II), and nickel(II) in aqueous solution, 1531-4

Coordination properties of N-protected amino acids. Solution and solid-state behavior of bis(benzoyloxycarbonyl-L-tryptophanato)-nickel(II) and its mixed complexes, 1665-8

Studies of mixed-metal hydroxy-bridged complexes. Part 1. Complexes with bis(ethylenediamine)dihydroxocobalt(III) as ligand, 1924-7

Phosphonate complexes. Part 6. Influence of steric effects, solvation, and chelation on stability, 2423-8

STANNYLMETHYL

Metallocene derivatives of early transition metals. Part 4. Chemistry of the complexes [M(*η*-C₅H₅)₂RR'] [M = Ti, Zr, or Hf; R = CH₂M'Me₃ (M' = C, Si, Ge, or Sn) or CH(SiMe₃)₂; R' = Cl or alkyl] and the x-ray structures of [Zr(*η*-C₅H₅)₂(CH₂M'Me₃)₂] (M' = C or Si), 1593-605

STATE

Solubility of salts of hexachlororhenate(IV) ions with complex cations in water and in water + alcohol mixtures: free energies of transfer of the complex ions, 2034-8

STEREOCHEM

Behavior of cyclooctatetraene- and cycloheptatrienetricarbonyliron

STEREOCHEM(contd)

- under olefin-metathesis conditions, 262-6
 The stereochemistry of oxovanadium(IV) complexes derived from salicylaldehyde and polymethylenediamines, 1241-5
 Tetracarbonyl diazaphosphole complexes of Group 6B metals: the role of steric effects, 1544-9
 Zirconium phosphates partially exchanged with transition metal ions: characterization and stereochemical changes induced by heat treatment, 2376-84

STERESELECTIVITY

- Stereoselectivity in the cross-metathesis of oct-1-ene and cis- or trans-oct-2-ene, 1089-92
 Studies in cyclophosphazenes. Part 10. The mechanism for trans-isomer preference in the nongeminal diamination of hexachlorocyclotriphosphazene, 1283-8
 Potentiometric and spectrophotometric study of the coordination compounds formed between copper(II) and dipeptides containing tyrosine, 1331-5
 Studies in cyclophosphazenes. Part 11. Geminal amination of (alkylamino)pentachlorocyclotriphosphazenes via a conjugate-base mechanism, 1456-8

STEREOSPECIFICITY

- Syntheses of cationic tri- and dicarbonyl complexes of manganese(-I) with diphosphines from the appropriate neutral bromocarbonyls, 2049-53

STERIC

- Studies in cyclophosphazenes. Part 9. Influence of the steric requirements of the amino substituents on the rates of amination of 2-amino-2,4,4,6,6-pentachlorocyclotriphosphazenes, 107-10
 Equilibrium and kinetic parameters of the oxygenation reaction of oxygen carriers. Conformational effects in cobalt(II) Schiff-base chelates derived from salicylaldehyde and substituted ethylenediamines, 1115-19
 Kinetics of nucleophilic attack on coordinated organic moieties. Part 17. Addition of pyridines to $[\text{Fe}(1-5-\eta\text{-dienyl})(\text{CO})_3]^+$ cations (dienyl = C_6H_7 , 2-MeOC₆H₆, or C_7H_9), 1162-8
 Phosphonate complexes. Part 6. Influence of steric effects, solvation, and chelation on stability, 2423-8

STIBINE

- Preparation of three- and four-coordinate gold(I) complexes; crystal structure of bis(o-phenylenebis(dimethylarsine))gold(I) bis(pentafluorophenyl)aurate(I), 655-7
 Coordination chemistry of higher oxidation states. Part 2. Neutral and cationic complexes of platinum(IV) with bi- and multidentate ligands, 2153-8

STRENGTH

- The acid strength of iodine cyanide, 2144-6

STRONTIUM

- Solid-state reaction between strontium carbonate and silica, 1300-3

STYRENYL

- Combined x-ray and neutron diffraction study of $[\text{Os}_4(\text{CO})_{11}\text{H}_3(\text{C-HCHPh})]$, 788-92

SUBSTITUENT

- A study of substituent and base effects on the electron spin resonance spectra of the molecular oxygen adducts of cobalt(II) porphyrin chelates, 2365-9

SUBSTITUTION

- Photosubstitution reactions of bis(cyclopentadienyl)dimethyltungsten hexafluorophosphate: some evidence for an α -elimination mechanism, 314-16
 Electron spin resonance study of some copper(II) dithiocarbamates and their mixed ligand complexes, 466-71
 Mechanisms of organometallic substitution reactions. Part 4. Kinetics of replacement of dimethyl sulfoxide (dmsO) from $[\text{RuX}_2(\eta\text{-C}_6\text{H}_6)(\text{dmsO})]$ (X = Cl or Br) complexes by triphenylphosphine, 923-7
 Preparation, structures, and reactions of some difluorothiophosphonate and difluoroseleophosphonate complexes of platinum(II), 1028-33
 Kinetics and mechanism of the reaction between tetrachloro- and tetrabromoaurate(III) and thiocyanate, 1093-100

Chemistry of the metal carbonyls. Part 79. Synthesis and x-ray crystal structures of $[\text{N}(\text{PPh}_3)_2][\text{Fe}_2\text{Pt}_2(\mu\text{-H})(\mu\text{-CO})_3(\text{CO})_3(\text{PPh}_3)_2]$, $[\text{Fe}_2\text{Pt}_2(\mu\text{-H})_2(\text{CO})_3(\text{PPh}_3)_2]$, and $[\text{Fe}_2\text{Pt}(\text{CO})_3(\text{cyclo-C}_8\text{H}_{12})]$, 1134-45

Complexation and exchange reactions of some dimethylamino-substituted Group 4 compounds, 1264-7

Water-ammonia exchange at amminerrhodium(III) complexes in aqueous ammoniacal solution, 1289-93

Ring opening in a nonbasic medium of 2-methyl-6-nitrobenzothiazole and hydrogen-deuterium exchange at the 2-methyl promoted by silver(I), 1520-3

Metal-to-ligand charge-transfer excited-state photochemistry of pentacarbonyl(pyridazine-N)chromium and tetracarbonyl(isopropyl(2-pyridylmethylene)amine-N,N')chromium. The difference between the photochemical behavior of the former in solution at 243 K and in an argon matrix at 10 K, 1524-30

Tetracarbonyl diazaphosphole complexes of Group 6B metals: the role of steric effects, 1544-9

The mechanism and kinetics of the substitution of azide, thiocyanate, and cyanide ions in aquapentacyanocobaltate(III) and pentacyanohydroxocobaltate(III), 1578-82

Preparation of the isocyanide complexes trans- $[\text{ReCl}(\text{CNR})(\text{dppe})_2]$ (R = Me or CMe_3) and their reactions with acid to give carbyne complexes. X-ray crystal structure of trans- $[\text{ReCl}(\text{CNH-Me})(\text{dppe})_2][\text{BF}_4]$, 1629-34

Fast reactions at planar four-coordinate complexes. Part 4. The reaction of chelate dichloropalladium(II) complexes with some bidentate ligands, 1722-5

Ligand substitution in bis(N-alkylsalicylideneiminato)copper(II) complexes: comparison of activation and transfer data obtained from solvent mixtures, 1825-30

Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 30. Trimethylphosphinechloro-, -acetato-, and -hydrido complexes and related compounds of (hexamethylbenzene)ruthenium, 2003-8

Reaction of ethylene with dodecacarbonyltriruthenium and the dynamic processes of $[\text{Ru}_3\text{H}_2(\text{CO})_9(\text{C}_2\text{R}_2)]$ (R = H, Me, and Et), 2017-20

Reaction of diiodonitrosyltris(3,5-dimethylpyrazolyl)borato)molybdenum with α,ω -alkanediols, 2-chloro-, and 2-methoxyethanol, 2021-2

Syntheses of cationic tri- and dicarbonyl complexes of manganese(-I) with diphosphines from the appropriate neutral bromocarbonyls, 2049-53

Patterns of nucleophilic attack on ethene complexes of ruthenium(I), 2112-18

Synthesis, reactivity, and electrochemical behavior of new five-coordinate nitrosyl cobalt complexes, 2127-31

Substitution of acetonitrile coordinated to iron(II) by trimethyl phosphite. A kinetic study of the formation and disappearance of tetrakis(acetonitrile)bis(trimethyl phosphite)iron(II), 2172-5

The reactions of carbidoheptadecacarbonylhexaruthenium with dissolved and anchored phosphines. Crystal and molecular structure of μ_6 -carbido- μ -carbonyl-pentadecacarbonyl(ethyldiphenylphosphine)-octahydro-hexaruthenium, 2263-70

Mechanism of water substitution in the trigonal-bipyramidal complex $[\text{Cu}(\text{tren})(\text{OH}_2)]^{2+}$ (tren = 2,2',2''-triiminotriethylamine): evidence for an associative mechanism, 2370-2

Kinetics and equilibria of reversible chelate ring-opening nucleophilic substitution reactions of [(o-dimethylaminophenyl)-dimethylarsine]rhodium(III) complexes, 2429-33

Solvent isotope effects in the acidolysis and other electrophilic substitution reactions of pentaquaorganochromium(III) ions in aqueous solution, 2452-61

SUCCINATE

Deuteration of an asymmetric short hydrogen bond. X-ray crystal structure of potassium fluoride- $[\text{H}_2]\text{succinic acid}$, 2141-3

SULFATE

Studies on the oxidation of iron(II) ion during the formation of Fe_2O_4 and $\alpha\text{-FeO}(\text{OH})$ by air oxidation of $\text{Fe}(\text{OH})_2$ suspensions, 1807-11

SULFIDE

Coordination chemistry of sulfines. Part 3. Oxidative addition of the carbon-chlorine bond of (E)-(RS)ClCSO to tetrakis(triphenylphosphine)platinum(0) and of a carbon-sulfur bond in $[\text{PtO}(\text{PPh}_3)_2(\text{RS})_2\text{CSO}]$ by an intramolecular process. X-ray crystal and molecular structure of cis-(E)- $[\text{Pt}(\text{PhS})(\text{PhSCSO})(\text{PPH}_3)_2]$, C_6H_6 , 342-52

Polymer-supported oxobis(pentane-2,4-dionato)vanadium(IV)

SULFIDE(contd)

- catalyst for reactions involving tert-butyl hydroperoxide, 447-51
- Silver(I) complexes of the potentially chelating olefinic ligands 2,2-dimethylbut-3-enyl methyl sulfide and 2,2-dimethyl-2-silabut-3-enyl methyl sulfide. Crystal structure analysis of $[\text{AgL}_2][\text{BF}_4]$, $[\text{AgL}][\text{ClO}_4]$, $\text{AgL}(\text{NO}_3)$, and $\text{AgL}(\text{O}_2\text{CCF}_3)$ ($\text{L} = 2,2$ -dimethylbut-3-enyl methyl sulfide), 481-90
- The light-induced blackening of red mercury(II) sulfide, 833-5
- Studies on organometallic hetero-multiple-bridged molecules. Part 7. Synthesis and properties of dichalcogenide-bridged complexes of rhenium(I) and the crystal and molecular structures of the diphenyl ditelluride-bridged complex, $[\text{Re}_2\text{Br}_2(\text{CO})_6(\text{Te}_2\text{Ph}_2)]$, 1004-9
- Preparation, structures, and reactions of some difluorothiophosphonate and difluoroseleophosphonate complexes of platinum(II), 1028-33
- Preparation, properties, and crystal and molecular structures of the cyanomethane adducts of niobium(IV) chloride and di- μ -sulfidobis(dichloroniobium(IV)), 1304-9
- Preparation of tertiary arsine sulfides. Crystal and molecular structures of the adduct of methylphenylarsine sulfide and tris(dimethylamino)phosphine oxide, 1459-62
- Syntheses and characterization of the cyclopalladated complexes of benzyl butyl sulfides, 2405-8

SULFIDO

- The crystal structure of di- μ -ethanethiolato- μ -sulfidobis(dichloro-tetrahydrothiophen)tungsten(IV)(W-W): a confacial bioctahedral complex with a tungsten-to-tungsten bond, 506-10
- Mono- η -cyclopentadienylmolybdenum chemistry. Some oxo-, oxohalo-, halo-, thio-, η -disulfido-, and thiohalo-derivatives, 847-51
- Preparation, properties, and crystal and molecular structures of the cyanomethane adducts of niobium(IV) chloride and di- μ -sulfidobis(dichloroniobium(IV)), 1304-9
- Crystal structure and carbon-13 nuclear magnetic resonance spectrum of bis(tetramethylammonium) tetrakis(2-hydroxyethanethiolato)- μ_3 -sulfido-ferrate and electron spin resonance spectrum of $[\text{Fe}_4\text{S}_4(\text{SCH}_2\text{CH}_2\text{OH})_4]^{3-}$ in aqueous solution, 1550-5
- Crystal structure of benzyltriphenylphosphonium pentachlorosulfidotungstate(VI) and a study of the vibrational spectra of salts containing $[\text{WCl}_5\text{Y}]^-$ ($\text{Y} = \text{O}$ or S) ions, 2409-13

SULFIDOFERRATE

- Crystal structure and carbon-13 nuclear magnetic resonance spectrum of bis(tetramethylammonium) tetrakis(2-hydroxyethanethiolato)- μ_3 -sulfido-ferrate and electron spin resonance spectrum of $[\text{Fe}_4\text{S}_4(\text{SCH}_2\text{CH}_2\text{OH})_4]^{3-}$ in aqueous solution, 1550-5

SULFINE

- Coordination chemistry of sulfoxides. Part 3. Oxidative addition of the carbon-chlorine bond of (E)-(RS)ClCSO to tetrakis(triphenylphosphine)platinum(0) and of a carbon-sulfur bond in $[\text{PtO}(\text{PPh}_3)_2(\text{RS})_2\text{CSO}]$ by an intramolecular process. X-ray crystal and molecular structure of cis-(E)- $[\text{Pt}(\text{PhS})(\text{PhSCSO})(\text{PPH}_3)_2]$, C_6H_6 , 342-52
- Coordination chemistry of sulfoxides. Part 4. Influence of the phosphine cone angle on both the oxidative addition of carbon-sulfur and carbon-chlorine side bonds in $[\text{Pt}(\text{PR}_3)_2(\text{XYC}=\text{S}=\text{O})]$ complexes and the (E)-(Z) isomerization, 1342-8

SULFINYL

- Coordination chemistry of sulfoxides. Part 3. Oxidative addition of the carbon-chlorine bond of (E)-(RS)ClCSO to tetrakis(triphenylphosphine)platinum(0) and of a carbon-sulfur bond in $[\text{PtO}(\text{PPh}_3)_2(\text{RS})_2\text{CSO}]$ by an intramolecular process. X-ray crystal and molecular structure of cis-(E)- $[\text{Pt}(\text{PhS})(\text{PhSCSO})(\text{PPH}_3)_2]$, C_6H_6 , 342-52

SULFINYLMETHYL

- Coordination chemistry of sulfoxides. Part 3. Oxidative addition of the carbon-chlorine bond of (E)-(RS)ClCSO to tetrakis(triphenylphosphine)platinum(0) and of a carbon-sulfur bond in $[\text{PtO}(\text{PPh}_3)_2(\text{RS})_2\text{CSO}]$ by an intramolecular process. X-ray crystal and molecular structure of cis-(E)- $[\text{Pt}(\text{PhS})(\text{PhSCSO})(\text{PPH}_3)_2]$, C_6H_6 , 342-52

SULFONATION

- The behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 1. Monophenyl derivatives, 212-18

SULFOXIDE

- Crystal structure and spectroscopic properties of mercury(II) halide complexes. Part 3. The di-n-butyl sulfoxide-mercury(II) chloride

(1/1) adduct, 1024-7

- Dialkyl sulfoxides as starting materials for the preparation of alkyl-transition metal complexes. Formation of pentaquamethylchromium(III) and pentacyanomethylcobaltate(III) salts, and the reduction of methyl radicals by vanadium(II), 2462-4

SULFUR

- Enthalpies of formation of $[\text{Mo}(\eta\text{-C}_5\text{H}_5)_2(\text{SR})_2]$ complexes; $\text{R} = \text{Pr}$, CHMe_2 , Bu , or CMe_3 , 1178-9
- The electronic states of the tetrahedral iron clusters of iron-sulfur proteins. A theoretical model, 1180-9
- Carbon-13 nuclear magnetic resonance study of dinuclear iron carbonyl xanthate complexes: dynamic behavior and local scrambling of the carbonyls at one iron atom, 1278-82
- Electrochemical behavior of $[\text{Fe}_6\text{M}_2\text{S}_6(\text{SR})_6]^{3-}$ ($\text{M} = \text{Mo}$ or W) and the roles of molybdenum and tungsten in nitrogenases, 1664
- Tetrasulfur dinitride: its preparation, crystal structure, and solid-state decomposition to give poly(sulfur nitride), 2188-91
- Organosulfur-transition metal chemistry. Part 5. Face bonding of cycloheptatrienyl and cyclooctatetraene ligands in sulfur-ruthenium clusters: crystal and molecular structure of hexacarbonyl- μ_3 - η^7 -cycloheptatrienyl- μ_3 -tert-butylthio-triangulo-triruthenium, 2220-9

SULFURIC

- The behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 1. Monophenyl derivatives, 212-18

SULFURIZATION

- Moessbauer investigations of some chemical treatments of iron surfaces, 1450-5

SUPEROXY

- Spectroscopy of cobalt-ethylenediamine-oxygen adducts in the supercages of zeolites, 914-22

SUPEROXYCOBALT

- Spectroscopy of cobalt-ethylenediamine-oxygen adducts in the supercages of zeolites, 914-22

SURFACE

- Moessbauer investigations of some chemical treatments of iron surfaces, 1450-5

SUSCEPTIBILITY

- Magnetic and structural studies on copper(II) dialkyldithiocarbamates, 13-22
- Chromium(II) chemistry. Part 14. Ferromagnetic and antiferromagnetic tetrabromochromates(II), 27-33
- Crystal structure and magnetic properties of bis(di- μ -ethoxobis[4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato]dicopper(II)), 251-4
- Further studies on the spin cross-over phenomenon in diisothiocyanatobis(1,10-phenanthroline)iron(II), 441-6
- The magnetic, spectral, and structural properties of trans-tetraaminedinitronickel(II), 997-1003
- Derivatives of the energy levels of a molecular system with respect to parameters of the Hamiltonian, and their application to magnetic susceptibility calculations and least-squares fitting, 1041-6
- Spin-spin interactions in polynuclear nickel(II) complexes: a susceptibility and low-temperature magnetization study of the linear trimer hexakis(allylamine)hexakis- μ -benzotriazolylnickel(II)-triphenylphosphine oxide (1/2), 1069-73

SYM

- Lanthanide ethylenediaminetetraacetate chelates as aqueous shift reagents: evidence for effective axial symmetry in bidentate cytidine 5'-monophosphate and alanine complexes, 2078-82

TANTALUM

- Mono- η -cyclopentadienylniobium chemistry: ternary phosphine, carbonyl, 3,4-dimethylhexa-2,4-diene, halo, and hydrido derivatives, 85-90
- Carbonyl complexes of niobium and tantalum and evidence of a niobium dinitrogen complex: the structure of carbonyldichlorocyclopentadienylbis(dimethylphenylphosphine)tantalum, 793-9
- Synthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43
- Interpretation of bond length data for transition metal-acetylene complexes, in particular the complex $[\text{C}_5\text{H}_5\text{NH}][\text{TaCl}_4(\text{PhC}\equiv\text{CPh})(\text{NC}_5\text{H}_5)]$, 2373-5

TARTRATE

- Crystal structures of dextrorotatory and racemic sodium ammonium tartrate, 1268-73

TAUTOMERISM

- Studies of chelation. Part 9. Cobalt complexes of 1-(substituted

TAUTOMERISM(contd)

phenylazo]-2-naphthol and 1-[(substituted phenylimino)methyl]-2-naphthol ligands. Tautomerism and reactivity, 559-66

TCNE

Reduction-oxidation properties of organotransition-metal complexes. Part 10. Formation and reactivity of the paramagnetic cyclobutadiene-iron and -ruthenium derivatives $[M(CO)_3-nL_n(C_4Ph_4)]^+$ ($n = 1-3$, $L =$ phosphorus donor), 34-9

The rate and mechanism of tetracyanoethylene addition of cycloheptatriene and related complexes of tricarbonyliron, 586-9

TECHNETIUM

Synthesis and structure of bis(diethyldithiocarbamate)nitridotecnium(V): a technetium-nitrogen triple bond, 1798-801

TELLURIDE

Studies on organometallic hetero-multiple-bridged molecules. Part 7. Synthesis and properties of dichalcogenide-bridged complexes of rhenium(I) and the crystal and molecular structures of the diphenyl ditelluride-bridged complex, $[Re_2Br_2(CO)_6(Te_2Ph_2)]$, 1004-9

TEMPLATE

Use of alkali and alkaline-earth metal ions in the template synthesis of 12-crown-4, 15-crown-5, and 18-crown-6, 1157-61

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 1. Reactions of 2,6-diacylpyridine and dicarbonyl compounds with 3,6-dioxaoctane-1,8-diamine, 1669-77

TERPYRIDYL

Structural studies of Group 5A-halide-dithio-ligand complexes. Part 7. Crystal structures of the 1:1 adducts of (N,N-diethyldithiocarbamate)diodobismuth(III) with 2,2'-bipyridyl and 2,2':6,2''-terpyridyl, 1383-8

TERTIARY

Preparation of tertiary arsine sulfides. Crystal and molecular structures of the adduct of methylphenylarsine sulfide and tris(dimethylamino)phosphine oxide, 1459-62

TETRAAZA

Zinc complexes of four tetraaza macrocycles: enthalpies of formation in acetonitrile solution, 336-41

TETRAAZACYCLODODECANEDIONE

Square planar coordination of the 12-membered macrocyclic tetraamine ligand 1,4,7,10-tetraazacyclododecane-2,6-dione, 694-700

TETRAAZACYCLOTETRADECATETRAENE

Structural and mechanistic studies of coordination compounds. Part 28. Some octahedral ruthenium complexes of 5,5,7,12,14,14-hexamethyl-1,4,8,11-tetraazacyclotetradeca-1,3,8,10-tetraene produced by oxidative dehydrogenation reactions, 1019-23

TETRABORANE

The molecular structure of tetraborane(10) in the gas phase as determined by a joint analysis of electron diffraction and microwave data, 472-7

TETRABROMO

Chromium(II) chemistry. Part 14. Ferromagnetic and antiferromagnetic tetrabromochromates(II), 27-33

TETRABROMOCHROMATE

Chromium(II) chemistry. Part 14. Ferromagnetic and antiferromagnetic tetrabromochromates(II), 27-33

TETRAETHYL

Reactions of metal carbonyl derivatives. Part 25. The bridging properties of tetraethyl diphosphite, $(EtO)_2P(OR)_2$, 1918-23

TETRAFLUORIDE

Thermochemistry of hexafluoroanions of M(IV) ($M =$ Si, Ti, Mn, or Re) and lattice energy calculations for their salts, 726-33

TETRAFLUOROBORATE

Crystal structure and electronic properties of bis(2,2'-bipyridyl)thiocyanatocopper(II) tetrafluoroborate, 2029-33

TETRAFUNCTIONAL

Protonation and complex formation with heavy-metal ions of two tetrafunctional amines and of a new structurally related ion exchange resin, 2559-64

TETRAHYDRIDOHEXAKISTRIMETHYLPHOSPHINE-DIMOLYBDENUM

Trimethylphosphine complexes of molybdenum, tungsten, niobium, and tantalum. X-ray crystal structures of di- μ -hydrido-dihydrohexakis(trimethylphosphine)dimolybdenum(II)(Mo-Mo) and of μ -dimethylphosphido- μ -hydridotetrahydridopentakis(trimethylphosphine)ditungsten(II,IV)(W-W), 1892-7

TETRAHYDROTHIOPHENE

The crystal structure of di- μ -ethanethiolato- μ -sulfidobis(dichloro-

tetrahydrothiophen)tungsten(IV)(W-W): a confacial bioctahedral complex with a tungsten-to-tungsten bond, 506-10

TETRALINDIONATE

Electron spin resonance spectra and conformations of group 2 ion complexes with a semidione ligand, 604-8

TETRALONE

Cyclopalladation of 1-tetralone (3,4-dihydronaphthalen-1-one) oximes, 205-11

TETRAMERIZATION

Dirhenium complexes containing two, three, and four linked acetylene molecules derived from the reaction of $[Re_2(CO)_{10}]$ with RC_2R ($R = Ph$ or Me); the x-ray crystal structure of $[Re_2(CO)_4(PhCCPh)_3(CNCH_2SO_2C_6H_4Me-p)_2].CH_2Cl_2$, 771-6

TETRANUCLEAR

Electron spin resonance spectra of a titanium IV/III mixed-valence tetranuclear species $[Ti_4(OR)_{12}O]$, 2328-30

TETRAPHENYLBORATE

Synthesis, reactivity, and electrochemical behavior of new five-coordinate nitrosyl cobalt complexes, 2127-31

TETRAPHENYLPORPHYRINATO

Carbon-13 nuclear magnetic resonance in isotopically enriched high-spin iron(III) porphyrins: π -electron spin distribution, 1729-34

TETRAPHOSPHITENITROSYLCOBALT

Synthesis, reactivity, and electrochemical behavior of new five-coordinate nitrosyl cobalt complexes, 2127-31

TETRASULFUR

Tetrasulfur dinitride; its preparation, crystal structure, and solid-state decomposition to give poly(sulfur nitride), 2188-91

THALLIUM

Influence of temperature on the thallium-205 chemical shift of dimethylthallium(III) derivatives, 132-6

THERMOCHEM

Thermochemistry of hexafluoroanions of M(IV) ($M =$ Si, Ti, Mn, or Re) and lattice energy calculations for their salts, 726-33

Zirconium phosphates partially exchanged with transition metal ions: characterization and stereochemical changes induced by heat treatment, 2376-84

THERMOCHROMISM

Synthesis, spectroscopic, and structural properties of 2,2'-dimethylpropane-1,3-diaminecopper(II) complexes. Temperature-dependent tetragonal distortion in some thermochromic complexes. Crystal and molecular structure of bis(2,2'-dimethylpropane-1,3-diamine)diperchloratocopper(II), 8-12

THERMODYN

Studies in cyclophosphazenes. Part 8. The equilibria between isomeric nongeminal aminochlorocyclotriphosphazenes, 103-6

Kinetic and mechanistic studies on the disproportionation equilibrium of μ -oxobis[bis(isopropyl thioxanthato)oxomolybdenum(V)] and on the decomposition reaction of bis(isopropyl thioxanthato)dioxomolybdenum(VI), 292-6

Macro-inorganics. Part 6. Protonation and complex formation of a new series of polymers whose repeating units behave independently, 539-42

Strong hydrogen bonding in aliphatic diol solutions of alkali metal fluorides, 1152-6

A procedure for the calculation of enthalpy changes from continuous-titration calorimetric experiments, 1246-50

Linear free-energy relationships in the hydrolysis of metal ions. The effect of the ionic medium, 1445-9

Nucleophilic attack on olefins coordinated to platinum. Part 3. Effect of substituents on the olefins on the formation of 2-ammonioethanide compounds ($H_3NCH_2RCH_2^-Pt$), of four-membered ring complexes, and of five-coordinate species, 1565-71

Effect of organic groups on the carbonyl insertion reaction of platinum(II), 2317-20

Calorimetric titration studies of adduct formation between lanthanide β -diketonates and organic bases in benzene solution, 2434-8

THERMOLYSIS

Reactions and properties of some trimethyleneplatinum(IV) complexes. Part 11. Platinacyclobutanes derived from methylcyclopropane, 1738-45

THF

Studies on organometallic hetero-multiple-bridged molecules. Part 7. Synthesis and properties of dichalcogenide-bridged complexes of rhenium(I) and the crystal and molecular structures of the diphenyl ditelluride-bridged complex, $[Re_2Br_2(CO)_6(Te_2Ph_2)]$,

- THF(contd)
1004-9
- THIAMINE
Reactions of hydrogenated thiamine derivatives with $K_2[MX_4]$, where M is Pd^{II} or Pt^{II} and X is Cl or Br, 1635-44
- THIANE
Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50
- THIAZOLIDINE
Reactions of hydrogenated thiamine derivatives with $K_2[MX_4]$, where M is Pd^{II} or Pt^{II} and X is Cl or Br, 1635-44
Reactions of methylmercury(II), mercury(II), and zinc(II) ions with 2-methyl-2-(2-pyridyl)thiazolidine, including stopped-flow rapid-scanning spectrophotometric studies, 2137-40
- THIAZOLINE
Reactions of hydrogenated thiamine derivatives with $K_2[MX_4]$, where M is Pd^{II} or Pt^{II} and X is Cl or Br, 1635-44
- THIAZYL
Spectroscopic studies of trans-bis(hexafluoroarsenato)tetrakis(thiazyl trifluoride)metal(II) complexes (M = Mn, Fe, Co, Ni, or Cu); crystal structure of the manganese(II) complex: an example of exceptionally short N-S bonds of AsF_6^- as a unidentate ligand, 61-3
- THIENYLBUTANEDIONE
Crystal structure and magnetic properties of bis(di- μ -ethoxobis[4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato]dicopper(II)), 251-4
- THIO
Kinetic and mechanistic studies on the disproportionation equilibrium of μ -oxobis(bis(isopropyl thioxanthato)oxomolybdenum(V)) and on the decomposition reaction of bis(isopropyl thioxanthato)dioxomolybdenum(VI), 292-6
- THIOBENZOATE
Metal complexes of sulfur ligands. Part 21. Reactions of $[Ru(SOCH_2Ph)(PMe_2Ph)_2]$ with $Ph_2P(CH_2)_nPPH_2$ (n = 1 or 2) and PMe_2Ph and of cis- $[RuCl_2(PMe_2Ph)_4]$ with ammonium monothiobenzoate. Crystal and molecular structure of $[Ru(SOCH_2Ph)_2(PMe_2Ph)(Ph_2P(CH_2)_2PPH_2)]$. MeOH, 2508-14
- THIOBUTYL
Copper coordination to thioether ligands. Chemical, spectroscopic, and crystallographic studies on copper(I) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the 2-(3,3-dimethyl-2-thiabutyl)pyridinium cation, 1746-52
- THIOBUTYLPYRIDINE
Copper coordination to thioether ligands. Chemical, spectroscopic, and crystallographic studies on copper(I) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the 2-(3,3-dimethyl-2-thiabutyl)pyridinium cation, 1746-52
- THIOBUTYLPYRIDINIUM
Copper coordination to thioether ligands. Chemical, spectroscopic, and crystallographic studies on copper(I) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the 2-(3,3-dimethyl-2-thiabutyl)pyridinium cation, 1746-52
- THIOCARBAMATE
Electron spin resonance study of some copper(II) dithiocarbamates and their mixed ligand complexes, 466-71
Open-shell molybdenum carbonyl complexes and the binding of π -acid ligands to higher-oxidation-state molybdenum sites, 892-3
Low-temperature magnetochemical and spectroscopic studies of variable-spin tris(monothiocarbamato)iron(III) and tris(diselenocarbamato)iron(III) complexes, 1294-9
Structural studies of Group 5A-halide-dithio-ligand systems. Part 1. Crystal structures of bis(N,N-diethyldithiocarbamato)iodo- and -bromobismuth(III), 1352-9
Structural studies of Group 5A-halide-dithio-ligand complexes. Part 2. Crystal structures of 1:1 adducts of bis(N,N-diethyldithiocarbamato)iodoantimony(III) with chloroform and molecular iodine, 1360-5
Structural studies of Group 5A-halide-dithio-ligand complexes. Part 3. Crystal structure of polymeric (N,N-diethyldithiocarbamato)di-iodobismuth(III), 1366-8
- THIOCARBAMATO
Single-crystal electron spin resonance spectra of tris(diethyldithiocarbamato)oxomolybdenum(V) and chlorobis(diethyldithiocarbamato)oxomolybdenum(V) diluted in isomorphous host lattices, 142-9
Structural studies of Group 5A-halide-dithio-ligand complexes. Part 4. Crystal structures of bis(tetraethylammonium) di- μ -iodobis[(N,N-diethyldithiocarbamato)diiodobismuthate(III)] and a partially brominated analog, 1369-71
Structural studies of Group 5A-halide-dithio-ligand complexes. Part 5. Crystal structures of pentanuclear $[Bi_5(S_2CNEt_2)_5X_7]$, X = Cl, Br, or I, and the pyridinium salt of the tetranuclear $[Bi_4(S_2CNEt_2)_4Br_{10}]^{2-}$ anion, 1372-8
Structural studies of Group 5A-halide-dithio-ligand complexes. Part 6. Crystal structures of dichloro(N,N-diethyldithiocarbamato)tris(pyridine)bismuth(III)-pyridine (1/1) and its diiodo analog 1379-82
Structural studies of Group 5A-halide-dithio-ligand complexes. Part 7. Crystal structures of the 1:1 adducts of (N,N-diethyldithiocarbamato)diiodobismuth(III) with 2,2'-bipyridyl and 2,2':6',2''-terpyridyl, 1383-8
- THIOCYANATE
Electronic, infrared, and resonance-Raman spectra of mixed-valence iodide-bridged linear-chain complexes of platinum, 524-8
Kinetics and mechanism of the reaction between tetrachloro- and tetrabromoaurate(III) and thiocyanate, 1093-100
The mechanism and kinetics of the substitution of azide, thiocyanate, and cyanide ions in aquapentacyanocobaltate(III) and pentacyanohydroxocobaltate(III), 1578-82
Spectrochemistry of solutions. Part 14. Raman and infrared spectra of thiocyanatosilver(I) complexes in some nonaqueous solutions, 1708-13
Bicopper(I) and bicopper(II) complexes of a 30-membered macrocyclic ligand: the inclusion of substrate molecules and the crystal and molecular structures of a μ -hydroxo- and a μ -imidazolato-complex, 1868-78
- THIOCYANATO
Synthesis and vibrational spectroscopic study of compounds containing the dithiocyanato-, isodithiocyanato-, and diselenocyanatoiodate(I), 1146-51
Crystal structure and electronic properties of bis(2,2'-bipyridyl)thiocyanatocopper(II) tetrafluoroborate, 2029-33
- THIOCYANATOCOPPER
Crystal structure and electronic properties of bis(2,2'-bipyridyl)thiocyanatocopper(II) tetrafluoroborate, 2029-33
- THIOCYANATOIODATE
Synthesis and vibrational spectroscopic study of compounds containing the dithiocyanato-, isodithiocyanato-, and diselenocyanatoiodate(I), 1146-51
- THIOETHER
Structural and mechanistic studies of coordination compounds. Part 26. Synthesis and characterization of some octahedral complexes of ruthenium(II) and -(III) with macrocyclic quadridentate thioethers, 495-500
Organosulfur-transition metal chemistry. Part 6. Reactions of cyclooctatetraenyl and cycloheptatrienyl thioethers with metal carbonyls, 2230-4
- THIOLATE
Synthesis and low-frequency vibrational spectra of some bis(alkanethiolato)- and bis(benzenethiolato)aurate(I) complexes 267-70
Synthesis and crystal and molecular structure of di- μ -(N-methylpiperidinium-4-thiolate)bis[dichlorozinc(II)] monohydrate, 852-4
Crystal structure and carbon-13 nuclear magnetic resonance spectrum of bis(tetramethylammonium) tetrakis[(2-hydroxyethanethiolato)- μ_3 -sulfido-ferrate] and electron spin resonance spectrum of $[Fe_4S_4(SCH_2CH_2OH)_4]^{3-}$ in aqueous solution, 1550-5
- THIOLATO
Enthalpies of formation of $[Mo(\eta-C_5H_5)_2(SR)_2]$ complexes; R = Pr, CHMe₂, Bu, or CMe₃, 1178-9
Organosulfur-transition metal chemistry. Part 7. Sulfur inversion in dimolybdenum complexes: crystal and molecular structure of dicarbonyl- η -cycloheptatrienyltri- μ -tert-butylthio(trimethyl phosphite)dimolybdenum(Mo-Mo), 2235-44
- THIOOXAMIDE
Fast reactions at planar four-coordinate complexes. Part 4. The reaction of chelate dichloropalladium(II) complexes with some bidentate ligands, 1722-5
- THIOPHOSPHINATE
Crystal and molecular structures of $[AsPh_4][Ln(S_2P(OEt)_2)_4]$ (Ln = La or Er) and their comparison with results obtained in solution from paramagnetic nuclear magnetic resonance data, 1470-4
Dithiophosphinate complexes of the actinides. Part 1. Preparation

THIOPHOSPHINATE(contd)

and characterization of complexes of thorium(IV) and the crystal structures of tetrakis(dimethyl- and dicyclohexyldithiophosphinato)thorium, 1475-80

THIOPHOSPHONATE

Preparation, structures, and reactions of some difluorothiophosphonate and difluoroselenophosphonate complexes of platinum(II), 1028-33

THIOPHOSPHORYL

Dynamic nuclear magnetic resonance and x-ray diffraction studies of tris(diphenylthiophosphoryl)methane and some related compounds, 1645-50

THIOPHOSPHORYLMETHANE

Dynamic nuclear magnetic resonance and x-ray diffraction studies of tris(diphenylthiophosphoryl)methane and some related compounds, 1645-50

THIOSALICYLOHYDRAZIDE

Synthesis and characterization of the reaction products from bis(thiosalicylohydrazido)nickel(II) in base and acid solution, 2176-82

THIOSALICYLOHYDRAZIDE

Novel ligational behavior of thiosalicylohydrazide and its derivatives with cobalt(II), nickel(II), copper(II), and palladium(II), 2385-94

THIOSELENOMETHANEPLATINUM

Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 4. Ring reversal, pyramidal inversion, and novel fluxional rearrangements in $[\text{Pt}(\text{XMe}_3)_2(\text{MeSCH}_2\text{SeMe})]$ complexes, 2439-46

THIOUREA

Structural investigations on bismuth-thiourea derivative adducts: crystal structures of tetra[1-allyl-3-(2-pyridyl)thiourea-S]di- μ -chloro-tetrachlorodibismuth(III) and hexa[1-allyl-3-(2-pyridyl)thiourea-S]bismuth(III) nitrate, 23-6

Kinetics and mechanism of the decomposition of the S-nitrosothiuronium ion, 331-5

THIOURONIUM

Kinetics and mechanism of the decomposition of the S-nitrosothiuronium ion, 331-5

THIOXANTHATE

Kinetic and mechanistic studies on the disproportionation equilibrium of μ -oxobis[bis(isopropyl thioxanthato)oxomolybdenum(V)] and on the decomposition reaction of bis(isopropyl thioxanthato)dioxomolybdenum(VI), 23-6

THORIUM

Linear free-energy relationships in the hydrolysis of metal ions. The effect of the ionic medium, 1445-9

Dithiophosphinate complexes of the actinides. Part 1. Preparation and characterization of complexes of thorium(IV) and the crystal structures of tetrakis(dimethyl- and dicyclohexyldithiophosphinato)thorium, 1475-80

TIN

Crystal structure of di- μ_3 -oxooctakis- μ -(trifluoroacetato)ditin(II)-ditin(IV)-benzene (1/1), 69-73

Group 4A organometallic compounds. Part 8. Preparation and Moessbauer spectra of five- and six-coordinate di- and triorganotin compounds containing mixed phenyl and butyl groups on tin, 552-8

Tin-119 Fourier-transform nuclear magnetic resonance study of rhodium-tin complexes formed in aqueous hydrochloric acid solutions of rhodium trichloride and tin dichloride, 639-44

Isomerism in adducts of tin(IV) tetrahalides with NN'-dimethylacetamide, NN'-dimethylformamide, and dimethyl sulfoxide in the solid state, 843-6

Tris(trimethylsilyl)methyltin oxinates and their conversion into bis(trimethylsilyl)methyltin oxinates, 1101-4

Reaction of bicyclo[*n*.1.0]alkanes (*n* = 3-6) with the olefin-metathesis catalysts tungsten hexachloride-tetraphenyltin and tungsten hexachloride-ethylaluminum dichloride, 1111-14

Oxidative-addition and reductive-elimination reactions involving platinum complexes and tetraorganotin compounds, 1223-32

Bis(3-cyanopentane-2,4-dionato)dihalotin(IV) complexes, 1235-6

Preparation, properties, and structures of bis(O-ethyl dithiocarbonato)dihalotin(IV) and di- μ -thiobis[bis(O-ethyl dithiocarbonato)tin(IV)], 1392-7

Antimony-121 Moessbauer study of the effects of calcination on the structure of tin-antimony oxides, 1442-4

A tin-119 Moessbauer study of the phase transitions in tin difluoride, 1831-6

Tin-119 Moessbauer spectroscopic study of a single crystal of α -SnF₂ and partially oriented α -PbSnF₄, 2296-9

A neutron diffraction investigation of the defect rutile structure of tin-antimony oxide, 2447-51

TITANATE

Thermochemistry of hexafluoroanions of M(IV) (M = Si, Ti, Mn, or Re) and lattice energy calculations for their salts, 726-33

TITANIUM

Reactions of nitrogen monoxide with dicyclopentadienyltitanium complexes, including the formation of isocyanate from nitrogen monoxide and carbon monoxide, 271-5

Kinetics of the reduction of (ethylenediaminetetraacetato)cobaltate(III) and related complexes by chromium(II) ions, 894-6

Enthalpies of formation of $[\text{M}(\eta\text{-C}_5\text{H}_5)_2(\text{OOCR})_2]$ complexes; M = Mo, W, or Ti and R = C₆H₅ or CF₃, 1174-7

Complexation and exchange reactions of some dimethylamino-substituted Group 4 compounds, 1264-7

Metallocene derivatives of early transition metals. Part 4. Chemistry of the complexes $[\text{M}(\eta\text{-C}_5\text{H}_5)_2\text{RR}']$ [M = Ti, Zr, or Hf; R = CH₂M'Me₃ (M' = C, Si, Ge, or Sn) or CH(SiMe₃)₂; R' = Cl or alkyl] and the x-ray structures of $[\text{Zr}(\eta\text{-C}_5\text{H}_5)_2(\text{CH}_2\text{M}'\text{Me}_3)_2]$ (M' = C or Si), 1593-605

Electron spin resonance studies of electron addition to bis(cyclopentadienyl)titanium(IV) dichloride and cyclopentadienyltitanium(I-V) trichloride, 2258-62

Electron spin resonance spectra of a titanium(IV)/III mixed-valence tetranuclear species $[\text{Ti}_4(\text{OR})_2\text{O}]$, 2328-30

Studies on (η -cyclooctatetraene)(η^5 -fluorenyl)titanium by electron spin resonance and electronic absorption spectroscopy, 2353-6

TITRIN

A procedure for the calculation of enthalpy changes from continuous-titration calorimetric experiments, 1246-50

TOLUENETHIOLATE

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 9. Reactivity of the cations $[\text{M}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{PR}_3)_2(\eta\text{-C}_5\text{H}_5)]^+$ (M = Mn or Re, PR₃ = PMe₃ or PMe₂Ph) towards tertiary phosphines and the toluene-p-thiolate anion: x-ray crystal structures of $[\text{MnPt}(\mu\text{-C}(\text{PMe}_3)_2\text{C}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)]\text{BF}_4$ and $[\text{MnPt}(\text{SC}_6\text{H}_4\text{Me-4})(\mu\text{-C}(\text{PMe}_3)_2\text{C}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\text{CO})(\text{PMe}_3)(\eta\text{-C}_5\text{H}_5)]$, 2471-8

TOLUIDINE

Kinetics of nucleophilic attack on coordinated organic moieties.

Part 15. Addition of p-toluidine to tricarbonyl(1-5- η -dienyl)iron cations, 200-4

TOLUIDINO

Kinetics of nucleophilic attack on coordinated organic moieties.

Part 15. Addition of p-toluidine to tricarbonyl(1-5- η -dienyl)iron cations, 200-4

TOLUIDINOCYCLOHEXADIENE

Kinetics of nucleophilic attack on coordinated organic moieties.

Part 15. Addition of p-toluidine to tricarbonyl(1-5- η -dienyl)iron cations, 200-4

TOLUOYLHYDRAZONE

Reactivity of uranyl ion with quinquedentate chelating hydrazine derivatives. Part 3. 2,6-Diacetylpyridine (2'-pyridylhydrazone) (4"-toluoylhydrazone), 357-61

TOLYL

The possibility of free rotation of m-tolyl and substituted pyridine groups about their bonds to square-planar organonickel(II) species, 240-4

TOLYLMETHYLIDYNE

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 8. Synthesis of the trimetal compounds $[\text{M}(\text{W}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\eta\text{-C}_5\text{H}_5))_2]$ (M = Ni, Pd, or Pt) and crystal structures of the platinum and nickel complexes, 763-70

TRANSAMINATION

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 1. Reactions of 2,6-diacetylpyridine and dicarbonyl compounds with 3,6-dioxaoctane-1,8-diamine, 1669-77

TRANSFER

Highly selective membrane transport of copper(II) ion by synthetic linear oligomer carriers, 1486-91

Solubility of salts of hexachlororhenate(IV) ions with complex cations in water and in water + alcohol mixtures: free energies of transfer of the complex ions, 2034-8

Spectrophotometric studies of the copper(II)-D-o-tyrosine

TRANSFER(contd)

complex. Assignment of the 330-nm dichroic band in copper(II) and iron(III) transferrins, 2544-9

TRANSFERRIN

Spectrophotometric studies of the copper(II)-D-o-tyrosine complex. Assignment of the 330-nm dichroic band in copper(II) and iron(III) transferrins, 2544-9

TRANSFORMATION

Reduction and polymorphic transformation of B-niobium pentoxide, 255-61

TRANSITION

Spectroscopic studies of trans-bis(hexafluoroarsenato)tetrakis(thiazyl trifluoride)metal(II) complexes ($M = Mn, Fe, Co, Ni, \text{ or } Cu$); crystal structure of the manganese(II) complex: an example of exceptionally short N-S bonds of AsF_6^- as a unidentate ligand, 61-3

Direct electrochemical synthesis of cationic complexes, 118-20

Novel compounds with gold-transition metal bonds; crystal and molecular structure of bis(triphenylphosphine)iminium bis(tetracarboxylcobalt)aurate(I), 366-70

Bonding in clusters. Part 2. Hexaborane(10) and related metalloboranes, 546-51

Metal carbonyl photochemistry. Part 3. Behavior of tricarbonyl(η -cyclopentadienyl)manganese and related species at 77 K, 673-7

Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 7. Interconversion of carbene and carbyne ligands at a dimetal center. X-ray crystal structures of $[CrPt(\mu-C(CO_2Me)Ph)(CO)_4(PMe_3)_3]$ and $[MnPt(\mu-CC_6H_4Me-4)(CO)_2(PMe_3)_2(\eta-C_5H_5)] [BF_4] \cdot CH_2Cl_2$, 751-62

Highly selective membrane transport of copper(II) ion by synthetic linear oligomer carriers, 1486-91

Equilibria of some α -amino-acids containing sulfur atoms in the chain with metal(II) ions. Part 1. DL-4,4'-Dithiobis(2-aminobutyric acid) with manganese(II), cobalt(II), and nickel(II) in aqueous solution, 1531-4

Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 1. Reactions of 2,6-diacylpyridine and dicarbonyl compounds with 3,6-dioxaoctane-1,8-diamine, 1669-77

Synthesis of some pentagonal-bipyramidal complexes of manganese(II), iron(II), cobalt(II), nickel(II), copper(II), and zinc(II) with a heptadentate Schiff-base ligand and the crystal and molecular structures of a copper(II) complex, 1685-90

A tin-119 Moessbauer study of the phase transitions in tin difluoride, 1831-6

Ketoximate complexes. Part 3. Structure and properties of tris chelates of cobalt(III), iron(II), and ruthenium(II), 1856-62

Studies on transition metal cyano complexes. Part 3. Heptacyano complexes of tungsten, molybdenum, and vanadium, and a hydridoheptacyano complex of tungsten, 1886-91

Further studies on the interaction of nitric oxide with transition metal alkyls, 1898-905

Reactions of metal carbonyl derivatives. Part 25. The bridging properties of tetraethyl diphosphite, $(EtO)_2POP(OEt)_2$, 1918-23

Studies of mixed-metal hydroxy-bridged complexes. Part 1. Complexes with bis(ethylenediamine)dihydroxocobalt(III) as ligand, 1924-7

Characterization of cationic coordination complexes using field desorption mass spectrometry, 1994-6

Solubility of salts of hexachlororhenate(IV) ions with complex cations in water and in water + alcohol mixtures: free energies of transfer of the complex ions, 2034-8

Structural studies on the cesium alums, $CsM(III)[SO_4]_2 \cdot 12H_2O$, 2105-11

Photolytic homolysis of the metal-carbon (sp^3 or sp^2) bond of alkyl or acyl transition metal complexes. An electron spin resonance study using spin trapping; and a note on afnilyl oxides $[ML_n(N(O)R)][ML_n = Ru(CO)_4(SiMe_3)_3, Os(CO)_4(SiMe_3)_3 \text{ or } Fe(\eta-C_3H_5)(CO)_2; R = aryl]$, 2159-63

Isolation of the anions $[M(CO)_5(SH)]^-$ and $[M_2(CO)_{10}(\mu-SH)]^-$ ($M = Cr, Mo, \text{ and } W$) as salts of the sodium(18-crown-6-ether) cation. X-ray analysis of the sodium carbonyl linked polymeric structures of the tungsten species, 2357-64

Interpretation of bond length data for transition metal-acetylene complexes, in particular the complex $[C_5H_5NH][TaCl_4(PhC(CPh)(NC_5H_5))]$, 2373-5

Novel ligational behavior of thiosalicylohydrazide and its derivatives with cobalt(II), nickel(II), copper(II), and palladium(II), 2385-94

TRANSPORT

Model compounds for microbial iron-transport compounds. Part 1.

Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22

Highly selective membrane transport of copper(II) ion by synthetic linear oligomer carriers, 1486-91

TREATMENT

Moessbauer investigations of some chemical treatments of iron surfaces, 1450-5

TRIACETATE

Crystal structure of sodium dihydrogen triacetate, 1768-9

TRIAMINE

Studies involving nitrogen-oxygen donor macrocyclic ligands.

Interaction of copper(II) with new O_2N_2 -donor macrocycles and the x-ray analysis of aqua(1,12,16-triaza-3,4,9,10-dibenzo-5,8-dioxacyclooctadecane)copper(II) diperchlorate hydrate, 74-9

TRIAZABORATRICYCLOTRIDECAENE

Crystallographic studies of the boron-nitrogen bond in aminoboranes. Part 5. The crystal and molecular structure of 1,5,9-triaza-13-boratricyclotridecaene, 511-14

TRIBROMOBORANE

Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachlorooxomolybdenum(VI) and -oxotungsten(VI) and tetrabromooxotungsten(VI), 2501-7

TRICARBONYL

Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron.

Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17

TRICARBONYLCYCLOOCTATETRAENEIRON

Friedel-Crafts acylation of tricarbonyl(cyclooctatetraene)iron.

Preparation and reactions of (8-acylbicyclo[3.2.1]octadienyl)-tricarbonyliron hexafluorophosphates, 1906-17

TRICOPPER

Phosphite complexes of copper(II) carboxylates and their derivatives. Crystal structure of a penta- μ -acetato-bis(triethyl phosphite)tricopper(II), 2119-26

TRIFLUORIDE

Spectroscopic studies of trans-bis(hexafluoroarsenato)tetrakis(thiazyl trifluoride)metal(II) complexes ($M = Mn, Fe, Co, Ni, \text{ or } Cu$); crystal structure of the manganese(II) complex: an example of exceptionally short N-S bonds of AsF_6^- as a unidentate ligand, 61-3

TRIMERIZATION

Dirhenium complexes containing two, three, and four linked acetylene molecules derived from the reaction of $[Re_2(CO)_{10}]$ with RC_2R ($R = Ph \text{ or } Me$); the x-ray crystal structure of $[Re_2(CO)_4(PhCCPh)_2(CNCH_2SO_2C_6H_4Me-p)_2] \cdot CH_2Cl_2$, 771-6

Vanadium-51 and oxygen-17 nuclear magnetic resonance study of vanadate(V) equilibria and kinetics, 1105-10

TRIMETHYL

Trimethylsilylation of zeolites. Evidence for the presence of adjacent aluminum atoms, 1260-3

Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 3. Novel fluxional rearrangements in bis(trimethylhaloplatinum) 1,3-dithian, 1,3,5-trithian, and β -2,4,6-trimethyl-1,3,5-trithian complexes, 1846-55

Substitution of acetonitrile coordinated to iron(II) by trimethyl phosphite. A kinetic study of the formation and disappearance of tetrakis(acetonitrile)bis(trimethyl phosphite)iron(II), 2172-5

TRIMETHYLPHOSPHINE

Synthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43

TRIOSMIUM

Products of the pyrolysis of undecacarbonyl(trimethyl phosphite)triosmium: the molecular and crystal structure of $[Os_3C(CO)_{13}H(OPOMe)_2(P(OMe)_3)]$, 2250-7

TRIPLE

Synthesis and structure of bis(diethyldithiocarbamate)nitridotechnetium(V): a technetium-nitrogen triple bond, 1798-801

TRISMETHYLSILYLAMINE

Molecular structure of tris(trimethylsilyl)amine in the gas phase determined by electron diffraction, 1501-3

TRITHIANE

Nuclear magnetic resonance investigations of configurational nonrigidity in dinuclear platinum(IV) complexes. Part 3. Novel fluxional rearrangements in bis(trimethylhaloplatinum) 1,3-dithian, 1,3,5-trithian, and β -2,4,6-trimethyl-1,3,5-trithian

TRITHIANE(contd)

complexes, 1846-55

Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50

TRYPTOPHAN

Coordination properties of N-protected amino acids. Solution and solid-state behavior of bis(benzoyloxycarbonyl-L-tryptophanato)-nickel(II) and its mixed complexes, 1665-8

TUNGSTATE

Isolation of the anions $[M(CO)_5(SH)]^-$ and $[M_2(CO)_{10}(\mu-SH)]^-$ (M = Cr, Mo, and W) as salts of the sodium(18-crown-6-ether) cation. X-ray analysis of the sodium carbonyl linked polymeric structures of the tungsten species, 2357-64Crystal structure of benzyltriphenylphosphonium pentachlorosulfidotungstate(VI) and a study of the vibrational spectra of salts containing $[WCl_5Y]^-$ (Y = O or S) ions, 2409-13

TUNGSTEN

Photosubstitution reactions of bis(cyclopentadienyl)dimethyltungsten hexafluorophosphate: some evidence for an α -elimination mechanism, 314-16

Novel compounds with gold-transition metal bonds; crystal and molecular structure of bis(triphenylphosphine)iminium bis(tetracarbonylcobalto)aurate(I), 366-70

Crystal structure studies of hydrazido(2-)-quinolin-8-olato complexes of molybdenum and tungsten, 390-9

The crystal structure of di- μ -ethanethiolato- μ -sulfidobis[dichloro(tetrahydrothiophen) tungsten(IV)(W-W)]: a confacial biocuboidal complex with a tungsten-to-tungsten bond, 506-10Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 6. Synthesis of platinum-chromium and -tungsten compounds. X-ray crystal structure of degtetracarbonyl-c- μ -(methoxo-p-tolylmethylidene)-ab-tris(trimethylphosphine)platinumtungsten(Pt-W), 743-50Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 7. Interconversion of carbene and carbyne ligands at a dimetal center. X-ray crystal structures of $[CrPt(\mu-C(CO)Me)(Ph)(CO)_4(PMe_3)_2]$ and $[MnPt(\mu-CC_6H_4Me-4)(CO)_2(PMe_3)_2(\eta-C_5H_5)] [BF_4] \cdot CH_2Cl_2$, 751-62Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 8. Synthesis of the trimetal compounds $[M(W(\mu-CC_6H_4Me-4)(CO)_2(\eta-C_5H_5))_2]$ (M = Ni, Pd, or Pt) and crystal structures of the platinum and nickel complexes, 763-70

Stereoselectivity in the cross-metathesis of oct-1-ene and cis- or trans-oct-2-ene, 1089-92

Reaction of bicyclo[n.1.0]alkanes (n = 3-6) with the olefin-metathesis catalysts tungsten hexachloride-tetraphenyltin and tungsten hexachloride-ethylaluminum dichloride, 1111-14

Enthalpies of formation of $[M(\eta-C_5H_5)_2(OOCR)_2]$ complexes; M = Mo, W, or Ti and R = C_6H_5 or CF_3 , 1174-7

Reactions of hexamethyltungsten(VI) in the presence of trimethylphosphine. Synthesis of methyl, ethylidyne, hydrido-, alkoxy-, and other tungsten compounds. Structures of trans-ethylidyne(methyl)tetrakis(trimethylphosphine)tungsten(IV) and trihydrido(phenoxo)tetrakis(trimethylphosphine)tungsten(IV), 1204-11

Transition metal tetrafluoride oxide-antimony pentafluoride adducts; preparation and characterization of the adducts $MF_4O.SbF_5$ (M = Mo, W, or Re) and crystal structures of $MoF_4O.SbF_5$ and $ReF_4O.SbF_5$, 1212-18Electrochemical behavior of $[Fe_2M_2S_8(SR)_6]^{3-}$ (M = Mo or W) and the roles of molybdenum and tungsten in nitrogenases, 1664Trimethylphosphine complexes of molybdenum, tungsten, niobium, and tantalum. X-ray crystal structures of di- μ -hydrido-dihydridohexakis(trimethylphosphine)dimolybdenum(II)(Mo-Mo) and of μ -dimethylphosphido- μ -hydridotetrahydridopentakis(trimethylphosphine)ditungsten(II,IV)(W-W), 1892-7Synthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43

Ring reversal, sulfur inversion, and 1,3-metal shifts in sulfur-containing six-membered ring complexes of chromium and tungsten carbonyls, 1944-50

Hydrazido(2-)-complexes as intermediates in the conversion of ligating dinitrogen into ammonia and hydrazine, 1973-80

Interaction of tert-butyl isocyanide with methyl compounds of tungsten, rhenium, zirconium, titanium, and tantalum. Crystal structures of $W[N(CMe_3)CMe_2][Me][N(CMe_3)][N(CMe_3)CMe_2]$ CMe₂] and its hydrogen chloride adduct. tert-Butyl isocyanide complexes of molybdenum(0), ruthenium(II), and rhodium(I), 2088-97Isolation of the anions $[M(CO)_5(SH)]^-$ and $[M_2(CO)_{10}(\mu-SH)]^-$ (M = Cr, Mo, and W) as salts of the sodium(18-crown-6-ether) cation. X-ray analysis of the sodium carbonyl linked polymeric structures of the tungsten species, 2357-64

Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachlorooxomolybdenum(VI) and -oxotungsten(VI) and tetrabromooxotungsten(VI), 2501-7

TUNGSTOALUMINATE

Aluminum-27 nuclear magnetic resonance studies of heteropolyanions containing aluminum as heteroatom, 1615-16

TYROSINE

Spectrophotometric studies of the copper(II)-D-o-tyrosine complex. Assignment of the 330-nm dichroic band in copper(II) and iron(III) transferrins, 2544-9

TYROSYLLEUCINE

Potentiometric and spectrophotometric study of the coordination compounds formed between copper(II) and dipeptides containing tyrosine, 1331-5

URANATE

Analysis of the luminescence spectra of some uranates, 687-93

URANYL

Reactivity of uranyl ion with quinquevalent chelating hydrazine derivatives. Part 3. 2,6-Diacetylpyridine (2'-pyridylhydrazone) (4'-toluoylhydrazone), 357-61

URONIUM

Kinetics and mechanism of the decomposition of the S-nitrosothiuronium ion, 331-5

UV

Single-crystal electron spin resonance spectra of tris(diethyldithiocarbamato)oxomolybdenum(V) and chlorobis(diethyldithiocarbamato)oxomolybdenum(V) diluted in isomorphous host lattices, 142-9

Characterization of metal-to-ligand charge-transfer and intraligand transitions of fac- $[Re(CO)_3L(X)]$ complexes [L = diimine; X = halide or Mn(CO)₅] and explanation of the photochemistry of $[Re(CO)_3L(Mn(CO)_5)]$ using the resonance Raman effect, 1124-33

Small molecule analogs for the specific metal-binding site of lactoferrin. Part 2. Phenolato complexes of copper(II) and the nature of the charge-transfer transition in the visible region, 1701-7

Electronic, infrared, and resonance-Raman spectroscopic study of pyridine complexes of ruthenium(II) and -(III), 1760-7

Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoosmate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoosmate(VI), 1812-19

Polarized single-crystal electronic absorption spectra of tetraphenylarsonium tetrahalonitridoruthenate(VI) compounds and the crystal and molecular structures of tetraphenylarsonium tetrabromonitridoruthenate(VI), 1820-4

Ketoximate complexes. Part 3. Structure and properties of tris chelates of cobalt(III), iron(II), and ruthenium(II), 1856-62

Crystal structure and electronic properties of bis(2,2'-bipyridyl)thiocyanatocopper(II) tetrafluoroborate, 2029-33

Copper coordination to thioether ligands. Spectroscopic studies of dimeric copper(II) complexes of 2-(3,3-dimethyl-2-thiabutyl)pyridine and the crystal structure of di- μ -bromobis(bromo-2-(3,3-dimethyl-2-thiabutyl)pyridine-N,S)copper(II), 2054-8

Crystal structure and electronic properties of bis(2,2'-bipyridyl)nitratocopper(II) nitrate monohydrate, 2070-7

The single-crystal electronic and electron spin resonance spectra of copper(II) doped bis(2,2'-bipyridyl)nitritozinc(II) nitrate and bis(2,2'-bipyridyl)nitritocopper(II) tetrafluoroborate: a fluxional $CuN_2N'_2O_2$ chromophore, 2271-9

Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachlorooxomolybdenum(VI) and -oxotungsten(VI) and tetrabromooxotungsten(VI), 2501-7

Nuclear magnetic resonance and electronic spectral studies on the formation of π -olefin-tetracyanocobaltate(I) complexes, 2529-36

VA

Reactivity of tetra-n-butylammonium di- μ -chlorobis[bis(pentafluorophenyl)palladate(II)]. A general method for the synthesis of cis isomers of neutral and anionic palladium(II) complexes, 463-5

VALENCE

Model compounds for microbial iron-transport compounds. Part 1.

VALENCE(contd)

Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from phenolic and catecholic systems, 609-22
Electron spin resonance spectra of a titanium(IV)/III mixed-valence tetranuclear species $[\text{Ti}_4(\text{OR})_{12}\text{O}]$, 2328-30

VALINATO

Crystal structure and absolute configuration of an isomer of potassium carbonatobis(L-valinato)cobaltate(III) dihydrate, 1067-8

VALINATOCOBALTATE

Crystal structure and absolute configuration of an isomer of potassium carbonatobis(L-valinato)cobaltate(III) dihydrate, 1067-8

VANADATE

Vanadium-51 and oxygen-17 nuclear magnetic resonance study of vanadate(V) equilibria and kinetics, 1105-10
Crystal structure and infrared and Raman spectra of tetramethylammonium di- μ -fluoro-bis[aquadifluorooxovanadate(IV)], 1802-6

VANADIUM

Electron spin resonance spectra of dibromo and dichloro complexes of vanadium(IV), 1-7
Polymer-supported oxobis(pentane-2,4-dionato)vanadium(IV) catalyst for reactions involving tert-butyl hydroperoxide, 447-51
Vanadium-51 and oxygen-17 nuclear magnetic resonance study of vanadate(V) equilibria and kinetics, 1105-10
Reduction of nitroamine (NH_2NO_2) by vanadium(II) and chromium(II) in acid solution, 2009-10

VANADYL

The stereochemistry of oxovanadium(IV) complexes derived from salicylaldehyde and polymethylenediamines, 1241-5

VIB

Tetracarbonyl diazaphosphole complexes of Group 6B metals: the role of steric effects, 1544-9

VIII

Chemistry of the metal carbonyls. Part 78. Synthesis and x-ray crystal structures of $[\text{NiOs}_3(\mu\text{-H})_2(\mu\text{-CO})_2(\text{CO})_8(\text{PPh}_3)_2]$ and $[\text{Os}_3\text{Rh}(\mu\text{-H})_2(\text{acac})(\text{CO})_{10}]$ (acac = acetylacetonate), 171-9
Some reactions of nitrosyl complexes of nickel, palladium, and platinum, 234-9
Chemistry of di- and trimetal complexes with bridging carbene or carbene ligands. Part 8. Synthesis of the trimetal compounds $[\text{M}(\text{W}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\eta\text{-C}_5\text{H}_5))_2]$ (M = Ni, Pd, or Pt) and crystal structures of the platinum and nickel complexes, 763-70

VINYL

Preparation and crystal structure analysis of a vinyl ether chelate, dichloro[4-methoxy-2,2,N,N-tetramethylbut-(Z)-3-enylamine]-palladium(II), and its conversion into di- μ -chloro-bis[3-(dimethylamino)-1-formyl-2,2-dimethylpropyl-C,N]dipalladium(II), 986-91

VINYLARSINE

Thermal degradation of dimethylvinylarsine in triosmium clusters to give bridging vinyl, vinylidene, and acetylene ligands, 1718-21

VIOLURATE

Ketoximate complexes. Part 3. Structure and properties of tris chelates of cobalt(III), iron(II), and ruthenium(II), 1856-62

VISIBLE

Copper(II) complexes of N,N'-bis(β -carbamoyl ethyl)trimethylenediamine in aqueous solution, 683-6
Square planar coordination of the 12-membered macrocyclic tetraamine ligand 1,4,7,10-tetraazacyclododecane-2,6-dione, 694-700
Cation distortion isomerism in three five-coordinate diethylenetriamine(di-2-pyridylamine)copper(II) complexes, 1463-9
Studies on (η -cyclooctatetraene)(η^5 -fluorenyl)titanium by electron spin resonance and electronic absorption spectroscopy, 2353-6

VOLTAMMETRY

Bis(aryloximate)palladium(II); synthesis, palladium-nitrogen bond lability, and redox activity, 623-7

WATER

Mechanism of water substitution in the trigonal-bipyramidal complex $[\text{Cu}(\text{tren})(\text{OH}_2)]^{2+}$ (tren = 2,2',2''-triaminotriethylamine): evidence for an associative mechanism, 2370-2

WITTIG

Preparation and crystal structure analysis of a vinyl ether chelate, dichloro[4-methoxy-2,2,N,N-tetramethylbut-(Z)-3-enylamine]-palladium(II), and its conversion into di- μ -chloro-bis[3-(dimethylamino)-1-formyl-2,2-dimethylpropyl-C,N]dipalladium(II), 986-91

XANTHATE

Kinetic and mechanistic studies on the disproportionation equilibrium of μ -oxobis[isopropyl thioxanthato]oxomolybdenum(V) and on the decomposition reaction of bis(isopropyl thioxanthato)dioxomolybdenum(VI), 292-6
Carbon-13 nuclear magnetic resonance study of dinuclear iron carbonyl xanthate complexes: dynamic behavior and local scrambling of the carbonyls at one iron atom, 1278-82
Preparation, properties, and structures of bis(O-ethyl dithiocarbonato)dihaloiron(IV) and di- μ -thiobis[is(O-ethyl dithiocarbonato)]tin(IV)], 1392-7

YTTERBIUM

Calorimetric titration studies of adduct formation between lanthanide β -diketonates and organic bases in benzene solution, 2434-8

YTTRIUM

Analysis of the luminescence spectra of some uranates, 687-93

ZEOLITE

Spectroscopy of cobalt-ethylenediamine-oxygen adducts in the supercages of zeolites, 914-22
Trimethylsilylation of zeolites. Evidence for the presence of adjacent aluminum atoms, 1260-3
Location of cations in metal ion-exchanged zeolites. Part 2. Crystal structures of a fully silver-exchanged heulandite, 2213-91

ZINC

Zinc complexes of four tetraaza macrocycles: enthalpies of formation in acetonitrile solution, 336-41
Synthesis and crystal and molecular structure of di- μ -(N-methylpiperidinium-4-thiolate)bis[dichlorozinc(II)] monohydrate, 852-4
Crystal and molecular structure of the (2,6-bis[1-(2-imidazol-4-ylethylimino)ethyl]pyridine)zinc(II) and -copper(II) cations: five-coordinate relatives of a copper(I) oxygen carrier, 1951-6
Equilibria of some α -amino acids containing sulfur atoms in the chain with metal(II) ions. Part 2. S,S'-methylenebis(L-cysteine) with cobalt(II), nickel(II), and zinc(II) in aqueous solution, 1961-4
Hydrolysis of imines: kinetics and mechanism of spontaneous acid-, base-, and metal ion-induced hydrolysis of N-salicylidene-2-aminothiazole, 2063-9
Reactions of methylmercury(II), mercury(II), and zinc(II) ions with 2-methyl-2-(2-pyridyl)thiazolidine, including stopped-flow rapid-scanning spectrophotometric studies, 2137-40

ZIRCONIUM

Mechanism of cadmium and lead ion exchange by α -zirconium bis(monohydrogenorthophosphate) monohydrate, 385-9
Complexation and exchange reactions of some dimethylamino-substituted Group 4 compounds, 1264-7
Metallocene derivatives of early transition metals. Part 4. Chemistry of the complexes $[\text{M}(\eta\text{-C}_5\text{H}_5)_2\text{RR}']$ [M = Ti, Zr, or Hf; R = $\text{CH}_2\text{M}'\text{Me}_3$ (M' = C, Si, Ge, or Sn) or $\text{CH}(\text{SiMe}_3)_2$; R' = Cl or alkyl] and the x-ray structures of $[\text{Zr}(\eta\text{-C}_5\text{H}_5)_2(\text{CH}_2\text{M}'\text{Me}_3)_2]$ (M' = C or Si), 1593-605
Synthesis of zerovalent bis(η -arene) compounds of zirconium, hafnium, niobium, tantalum, and tungsten using the metal vapors 1938-43
Zirconium phosphates partially exchanged with transition metal ions: characterization and stereochemical changes induced by heat treatment, 2376-84

ZIRCONOCENE

Metallocene derivatives of early transition metals. Part 2. Substituted cyclopentadienyl group 4A dichlorometallocene complexes $\text{M}(\eta\text{-C}_5\text{H}_4\text{R})_2\text{Cl}_2$ (M = Zr, Hf; R = Me, Et, CHMe_2 , CMe_3 , SiMe_3), mono- and dialkyl derivatives $\text{M}(\eta\text{-C}_5\text{H}_4\text{R})_2\text{R}'\text{X}$ (X = Cl, R'; R' = CH_2SiMe_3 , CH_2CMe_3), and d¹ reduction products, 805-13
Metallocene derivatives of early transition elements. Part 3. Synthesis, characterization, conformation, and rotational barriers [for the Zr-C(sp³) bond] of $[\text{Zr}(\eta\text{-C}_5\text{H}_4\text{R})_2(\text{CH}(\text{SiMe}_3)_2)\text{Cl}]$ and the crystal and molecular structures of the tert-butyl and trimethylsilyl complexes (R = CMe_3 or SiMe_3), 814-21

JOURNAL OF THE CHEMICAL SOCIETY

The scale and cost of present day publication make it necessary to ask authors to co-operate with the Society to the full. To facilitate this the Society will publish a sequence of notices to authors within these covers. It is intended to deal with all major aspects of the

preparation, submission, content, and handling of articles intended for the *Journal*. Careful attention to these notices will help authors to have their work published more easily and rapidly.

NOTICES TO AUTHORS—No. 1

General Policy

The *Journal of the Chemical Society* is a medium for reporting selected original and significant contributions to new chemical knowledge. Articles which do not advance knowledge (*e.g.* reviews) will not normally be considered for publication in the *Journal*.

All contributions are judged on the criteria of (i) originality and quality of scientific content and (ii) appropriateness of the length to content of new science. Thus, papers reporting results which would be routinely predicted or result from application of standard procedures or techniques are unlikely to prove acceptable in the absence of other attributes which themselves make publication desirable.

Although short articles are acceptable, the Society strongly discourages fragmentation of a substantial body of work into a number of short publications. Unnecessary fragmentation will be a valid reason for rejection of manuscripts.

The *Journal* is published in five Transactions: Dalton, Inorganic; Perkin I, Organic and Bio-organic; Perkin II, Physical Organic; Faraday I, Physical; Faraday II, Chemical Physics.

Authors are requested to indicate, at the time they submit a typescript, the Transactions for which it is intended. Should this seem unsuitable, the Editor will inform the author.

Conditions Governing Acceptance

Contributions which have appeared or have been accepted for publication with essentially the same content in another journal or which incorporate freely available printed work will not be published in the *Journal* except by permission of the Council. This restriction does not apply to results previously published in materially abbreviated form, as a paper presented at a symposium, as a communication to

Chemical Communications, as a letter to the Editor of other periodicals, or as a patent.

Contributions are accepted by the Society on the understanding that the authors (a) have obtained any necessary authority for publication, and (b) will, if requested, surrender their copyright to the Society.

Authors are solely responsible for the factual accuracy of their contributions.

Since the Society reserves the right to retain all typescripts sent to it, authors are advised to keep copies. When contributions have been submitted for publication the authors are not at liberty, save by permission of the Society, to withdraw or delay them or to publish them elsewhere until after publication by the Society.*

Submission of Articles

Typescripts should be addressed to: The Manager Journals, The Royal Society of Chemistry, Burlington House, London W1V 0BN.

Three copies of the typescript (a top copy and two good quality carbon or Xerox copies) are required.

Rapid publication is aided by careful preparation of text and illustrations and strict adherence to the format and conventions of individual Transactions; detailed Instructions to Authors are available on request from the Editor.

Particular attention is drawn to the use of (i) SI units and associated conventions, (ii) I.U.P.A.C. nomenclature for compounds, and (iii) standard methods of literature citation.

Administration

Receipt of a contribution for consideration will be acknowledged immediately by the Editorial Office. The acknowledgement will indicate the paper reference number assigned to the contribution. Authors are particularly asked to quote it on all subsequent correspondence.

* Attention is drawn to the following extract from the Society's Bye-Laws:

84. (i) Every Fellow who, with a view to its publication by the Society, submits a paper or other communication shall by so doing undertake:

(a) that his communication has not been published and that he will not permit its publication before it is accepted or declined by the Society, and

(b) that if it is accepted for publication the Society shall thereupon become entitled to the copyright therein and that he will, when called on to do so, assign, insofar as he is permitted to do so, to the Society the said copyright, including the sole right to print and publish in any form, in any language, and in any part of the world, the whole or any part of his communication. The Council shall not refuse any reasonable request from any author to reproduce his own work elsewhere in whole or in part. The attention of every Fellow who submits a paper or other communication for publication shall be drawn to this Bye-Law.

(ii) Any person other than a Fellow who submits any paper or other communication with a view to its publication shall be required to sign an undertaking in the terms set out above.

Presentation of Papers

Every latitude, consistent with brevity, in the form and style of papers is permitted, and no pattern for either is prescribed. Certain elements are, however, common to all papers, and these are considered.

Organization of Material

Title.—The choice of a title for a paper is of the greatest importance, since it is from the title that the important key-words used in information retrieval are taken. Not only should the title clearly and accurately indicate the content of that paper but also it should be as specific as the content and emphasis of the work permits. Brevity in a title, though desirable, should be balanced against its accuracy and usefulness.

Abbreviations, symbols, and formulae are generally not permitted, and it is usual to spell out terms where necessary.

Reference to the preceding part of a series must be made as the reference (numbered 1) to the title in the form: 'The Chemistry of Vitamin B₁₂. Part VIII.¹ Controlled Potential Reduction of Vitamin B_{12a}.' [Reference to a preceding part in the references is in the form: Part VII, H. A. O. Hill, B. E. Mann, J. M. Pratt, and R. J. P. Williams, *J. Chem. Soc. (A)*, 1968, 564. If the page number is unknown because the paper has still to be accepted, or is in the press, the paper number should be given.]

Summary.—Every paper for the *Journal* must be accompanied by a summary (50–250 words) setting out briefly and clearly the objects and results of the work. The summary should give a reader a clear idea of what the work has achieved and should be *independent* of the main text. This last point is of particular importance in connection with the names of compounds which, although they may be accompanied by a number which refers to a displayed formula in the body of the text, must be comprehensible without reference to this formula. Thus,

Apetalactone, a new triterpene lactone isolated from *Calophyllum apetalum* Willd. has been shown to be 4,28-dihydroxy-3,4-secofriedelan-3-oic acid lactone (IIa).

or

Reaction of sodium hydride with ω -hydroxyalkyltriphenylphosphonium salts $\text{Ph}_3\text{P}^+[\text{CH}_2]_n\text{OH X}^-$ (I) has been investigated. The salt (I; $n = 1$, $\text{X} = 1$) gave triphenylphosphine and formaldehyde. The salt (I; $n = 2$, $\text{X} = 1$) gave triphenylphosphine oxide and ethylene. Similar reactions were carried out with ω -hydroxyalkyltriphenylarsonium (XIV) and ω -hydroxyalkyldimethylphenylammonium (XV) salts.

The summary should concern only the main subject of the work and its main conclusions; details of an involved argument or synthesis should not be included and, although classes of compounds prepared or discussed should be given rather than a list of compounds, key compounds in the work should be referred to.

Introduction.—This should give clearly and briefly, with relevant references, both the nature of the problem under investigation and its background.

Results and Discussion.—It is usual for the results to be presented first, and for them to be followed by a

discussion of their significance. Only relevant results should be presented, and figures, tables, and equations should be used only for purposes of clarity and brevity. Data must not be reproduced in more than one form, e.g. in both figures and tables.

Experimental Section.—Descriptions of experiments should be given in detail sufficient to enable experienced experimental workers to repeat them; the degree of purity of materials should be given, as should the relative quantities used. Descriptions of established procedures are unnecessary. Standard techniques and methods used throughout the work should be stated at the beginning of the section. Apparatus should be described only if it is non-standard; commercially available instruments are referred to by their stock numbers (e.g. Perkin-Elmer 137 or Unicam SP 500 spectrophotometers). The accuracy of primary measurements should be stated. Unexpected hazards encountered during the experimental work should be noted. The detailed treatment of the Experimental section is dealt with in a forthcoming Notice to Authors.

Acknowledgements.—Contributors, other than co-authors, are acknowledged in a separate paragraph at the end of the paper; acknowledgements should be as brief as possible. Titles, Mr., Mrs., Miss, Dr., Professor, etc., are given; degrees are not given. Organizations which operate on a commercial basis are not acknowledged.

Bibliographic References.—These are given on a separate sheet at the end of the manuscript and are referred to in the text by superior roman numerals. They must be distinguished from footnotes which are given at the bottom of the page to which they refer; they are referred to by an asterisk (*), dagger (†), etc. Bibliographic references and footnotes are the subject of Notice No. 3.

General Detail

Type Size.—It should be noted that since the Experimental section and the results are printed in smaller type than the theoretical part, division between the two should be clear-cut and frequent alternation is not advisable.

Brevity.—Because of the large volume of work submitted for publication, brevity in the presentation of papers is essential and, for this reason, certain tendencies are discouraged; these are as follows:

- (a) Unnecessary division of work into separate parts of a series. Papers are in no way discouraged solely on grounds of length.
- (b) Submission of fragmentary work when this can be included in a larger communication.
- (c) Historical introductory paragraphs in cases when a simple statement of the accepted present position suffices.
- (d) Undue elaboration of hypotheses.
- (e) Over-detailed and verbose exposition of ideas.
- (f) Excessive use of diagrams, for example, straight-line plots that can be adequately expressed as an equation together with, if necessary, a table of deviations.
- (g) Duplication of data as between text, tables, and figures, etc.

- (h) Details of the preparation of simple derivatives such as esters, ethers, semicarbazones, *etc.*, and slight variations of essentially the same technique. (Unless the conditions are critical, quantities are superfluous, and only an indication of reagents and/or conditions is required.)

Spelling.—Standard English spelling is used (*Oxford English Dictionary*), although latitude with respect to alternative spellings for certain words is allowed. Where one form or the other of a particular spelling is adopted it should be used consistently throughout a paper.

Punctuation.—Although punctuation follows standard English practice, the following conventions are observed:

- (a) A comma is placed before 'and' or 'or' in a series such as 'oxygen, sulphur, and selenium' or ' λ_{\max} 237, 295, and 343 nm.'
- (b) Parentheses, square brackets, and braces are used, as necessary, in that order, *i.e.* {[()]}.
- (c) When a word is followed by a punctuation mark the parenthetical phrase must be inserted before the latter, *e.g.* 'm.p. 234° (decomp.)', and not 'm.p. 234°, (decomp.)'.
- (d) A colon is used to separate a ratio, as in 1 : 20—not a solidus 1/20.
- (e) Parenthetical expressions of the same physical quantity in different units are separated by a comma (3.9 g, 0.1 mol) (30 ml, 1 mol); expressions of different physical quantities are separated by a semicolon (2.9N; 30 ml) (d 0.88; 8 ml).

Hyphenation.—Hyphens are used for two purposes: to divide and to compound.

Division. It is common practice to divide words, particularly when in a sequence, when one part is common to several of the words; in such cases, the hyphen, representing the point of attachment to the common part, is always inserted, *e.g.* 'the chloro-, bromo-, and fluoro-naphthalenes,' 'the *o*-, *m*-, or *p*-nitrotoluenes,' or 'the oxo-naphthalenes and -naphthalenes.' It is not good practice, however, to detach both a common prefix and a common suffix in a series, *e.g.* 'the dihydroxy- naphthalene- and phenanthrene-diones,' since confusion can arise.

'Sections' of class names such as diazo-ketone, alkyl-diamine, epoxy-nitro-sulphone, *etc.*, are linked by hyphens.

It is also Society usage to insert a hyphen after a prefix which ends in a vowel or y; the hydroxy-group, the aza-function, the carboxy-compounds, the nitro-derivatives, but the methyl group (note that hydroxy, acetoxy, carboxy, ethoxy, and methoxy are used and not hydroxyl, acetoxyl, carboxyl, ethoxyl, and methoxyl).

It is customary to separate a pair of the same letter when these letters (in the same fount) would not naturally fall together, *e.g.* butyl-lithium, iodo-octane.

Compounding. A hyphen is often necessary when words are compounded to form a single modifying adjective to precede the noun being modified, thus: 'a melting-point determination' or 'a free-radical chain mechanism.' A hyphen is not needed when adverbs are compounded, as in 'an electrically heated oven,' or for two-word chemical names such as 'nitric acid solution.'

Miscellaneous uses of hyphens. Hyphens are used to set apart numbers, configurational letters, Greek

letters, and italicized prefixes: 1,2,5-trimethylcyclohexane, *D*-gluco-hexose, *s*-trinitrobenzene, β -chlorophenethylbenzene, tri- μ -carbonyl-bis(tricarbonyliron), and 3-methylpent-*trans*-2-ene.

Use of Italics.—As described below, italics are indicated in a typescript by single underlining. Particular attention should be paid to the following uses.

(a) Foreign words and phrases and Latin abbreviations are given in italics: *e.g.*, *in toto*, *in vivo*, *ca.*, *cf.*, *i.e.*, *etc.*

(b) In the names of chemical compounds or radicals italics are used for prefixes (other than numerals or symbols) when they define the position of named substituents, or when they define stereoisomers: other prefixes are printed in roman. (Note: Initial capital letters are not to be used with italic prefixes or single-letter prefixes: full points are not to be associated with letter prefixes.)

o-, *m*-, and *p*-nitrotoluenes, but *ortho*-, *meta*-, and *para*-compounds (*o*-, *m*-, and *p*- are used only with specific names; *ortho*-, *meta*-, and *para*- are used with classes), *s*-trinitrobenzene, *NN*-dimethylaniline, *trans*- and *cis*-hexane-1,2-diol, *gem*- and *vic*-diols, benzil *anti*-oxime, 3-*O*-methyl-L-glycero-tetrolucose.

At the beginning of a sentence the first roman letter after the prefix is capitalized: '*D*-glycero-*D*-gluco-Heptose was subjected . . . ' and ' *β* -Tolylchalcone gave . . . '

(c) The scientific names of genera, species, and varieties are italicized.

(d) In references to periodicals their names or abbreviations are set in italics.

Note: Greek letters are not italicized, and should not therefore be underlined in typescripts.

Headings.—(a) Main sections (Experimental, Discussion, *etc.*): side-heading, small capitals, no final fullstop.

(b) Main side-heading: italics, initial capital letter for each noun and adjective, final fullstop and dash.

(c) Subsidiary side-heading: italics, first initial capital only, final fullstop but no dash.

(d) Further subdivision: by italic (a), (b), *etc.* (no following fullstop), and finally (i), (ii), *etc.* If (a), (b), *etc.* are used in front of a subsidiary side-heading, then for contrast these letters are not italicized.

Letters and prefixes which are ordinarily printed in italics are transferred for contrast into roman type in italicized phrases (see example below, where *O*-alkyl becomes *O*-alkyl).

Physicochemical symbols, however, remain in their prescribed form, and numerals and Greek letters are not italicized.

Examples:

EXPERIMENTAL

Preparation of Aliphatic Aldoximes and Ketoximes.
—Acetoxime *O*-alkyl ethers. (a) Acetoxime (100 g) was dissolved . . .

Density (*d*) of the Alcohol at 295 K.—The series of aliphatic alcohols . . .

Note: In the above examples it should be noted that the type of print required to indicate italics, capitals, small capitals, *etc.* is shown by underlining; this convention must be strictly adhered to, *i.e.*

Single underlining for *italic* type

Double underlining for SMALL CAPITALS

Treble underlining for ORDINARY CAPITALS

Wavy underlining for bold black type

Bibliographic References and Footnotes

A clear distinction is made between bibliographic references and footnotes. The latter are used to present material which, if included in the body of the text, would disrupt the flow of the argument but which is, nevertheless, of importance in qualifying or amplifying the textual material. Such footnotes are referred to with the following symbols: *, †, ‡, §, ¶, ||, etc. [Note: Since an asterisk is used to indicate the author to whom correspondence should be addressed, its use early on in a paper is not advised; a dagger (†) is preferred.]

Bibliographic References.—Reference to the source of statements in the text is made by use of *superior numerals* at the appropriate place. The references themselves are given at the end of the final printed text. It is essential that they are numbered in the order in which they are cited in the text.

The position of the superior numeral should be chosen with care, particularly when it does not follow an author's name. If placed adjacent to punctuation, the numeral should normally be placed after the punctuation mark, e.g. 'This compound was shown to be the dienone,³ which...'. It may be necessary to modify this rule, however, to avoid confusion, thus: 'In this way the method was found to be suitable for lead², tin³, bismuth⁴, and mercury⁵'.

Particular care is necessary where a reference number is likely to be confused with a superscript numeral indicating a power index: '... which gave a value of 2.3 cm³...' should be written as '... which gave a value³ of 2.3 cm³' or '... which gave a value of 2.3 cm (ref. 3)'.

Since it is difficult to predict the final position of a table in the text, references cited only in the table should be incorporated into the printed footnotes to the table. References which are also cited elsewhere in the text should be referred to in the footnotes by the numbers used in the text citations, e.g. ^a Ref. 15.

Journals. Journal titles should be abbreviated as indicated in Notice to Authors No. 4.

Books. Titles of books are cited in quotation marks, in upright letters, and the author(s), title, publisher, town, date (or edition, if more than one has been published), and page number (if required) must be given in that order:

C. J. M. Stirling, 'Radicals in Organic Chemistry,' Oldbourne Press, London, 1965, p. 69.

T. J. Suen, in 'Polymer Processes,' ed. C. E. Schildknecht, Interscience, New York, 1956, vol. X, p. 295.

Patents. Patents should be indicated in the form: B.P. 367 450, 367 455-7. U.S.P. 1 171 230. G.P. 436 112-4. Jap.P.20 101. Dates are indicated thus: B.P. 666 776/1956. Patents which are applied for must always be given a year, e.g. B.P. Appl. 102/1968.

Reports and Bulletins, etc.

R. A. Allen, D. B. Smith, and J. E. Hiscott, 'Radioisotope Data,' UKAEA Research Group Report AERE-R 2938, H.M.S.O., London, 1961.

'Collected Papers on Methods of Analysis for Uranium and Thorium,' Geological Survey Bulletin 1006, U.S. Government Printing Office, Washington D.C., 1954.

Material presented at meetings.

N. N. Greenwood, Abstracts, Anniversary Meeting of the Chemical Society, Glasgow, 1965, C1.

N. S. Anderson and D. A. Rees, in 'Proceedings of the Vth International Seaweed Symposium,' ed. E. G. Young and J. L. McLachlan, Pergamon Press, Oxford, 1966, p. 405.

Theses.

A. D. Mount, Ph.D. Thesis, University of London, 1967.

Reference to unpublished material. For material presented at a meeting, congress, or before a society, etc., but not published, the following form is used:

¹ A. R. Jones, presented in part at the XXth Congress of the International Union of Chemistry, Paris, September, 1960.

For material accepted for publication, but not yet published, the following form is used:

² A. R. Jones, *J. Am. Chem. Soc.*, in the press.

If the paper has been submitted to the Society, the paper number should be given:

³ A. R. Jones, *J. Chem. Soc., Dalton Trans.*, in the press (2/556).

For material submitted for publication but not yet accepted the following form is used:

⁴ A. R. Jones, submitted for publication in *Angew. Chem.*

For personal communications the following form is used:

⁵ G. B. Ball, personal communication. (Note: the form, G. B. Ball, private communication, is inappropriate.)

If material is to be published but has yet to be submitted the following form is used:

⁶ Unpublished data.

Names.—The names and initials of all authors are always given in the reference footnote; they must not be replaced by the phrase *et al.* This does not prevent some, or all, of the names being mentioned at their first citation in the cursive text: initials are not necessary in the text.

For Chinese and Spanish authors all names should be given as in the original, since the patronymic is not always given last in these languages. If co-authors are to be collectively cited, as in 'Smith and his co-workers' or 'Smith *et al.*', the latter form is inappropriate unless the individual name 'Smith' appears first among the authors named in the original.

Composite References.—Whenever possible, composite references should be used rather than a series of individual references. The style for composite references is as follows:

¹ A. B. Jones, *J. Chem. Soc., Dalton Trans.*, 1975, 234.

² A. B. Jones, *J. Chem. Soc., Dalton Trans.*, 1977, 123; 1978, 234.

³ A. B. Jones, *J. Chem. Soc., Dalton Trans.*, 1977, 123; *J. Am. Chem. Soc.*, 1956, 78, 1234.

⁴ A. B. Jones, *J. Chem. Soc.*, 1956, 234; A. B. Jones and C. D. Brown, *J. Chem. Soc. B*, 1967, 234, 1077; 1968, 599.

⁵ A. B. Jones, *J. Am. Chem. Soc.*, 1956, 78, 1234; A. B. Jones and C. D. Brown, *ibid.*, 1957, 79, 567; A. B. Jones and E. F. Green, *ibid.*, p. 999.

If only one paper from a composite reference is required for citation later, then two numbers may be assigned to the first citation (*e.g.* Jones ^{1,2}); alternatively, long composite references may be divided by letters, *e.g.*:

(a) A. B. Jones, *J. Chem. Soc., Dalton Trans.*, 1978, 467; (b) A. B. Jones and C. D. Brown, *J. Chem. Soc., Perkin Trans. 2*, 1979, 234.

A. B. Jones, *J. Chem. Soc. A*, (a) 1953, 267; (b) 1954, 1742; (c) *etc.*

A composite reference may cite a previous reference in the form:

^{1a} A. B. Jones, *J. Chem. Soc.*, 1956, 234; C. D. Brown, *ref. 5*.

(Note: *ibid.* is used only within a given reference and not to refer from one reference number to another: the abbreviated title for the journal should be repeated for separate reference numbers.)

Idem, loc. cit., and *op. cit.* are not used in references.

NOTICES TO AUTHORS—No. 4/revised 1981

Journal Abbreviations

The style of journal abbreviations to be used in The Society's publications is that defined by the Chemical Abstracts Service in CASSI.* The abbreviations listed in CASSI are based upon internationally recognised systems. The following list of CASSI-style abbreviations covers most of the journals received in The Chemical Society's library. It is not, of course, a full list; CASSI (1974 edition) plus its quarterly supplements run to more than 2000 pages.

If you cannot locate an authoritative abbreviation for a journal, and if it is not obvious how the title should be abbreviated, please cite the full title.

Bibliographic details should be cited in the order: YEAR, VOLUME, PAGE.

<i>Acc. Chem. Res.</i>	<i>Arch. Pharm. (Weinheim, Ger. Khim. Zh.)</i>	<i>Chem. Eng. Sci.</i>	<i>Erdöl Kohle, Erdgas, Petrochem. Brennst.-Chem.</i>
<i>Acta Acad. Abensis, Ser. B</i>	<i>Arancin-Forsch.</i>	<i>Chem. Erde</i>	<i>Essays Biochem.</i>
<i>Acta Biochim. Biophys. Acad. Sci. Hung.</i>	<i>Aspects Homogeneous Catal.</i>	<i>Chem. Heterocycl. Compd. (Engl. Transl.)</i>	<i>Eur. J. Biochem.</i>
<i>Acta Biochim. Pol.</i>	<i>At. Absorb. Nucl.</i>	<i>Chem. Ind. (Deusseldorf)</i>	<i>Eur. Polym. J.</i>
<i>Acta Chem. Scand., Ser. A</i>	<i>Aust. J. Biol. Sci.</i>	<i>Chem. Ind. Int. (Engl. Transl.)</i>	<i>Experientia</i>
<i>Acta Chem. Scand., Ser. B</i>	<i>Aust. J. Chem.</i>	<i>Chem. Ind. (London)</i>	
<i>Acta Chim. Acad. Sci. Hung.</i>	<i>Aust. J. Phys.</i>	<i>Chem.-Ing.-Tech.</i>	
<i>Acta Crystallogr.</i>	<i>Azerb. Khim. Zh.</i>	<i>Chem. Listy</i>	<i>Faraday Discuss. Chem. Soc.</i>
<i>Acta Metall.</i>		<i>Chem. Nat. Compd. (Engl. Transl.)</i>	<i>Faraday Symp. Chem. Soc.</i>
<i>Acta Phys. Acad. Sci. Hung.</i>	<i>Ber. Bunsenges. Phys. Chem.</i>	<i>Chem. N. Z.</i>	<i>FEBS Lett.</i>
<i>Acta Phys. Chem.</i>	<i>Biochem. Biophys. Res. Commun.</i>	<i>Chem. Pharm. Bull.</i>	<i>Ferment. Spirit. Prom.</i>
<i>Acta Vitaminiol. Enzymol.</i>	<i>Biochem. Educ.</i>	<i>Chem. Phys.</i>	<i>Fels. Seifen. Anstrichm.</i>
<i>Adv. Anal. Chem.</i>	<i>Biochemistry</i>	<i>Chem. Phys. Carbon</i>	<i>Finn Chem. Lett.</i>
<i>Adv. Alicyclic Chem.</i>	<i>Biochemistry (Engl. Transl.)</i>	<i>Chem. Phys. Lett.</i>	<i>Fit. Khim. Mekh. Mater.</i>
<i>Adv. Anal. Chem. Instrumen.</i>	<i>Biochem. J.</i>	<i>Chem. Phys. Lipids</i>	<i>Fit. Met. Metallized.</i>
<i>Adv. Carbohydr. Chem. Biochem.</i>	<i>Biochem. Pharmacol.</i>	<i>Chem. Prum.</i>	<i>Flavour Ind.</i>
<i>Adv. Catal.</i>	<i>Biochem. Prep.</i>	<i>Chem. Rev.</i>	<i>Fluorine Chem. Rev.</i>
<i>Adv. Chem. Phys.</i>	<i>Biochem. Soc. Trans.</i>	<i>Chimsa</i>	<i>Food Manuf.</i>
<i>Adv. Chromatogr.</i>	<i>Biochim. Biophys. Acta</i>	<i>Chem. Soc. Rev.</i>	<i>Fortscr. Chem. Org. Naturst.</i>
<i>Adv. Colloid Interface Sci.</i>	<i>Biochimie</i>	<i>Chem. Soc., Spec. Publ.</i>	<i>Fortscr. Hochpolym.-Forsch.</i>
<i>Adv. Enzymol. Relat. Areas Mol. Biol.</i>	<i>Biofizika</i>	<i>Chem. Stosow.</i>	<i>Fresenius Z. Anal. Chem.</i>
<i>Adv. Free-Radical Chem.</i>	<i>Bioinorg. Chem.</i>	<i>Chem. Tech. (Leipzig)</i>	<i>Fuel</i>
<i>Adv. Heterocycl. Chem.</i>	<i>Biochimica</i>	<i>Chem. Technol.</i>	
<i>Adv. Inorg. Chem. Radiochem.</i>	<i>Bioorg. Chem.</i>	<i>Chem. Week.</i>	<i>Gast. Chim. Ital.</i>
<i>Adv. Lipid Res.</i>	<i>Bioorg. Khim.</i>	<i>Chem. Weekbl.</i>	<i>Gen. Cytochem. Methods</i>
<i>Adv. Macromol. Chem.</i>	<i>Biopolymers</i>	<i>Chem.-Ztg.</i>	<i>Gokhimiya</i>
<i>Adv. Magn. Reson.</i>	<i>Biotechnol. Bioeng.</i>	<i>Chem. Zvesti</i>	<i>Ger. Chem. Eng. (Engl. Transl.)</i>
<i>Adv. Mollen Salt Chem.</i>	<i>Bochu-Kagaku</i>	<i>Chem. Acta Turc.</i>	<i>Gidrokhim. Mat.</i>
<i>Adv. Organomet. Chem.</i>	<i>Boll. Soc. Ital. Biol. Sper.</i>	<i>Chim. Actual.</i>	<i>Glas. Hem. Drus., Beograd</i>
<i>Adv. Org. Chem.</i>	<i>Bol. Soc. Quim. Peru</i>	<i>Chim. Ind. (Milan)</i>	<i>Glass Technol.</i>
<i>Adv. Photocem.</i>	<i>Br. Corros. J.</i>	<i>Chromatographia</i>	<i>G. Microbiol.</i>
<i>Adv. Phys. Org. Chem.</i>	<i>Br. J. Pharmacol.</i>	<i>Clin. Biochem.</i>	<i>God. Visk. Khimikotekhnol. Inst., Sofia</i>
<i>Adv. Protein Chem.</i>	<i>Br. Polym. J.</i>	<i>Clin. Chem. (Winston-Salem, N. C.)</i>	<i>Graas Acrites (Seville)</i>
<i>Adv. Quantum Chem.</i>	<i>Br. Polym. J.</i>	<i>Clin. Chem. Acta</i>	
<i>Adv. Vac. Res. Diffr. Methods</i>	<i>Bull. Inst. Politekh. Iasi.</i>	<i>Clin. Chem. Commun.</i>	<i>Helv. Chim. Acta</i>
<i>Afinidad</i>	<i>Bull. Acad. Pol. Sci., Ser. Sci. Chim.</i>	<i>Colloid Czech. Chem. Commun.</i>	<i>High Energy Chem. (Engl. Transl.)</i>
<i>Agric. Biol. Chem.</i>	<i>Bull. Acad. Sci. USSR, Div. Chem. Sci.</i>	<i>Colloid J. USSR (Engl. Transl.)</i>	<i>Hist. Stud. Phys. Sci.</i>
<i>Agrochem. Talaian</i>	<i>Bull. Chem. Soc. Jpn.</i>	<i>Colloid Polym. Sci.</i>	<i>Hoppe-Seyler's Z. Physiol. Chem.</i>
<i>AIChE J.</i>	<i>Bull. Inst. Chem. Res., Kyoto Univ.</i>	<i>Combust. Flame</i>	<i>Hua Hsueh</i>
<i>Ambis</i>	<i>Bull. Sci., Cons. Acad. Sci. Arts RSF</i>	<i>Commun. Fac. Sci. Univ. Anbara</i>	<i>Hua Hsueh Hsueh Pao</i>
<i>Am. J. Pharm.</i>	<i>Youngol, Sect. A</i>	<i>Commun. R. Soc. Edinburgh, Phys. Sci.</i>	<i>Hua Hsueh Tung Pao</i>
<i>Am. J. Sci.</i>	<i>Bull. Soc. Chim. Belg.</i>	<i>Coord. Chem. Rev.</i>	<i>Hung. J. Ind. Chem.</i>
<i>An. Acad. Bras. Cienc.</i>	<i>Bull. Soc. Chim. Fr.</i>	<i>Corrosion Sci.</i>	<i>Huachang Kuo Kongpo U'i Chino</i>
<i>Anal. Biochem.</i>	<i>Bunseki Kagaku</i>	<i>Cosmet. Pers. m.</i>	
<i>Anal. Chem.</i>		<i>CRC Crit. Rev. Biochem.</i>	<i>Ind. Eng. Chem., Fundam.</i>
<i>Anal. Chim. Acta</i>	<i>Can. J. Biochem.</i>	<i>C.R. Hebd. Seances Acad. Sci.</i>	<i>Ind. Eng. Chem., Process. Res. Dev.</i>
<i>Anal. Lett.</i>	<i>Can. J. Chem.</i>	<i>Crit. Rev. Anal. Chem.</i>	<i>Ind. Eng. Chem., Prod. Res. Dev.</i>
<i>Analyst (London)</i>	<i>Can. J. Chem. Eng.</i>	<i>Croat. Chem. Acta</i>	<i>Indian J. Agric. Chem.</i>
<i>An. Bromatol.</i>	<i>Can. J. Pharm. Sci.</i>	<i>C.R. Seances Soc. Biol. Ser. Fil.</i>	<i>Indian J. Biochem. Biophys.</i>
<i>Angew. Chem.</i>	<i>Can. J. Phys.</i>	<i>Curr. Sci.</i>	<i>Indian J. Chem., Sect. A</i>
<i>Angew. Chem., Int. Ed. Engl.</i>	<i>Can. J. Spectrosc.</i>		<i>Indian J. Chem., Sect. B</i>
<i>Angew. Makromol. Chem.</i>	<i>Carbohydr. Res.</i>	<i>DEFAZET-Dtsch. Farben-Z.</i>	<i>Indian J. Pure Appl. Phys.</i>
<i>Ann. Acad. Sci. Fenn., Sect. AII, Chem.</i>	<i>Catal. Rev.</i>	<i>Denki Kagaku Oyobi Kogyo Butsuri Kagaku</i>	<i>Ind. Lab. (Engl. Transl.)</i>
<i>Ann. Chim. (Paris)</i>	<i>Cellul. Chem. Technol.</i>	<i>Dokl. Akad. Nauk Arm. SSR</i>	<i>Inorg. Chem.</i>
<i>Ann. Chim. (Rome)</i>	<i>Cereal Chem.</i>	<i>Dokl. Akad. Nauk SSSR</i>	<i>Inorg. Chem. Acta</i>
<i>Ann. Endocrinol.</i>	<i>Czech. Farm.</i>	<i>Dokl. Bulg. Akad. Nauk</i>	<i>Inorg. Mater. (Engl. Transl.)</i>
<i>Ann. N.Y. Acad. Sci.</i>	<i>Chelates Anal. Chem.</i>	<i>Dokl. Chem. (Engl. Transl.)</i>	<i>Inorg. Nucl. Chem. Lett.</i>
<i>Ann. Pharm. Fr.</i>	<i>Chem. Abs. (London)</i>	<i>Dokl. Phys. Chem. (Engl. Transl.)</i>	<i>Inorg. Synth.</i>
<i>Ann. Soc. Sci. Braziliens</i>	<i>Chem. Anal. (Warsaw)</i>	<i>Dopo. Akad. Nauk Ukr. RSR, Ser. B</i>	<i>Int. Chem. Eng.</i>
<i>Ann. Univ. Mariae Curie-Skłodowska, Sect. A</i>	<i>Chem. Ber.</i>	<i>Double-Liaison</i>	<i>Int. Flavour Food Addit.</i>
<i>Annu. Rep. Anal. At. Spectrosc.</i>	<i>Chem. Br.</i>	<i>Dtsch. Lebensm.-Rundsch.</i>	<i>Int. J. Appl. Radiat. Isot.</i>
<i>Annu. Rep. Med. Chem.</i>	<i>Chem. Can.</i>	<i>Dyn. Mass Spectrom.</i>	<i>Int. J. Chem. Kinet.</i>
<i>Annu. Rep. Prog. Chem., Sect. A, Phys.</i>	<i>Chem. Chron.</i>		<i>Int. J. Mass Spectrom. Ion Phys.</i>
<i>Inorg. Chem.</i>	<i>Chem. Econ. Eng. Rev.</i>	<i>Educ. Chem.</i>	<i>Int. J. Pept. Protein Res.</i>
<i>Annu. Rev. Biochem.</i>	<i>Chem. Eng. Commun.</i>	<i>Egypt. J. Chem.</i>	<i>Int. J. Quantum Chem.</i>
<i>Annu. Rev. Ind. Eng. Chem.</i>	<i>Chem. Eng. (Lausanne)</i>	<i>Electroanal. Chem.</i>	<i>Int. J. Quantum Chem., Symp.</i>
<i>Annu. Rev. NMR Spectrosc.</i>	<i>Chem. Eng. (London)</i>	<i>Electrochim. Acta</i>	<i>Int. J. Sulfur Chem.</i>
<i>Annu. Rev. Phys. Chem.</i>	<i>Chem. Eng. News</i>	<i>Elektrokhimiya</i>	<i>Int. J. Vitam. Nutr. Res.</i>
<i>Appl. Spectrosc.</i>	<i>Chem. Eng. Progr.</i>	<i>Endavour</i>	<i>Intra-Sci. Chem. Rep.</i>
<i>Arch. Pharm. Chemi. Sci. Ed.</i>	<i>Chem. Eng. Progr., Monogr. Ser.</i>	<i>Environ. Sci. Technol.</i>	<i>Int. Chem.</i>
	<i>Chem. Eng. Progr., Symp. Ser.</i>		<i>Ion Exch. Solvent Extr.</i>
			<i>Isr. J. Chem.</i>
			<i>Istanbul Univ. Fen Fak. Mecm., Seri C</i>
			<i>Ital. J. Biochem.</i>

* Chemical Abstracts Service Source Index.

Issuu Kenkyusho Nempo
Izv. Akad. Nauk Kaz. SSR, Ser. Khim.
Izv. Akad. Nauk SSSR, Neorg. Mater.
Izv. Akad. Nauk SSSR, Ser. Khim.
Izv. Akad. Nauk Turkm. SSR, Ser. Fiz.
Tekhn., Khim. Geol. Nauk
Izv. Sub. Akad. Nauk SSSR, Ser. Khim. Nauk

J. Agric. Food Chem.
J. Am. Chem. Soc.
J. Am. Leather Chem. Assoc.
J. Am. Oil Chem. Soc.
J. Anal. Chem. USSR (Engl. Transl.)
J. Appl. Chem. Biotechnol.
J. Appl. Chem. USSR (Engl. Transl.)
J. Appl. Crystalllogr.
J. Appl. Polym. Sci.
J. Assoc. Off. Anal. Chem.
J. Assoc. Public Anal.
J. Biochem. (Tokyo)
J. Biol. Chem.
J. Carbohydr. Chem., Nucleosides, Nucleotides
J. Catal.
J. Chem. Educat.
J. Chem. Eng. Data
J. Chem. Inf. Comput. Sci.
J. Chem. Phys.
J. Chem. Res. (M)
J. Chem. Res. (S)
J. Chem. Soc., Chem. Commun.
J. Chem. Soc., Dalton Trans.
J. Chem. Soc., Faraday Trans. 1
J. Chem. Soc., Faraday Trans. 2
J. Chem. Soc., Perkin Trans. 1
J. Chem. Soc., Perkin Trans. 2
J. Chem. Thermodyn.
J. Chim. Phys. Phys. Chim. Biol.
J. Chin. Chem. Soc. (Taipei)
J. Chromatogr.
J. Chromatogr. Sci.
J. Colloid Interface Sci.
J. Coord. Chem.
J. Cryst. Mol. Struct.
J. Doc.

J. Electroanal. Chem. Interfacial Electrochem.
J. Electrochem. Soc.
J. Electrochem. Soc. India
J. Fac. Sci. Univ. Tokyo
J. Fluorine Chem.
J. Food Sci.
J. Franklin Inst.
J. Gen. Chem. USSR (Engl. Transl.)
J. Hazard. Mater.
J. Heterocycl. Chem.
J. Histochem. Cytochem.
J. Indian Chem. Soc.
J. Indian Inst. Sci.
J. Inorg. Nucl. Chem.
J. Inst. Brewing, London
J. Inst. Chem., Calcutta
J. Inst. Fuel
J. Labelled Comp. Radiopharm.
J. Less-Common Met.
J. Lipid Res.
J. Liq. Chromatogr.
J. Lumin.
J. Macromol. Sci., Chem.
J. Macromol. Sci., Phys.
J. Magn. Reson.
J. Med. Chem.
J. Mol. Biol.
J. Mol. Catal.
J. Mol. Spectrosc.
J. Mol. Struct.
J. Neurochem.
J. Nonmet. Semiconduct.
J. Oil Colour Chem. Assoc.
J. Organomet. Chem.
J. Org. Chem.
J. Org. Chem. USSR (Engl. Transl.)
J. Pharmacol.
J. Pharmacol. Exp. Ther.
J. Pharm. Pharmacol.
J. Pharm. Sci.
J. Photochem.
J. Phys. Chem.
J. Phys. Chem. Ref. Data
J. Phys. Chem. Solids
J. Phys. E
J. Polym. Sci., Macromol. Rev.
J. Polym. Sci., Polym. Chem. Ed.
J. Polym. Sci., Polym. Phys. Ed.
J. Polym. Sci., Polym. Symp.

J. Prakt. Chem.
J. Quant. Spectrosc. Radiat. Transfer
J. Radioanal. Chem.
J. Raman Spectrosc.
J. Res. Inst. Catal., Hokkaido Univ.
J. Res. Nat. Bur. Stand., Sect. A
J. Sci. Food Agric.
J. Sci. Hiroshima Univ., Ser. AII, Phys., Chem.
J. Sci. Ind. Res.
J. Soc. Dyers Colour.
J. Soc. Leather Technol. Chem.
J. Solid State Chem.
J. Solution Chem.
J. Steroid Biochem.
J. Struct. Chem. (Engl. Transl.)
J. Text. Inst.
J. Therm. Anal.
Justus Liebig's Ann. Chem.

Kagaku Kagaku
Kanazawa Daigaku Yakugakubu Kenkyu Nempo
Kem. Kami
Kem. Tsukuba
Khim. Geterostilb. Soedin.
Khim. Ind. (Sofia)
Khim. Nefti. Mashinost.
Khim. Priir. Soedin.
Khim. Prom. (Moscow)
Khim. Volokna
Khim. Vys. Energ.
Kinet. Catal. (Engl. Transl.)
Kinet. Katal.
Kjemi
Kobunshi Kagaku
Kogyo Kagaku Zasshi
Kolloid. Zh.
Koord. Khim.
Kristallografiya
Kunstst.-Plast. (Solothurn, Switz.)

Lab. Pract.
Lav. PSR Zinat. Vestis, Kim. Ser.
Lipids

Macromolecules
Macromol. Synt.
Magy. Kem. Foly.
Magy. Kem. Lapja
Makromol. Chem.
Manuf. Chem. Aerosol News
Meded. Vissam. Chem. Ver.
Mekh. Polim.
Mem. Fac. Sci. Kyushu Univ., Ser. C
Mem. Inst. Protein Res., Osaka Univ.
Mem. Inst. Sci. Ind. Res., Osaka Univ.
Mendeleev Chem. J. (Engl. Transl.)
Methods Biochem. Anal.
Methods Free-Radical Chem.
Microchem. J.
Mikrochim. Acta
Mol. Cell. Biochem.
Mol. Cryst. Liq. Cryst.
Mol. Phys.
Monatsh. Chem.

Nahrung
Nature (London)
Naturwissenschaften
Neflekhiymiya
Nippon Kagaku Kaishi
Nippon Kagaku Kaishi
Nouv. J. Chim.

Oesterr. Chem. -Ztg.
Online (Weston, Conn.)
Orbital
Org. Magn. Reson.
Org. Mass Spectrom.
Org. Prep. Proced. Int.
Org. React.
Org. React. (USSR)
Org. React. Mech.
Org. Synt.

Paint Manuf.
Pak. J. Sci.
Pak. J. Sci. Ind. Res.
Pak. J. Sci. Res.
Periodia Polytech. Chem. Eng.
Pestic. Sci.
Philos. Mag.
Philos. Trans. R. Soc. London, Ser. A
Phosphorus Sulfur

Photochem. Photobiol.
Phys. Chem. Glasses
Phys. Rev.
Phys. Rev. Lett.
Phys. Scr.
Phytochemistry
Pigm. Resin Technol.
Plasma Zh. Eksp. Teor. Fiz.
Plast. Polym.
Pol. J. Chem.
Polym. Age
Polymer
Polym. Sci. USSR (Engl. Transl.)
Postepy Biochem.
Prilb. Biokhim. Mikrobiol.
Privoda (Moscow)
Proc. Am. Soc. Brew. Chem.
Proc. Anal. Div. Chem. Soc.
Process Biochem.
Processing

Proc. Indian Acad. Sci., Sect. A
Proc. Indian Acad. Sci., Sect. B
Proc., K. Ned. Akad. Wet., Ser. B
Proc., K. Ned. Akad. Wet., Ser. C
Proc. Natl. Acad. Sci., India, Sect. A
Proc. Natl. Acad. Sci. USA
Proc. R. Soc. Edinburgh, Ser. A
Proc. R. Soc. London, Ser. A
Proc. R. Soc. London, Ser. B
Proc. Soc. Exp. Biol. Med.
Prog. Bioorg. Chem.
Prog. Colloid Polym. Sci.
Prog. Inorg. Chem.
Prog. Med. Chem.
Prog. Nuclear Acid Res. Mol. Biol.
Prog. Nucl. Magn. Reson. Spectrosc.
Prog. Phys. Org. Chem.
Prog. React. Kind.
Prog. Solid State Chem.
Prog. Stereochim.
Prog. Surf. Membr. Sci.
Prog. Surf. Sci.
Prog. Thin-Layer Chromatogr.

Relat. Methods
Przem. Chem.
Pure Appl. Chem.
Pyrethrum Post

Quad. Ing. Chim. Ital.
Quim. Nova

Radiat. Phys. Chem.
Radiat. Res.
Radiokhim. Acta
Radiokhiimiya
React. Kind. Catal. Lett.
Recent Dev. Chem. Nat. Carbon Compd.
Recent Prog. Horm. Res.
Recherches
Res. Trav. Chim. Pays-Bas
Rend. Accad. Sci. Fis. Mat., Naples
Rep. Prog. Appl. Chem.
Residue Rev.
Rev. Anal. Chem.
Rev. Assoc. Bioquim. Argent.
Rev. Chim. (Bucharest)
Rev. Phys. Chem. Jpn.
Rev. Port. Quim.
Rev. Roum. Biochim.
Rev. Roum. Chim.
Rev. Sci. Instrum.
Rev. Soc. Quim. Mex.
Ric. Sci.
Rubber Chem. Technol.
Russ. Chem. Rev. (Engl. Transl.)
Russ. J. Inorg. Chem. (Engl. Transl.)
Russ. J. Phys. Chem. (Engl. Transl.)

S. Afr. J. Chem.
Sankyo Kenkyusho Nempo
Sb. Ved. Pr., Vys. Sh. Chemichesk., Pardubice
Sch. Sci. Rev.
Schweiz. Apoth. -Ztg.
Sci. Cult.
Science
Sci. Pap. Coll. Gen. Educ., Univ. Tokyo
Sci. Pap. Inst. Phys. Chem. Res. (Jpn.)
Sci. Rep. Res. Inst., Tokoku Univ.
Sci. Rep. Tohoku Univ., Ser. I
Sci. Sinica
Sci. Annu. Rev. Anal. Sci.
Semicond. Insul.
Sep. Purif. Methods
Sep. Sci. Technol.

Soap. Cosmet., Chem. Spec.
Sov. Electrochem. (Engl. Transl.)
Sov. J. Bioorg. Chem. (Engl. Transl.)
Sov. J. Coord. Chem. (Engl. Transl.)
Sov. Phys. -Crystallogr. (Engl. Transl.)
Sov. Radiochem. (Engl. Transl.)
Spectrochim. Acta, Part A
Spectrochim. Acta, Part B
Spectrosc. Lett.
Steroids
Steroids Lipids Res.
Struct. Bonding (Berlin)
Stud. Univ. Babeş-Bolyai, Ser. Chem.
Sub-Cell. Biochem.
Surf. Colloid Sci.
Surf. Sci.
Synth. Commun.
Synthesis
Synth. Proced. Nucleic Acid Chem.
Synth. React. Inorg. Metal-Org. Chem.

Tashan Huwahak Hoehi
Talanta
Technol. Rep. Osaka Univ.
Teor. Eksp. Khim.
Teor. Osn. Khim. Tekhnol.
Tetrahedron
Tetrahedron Lett.
Text. Inst. Ind.
Text. Res. J.
Theor. Exp. Chem. (Engl. Transl.)
Thermochim. Acta
Tin Its Uses
Tokyo Kogyo Shikensho Hokoku
Top. Curr. Chem.
Top. Stereochim.
Trans. Inst. Chem. Eng.
Trans. Inst. Met. Finist.
Transition Met. Chem.
Trans. J. Br. Ceram. Soc.
Trends Biochem. Sci.
Tr. Inst. Elektrokhim., Ural. Nauchn. Tsentr. Akad. Nauk SSSR

Uhr. Biokhim. Zh.
Uhr. Khim. Zh. (Russ. Ed.)
Usp. Khim.
UP Spectrum Group Bull.
Uzb. Khim. Zh.

Vestn. Leningr. Univ., Fiz. Khim.
Vestn. Mosk. Univ., Khim.
Vestn. Slov. Kem. Drus.
Vestn. Akad. Nauk B. SSR, Ser. Khim.
Vopr. Med. Khim.
Vopr. Med. Khim.
Vysokomol. Soedin., Ser. A
Vysokomol. Soedin., Ser. B

Xenobiotica

Yakugaku Zasshi
Yuki Gosei Kagaku Kyokai Sh.
Z. Anorg. Allg. Chem.
Zavod. Lab.
Zb. Pr. Chemicheskotechnol. Fac. SVST
Z. Chem.
Zentralbl. Pharm., Pharmacother.
Laboratoriumsdiaagn.
Zh. Anal. Khim.
Zh. Eksp. Teor. Fiz.
Zh. Evol. Biokhim. Fisiol.
Zh. Fiz. Khim.
Zh. Nauchn. Prikl. Fotogr. Kinematogr.
Zh. Neorg. Khim.
Zh. Obshch. Khim.
Zh. Org. Khim.
Zh. Prikl. Khim.
Zh. Prikl. Spektrosk.
Zh. Strukt. Khim.
Zh. Vys. Khim. Ona.
Z. Kristallogr., Kristallgrom., Kristallphys., Kristallchem.
Z. Lebensm. -Unters. Forsch.
Z. Naturforsch., Teil A
Z. Naturforsch., Teil B
Z. Naturforsch., Teil C
Z. Phys. Chem. (Frankfurt am Main)
Z. Phys. Chem. (Leipzig)
Z. Vitam., Horm., Fermentforsch.
Z. Wiss. Photogr., Photophys., Photochem.

The International System of Units (SI)

Preamble

For many years the practice of The Society in respect of units has been based on the recommendations of a joint Committee of The Royal Society, The Chemical Society, The Faraday Society, and The Physical Society. The 1951 set of recommendations published by that Committee formed the basis of Chapter 7 of the 'Handbook for Chemical Society Authors' but since their promulgation much effort has been expended in international circles to devise and approve a basic set of coherent units. This having been complete, The Joint Symbols Committee of The Royal Society, of which The Royal Society of Chemistry is a participating member, has produced a set of recommendations in a pamphlet 'Symbols, Signs and Abbreviations' 1975 (copies of this pamphlet or further details can be obtained from the Manager, Journals, The Royal Society of Chemistry, Burlington House, London, W1V 0BN). The basis of the recommendations is the 'Système International d'Unités' (to be abbreviated to SI, in all languages).

The advantages offered by SI are as follows.

(i) It is a truly coherent system, *i.e.* the product or quotient of any two unit quantities in the system is the unit of the resultant quantity. This contrasts with the previous situation where, even in metric systems used within the same discipline, many additional units are arbitrarily and sometimes differently defined.

(ii) SI derives nearly all the quantities needed in all sciences and technologies from a very small set of base-units.

(iii) The variety of multiples and sub-multiples in common use is minimized.

(iv) A more uniform presentation can be ensured.

(v) Presentation is such that the relation of any derived unit, or multiple or sub-multiple of a derived unit, to the coherent unit is always obvious and simple.

Policy

(1) The Society announces its approval and support of SI; SI is the preferred system in its publications.

(2) *Guidelines for the publications of the Society.* An author will not be denied any reasonable usage, but if non-SI units are used for critical data or for quantities measured to a high order of accuracy (as opposed to the rough physical conditions of an experiment), the definitive values will be expressed in SI units as well.

The following will be the guidelines used:

- A metric system will always be used in preference to a non-metric one.
- SI will be the standard usage.
- The units used to record the *definitive* values of 'critical data' or quantities measured to high degree of accuracy will be SI.

(d) When non-SI units are used they must be adequately explained unless their definition is obvious (*e.g.* degree Celsius, mmHg, g, h). The derivation of derived non-SI units will be indicated.

(e) Equations involving electrical quantities should normally be those appropriate for use with SI (rationalized m.k.s.) units. If authors wish to use equations suitable for e.s.u. or e.m.u. the lack of consistency with SI units must be explicitly noted.

(3) *The principal changes.* There are four of these:

- Basic units: the metre and the kilogramme replace the centimetre and the gramme of the old metric system.
- The unit of force is now the newton (kg m s^{-2}).
- The unit of energy is the joule and of power the joule per second (watt); thus the variously defined calories and non-metric units of energy and power are superseded.
- 'Electrostatic' and 'electromagnetic' units are replaced by SI electrical units.

Detail

(4) *Definition.* A quantity is expressed as the product of a numerical value and a unit.

(5) *The System.* The fully coherent SI consists of base-units, supplementary units, derived units, and decimal multiples and sub-multiples of these units, formed by use of prefixes only.

(6) *Coherent systems.* A coherent system is one based on a selected set of 'base-units' from which 'derived units' are obtained by multiplication without introducing numerical factors.

(7) *Base-units.* The name International System of Units (SI) was adopted by the Conférence Générale de Poids et Mesures in 1960 for the coherent system now based on the base-units given in Table 1.

TABLE 1

Physical quantity	Name of base-unit	Symbol for unit
length	metre	m
mass	kilogramme	kg
time	second	s
electrical current	ampere	A
thermodynamic temperature	kelvin	K
luminous intensity	candela	cd
amount of substance	mole	mol

(8) *Supplementary units.* The SI also includes two 'supplementary' dimensionless units as follows:

Physical quantity	Name of unit	Symbol for unit
plane angle	radian	rad
solid angle	steradian	sr

(9) *Multiples and sub-multiples.* In the SI there is one and only one basic unit for each physical quantity. Decimal fractions and multiples of these basic units may, however, be constructed by use of certain prefixes (see Table 2). They may also be used with derived SI units.

TABLE 2

Fraction	Prefix	Symbol	Multiple	Prefix	Symbol
10^{-1}	deci	d	10	deka	da
10^{-2}	centi	c	10^2	hecto	h
10^{-3}	milli	m	10^3	kilo	k
10^{-6}	micro	μ	10^6	mega	M
10^{-9}	nano	n	10^9	giga	G
10^{-12}	pico	p	10^{12}	tera	T
10^{-15}	femto	f			
10^{-18}	atto	a			

The combination of a prefix and a unit symbol constitutes a new single unit symbol; compounding of prefixes is not permitted.

Although it will not always be possible, particularly in Tables, the general principle should be to choose a unit (*i.e.* including multiple or sub-multiple) such that the resulting numerical value is between 0.1 and 1000.

(10) *Derived units.* Some derived units have special names and symbols, and these are given in Table 3.

TABLE 3

Physical quantity	Name of SI unit	Symbol for SI unit	Definition of SI unit
energy	joule	J	$\text{kg m}^2 \text{s}^{-2}$
force	newton	N	$\text{kg m s}^{-2} = \text{J m}^{-1}$
power	watt	W	$\text{kg m}^2 \text{s}^{-3} = \text{J s}^{-1}$
electric charge	coulomb	C	A s
electric potential	volt	V	$\text{kg m}^2 \text{s}^{-3} \text{A}^{-1} = \text{J A}^{-1} \text{s}^{-1}$
difference	ohm	Ω	$\text{kg m}^2 \text{s}^{-3} \text{A}^{-2} = \text{V A}^{-1}$
electric resistance	ohm	Ω	$\text{kg m}^2 \text{s}^{-3} \text{A}^{-2} = \text{V A}^{-1}$
electric capacitance	farad	F	$\text{A}^2 \text{s}^4 \text{kg}^{-1} \text{m}^{-2} = \text{As V}^{-1}$
magnetic flux	weber	Wb	$\text{kg m}^2 \text{s}^{-2} \text{A}^{-1} = \text{Vs}$
inductance	henry	H	$\text{kg m}^2 \text{s}^{-2} \text{A}^{-2} = \text{V A}^{-1} \text{s}$
magnetic flux density	tesla	T	$\text{kg s}^{-2} \text{A}^{-1} = \text{Vs m}^{-2}$
luminous flux	lumen	lm	cd sr
illumination	lux	lx	cd sr m^{-2}
frequency	hertz	Hz	s^{-1}

Others do not

Physical quantity	SI unit	Symbol for SI unit
area	square metre	m^2
volume	cubic metre	m^3
density	kilogramme per cubic metre	kg m^{-3}
velocity	metre per second	m s^{-1}
angular velocity	radian per second	rad s^{-1}
acceleration	metre per second squared	m s^{-2}
pressure	newton per square metre	N m^{-2}
kinematic viscosity, diffusion coefficient	square metre per second	$\text{m}^2 \text{s}^{-1}$
dynamic viscosity	newton second per square metre	N s m^{-2}
electric field strength	volt per metre	V m^{-1}
magnetic field strength	ampere per metre	A m^{-1}
luminance	candela per square metre	cd m^{-2}

(11) *Symbol.* The symbol for a unit will be printed in roman (upright) type, remains unaltered in the plural and does not take a full point, *i.e.* 5 cm not 5 cm. or 5 cms or 5 cms.

The symbol will be separated from the numerical value by a thin space.

(12) *Decimal fractions and multiples of SI units having special names.* These names are not part of the SI, but for the time being their use in The Society's publications may continue. The list given in Table 4 is not exhaustive.

TABLE 4

Physical quantity	Name of unit	Symbol unit	Definition of unit
length	ångström	Å	$10^{-10} \text{ m} = 10^{-1} \text{ nm}$
length	micron	μm	10^{-6} m
area	barn	b	10^{-28} m^2
volume	litre	l	$10^{-3} \text{ m}^3 = \text{dm}^3$
mass	tonne	t	$10^3 \text{ kg} = \text{Mg}$
force	dyne	dyn	10^{-5} N
pressure	bar	bar	10^5 N m^{-2}
pressure	pascal	Pa	Nm^{-2}
energy	erg	erg	10^{-7} J
kinematic viscosity			
diffusion coefficient	stokes	St	$10^{-4} \text{ m}^2 \text{s}^{-1}$
dynamic viscosity	poise	P	$10^{-1} \text{ kg m}^{-1} \text{s}^{-1}$
magnetic flux	maxwell	Mx	10^{-8} Wb
magnetic flux density (magnetic induction)	gauss	G	10^{-4} T
conductance	siemens	S	Ω^{-1}

(13) *Units defined in terms of the best available experimental values of certain physical constants.* These units are not part of the SI. The factors for conversion of these units to SI units are subject to change in the light of new experimental measurements of the constants involved. Their use outside the restricted contexts to which they are appropriate should be discouraged. The following list is not exhaustive.

Physical quantity	Name of unit	Symbol for unit	Conversion factor
energy	electronvolt	eV	$\text{eV} \approx 1.6021 \times 10^{-19} \text{ J}$
mass	unified atomic mass unit	u	$u \approx 1.66041 \times 10^{-27} \text{ kg}$

(14) *Other units now exactly defined in terms of the SI units.* These units are not part of the SI. It is recognized that their use may be continued for some time but it is recommended that except in special circumstances they should be progressively abandoned in conformity with international recommendations. The list given in Table 5 is by no means exhaustive. Each of the definitions given in the fourth column is exact.

TABLE 5

Physical quantity	Name of unit	Symbol for unit	Definition of unit
length	inch	in	$2.54 \times 10^{-2} \text{ m}$
mass	pound (avoirdupois)	lb	$0.453\,592\,37 \text{ kg}$
time *	minute	min	60 s
time *	hour	h	3600 s
force	kilogramme-force	kgf	$9.806\,65 \text{ N}$
force	pound-force	lbf	$9.806\,65 \times 0.453\,592\,37 \text{ N}$
pressure	atmosphere	atm	$101\,325 \text{ N m}^{-2}$
pressure	conventional millimetre of mercury	mmHg	$13.5951 \times 9.806\,65 \text{ N m}^{-2}$
pressure	torr	Torr	$(101\,325/760) \text{ N m}^{-2}$
pressure	pound-force per square inch	lbf in^{-2}	$9.806\,65 \times 453.59237 \times 6.4516 \text{ N m}^{-2}$
energy	kilowatt hour	kWh	$3.6 \times 10^6 \text{ J}$
energy	thermochemical calorie	cal(thermochem.)	4.184 J
energy	I.T. calorie	cal _{IT}	4.1868 J
thermodynamic temperature	degree Rankine	°R	(5/9) K
radioactivity	curie	Ci	$3.7 \times 10^{10} \text{ s}^{-1}$

* Use of other common units (min, h, day) may continue in normal expressions of intervals of time.

Formulae and Figures

The purpose of all illustrative matter in a paper is to clarify the arguments and descriptions rather than to duplicate them. The Society strongly encourages the use of displayed formulae, particularly in the form of schemes where the details of a reaction sequence are often more easily understood when illustrated than when described in the text.

All formulae and figures should be clearly drawn, and in the case of figures provided with captions; the latter should be typed on a separate sheet. Since all formulae carry a key number by which they are identified, unless they form part of the running text or unless they are part of a scheme which itself has a caption, they are not generally further described. Blocks of formulae do not need a caption.

Illustrative matter is divided, for technical reasons, into figures and formulae, although in many cases (e.g. crystal structures which may be regarded as formulae but which are treated as figures) these divisions overlap.

Structural Formulae.—(a) Only those formulae which are displayed may be given key numbers. In all other cases the compounds concerned are referred to by name only.


(b) Formulae are numbered sequentially with bold arabic numerals in parentheses [(1), (2), and (3) *etc.*] as they are displayed and *not* as they are mentioned in the text.

(c) In complex reaction schemes the formulae should be numbered serially following the reaction sequence. Non-sequential numbering in a collection of formulae can render it hard to locate an individual number.

(d) Structural or displayed formulae must be carefully and accurately drawn or typed on a separate sheet, rather than inserted into the text, although a marginal indication of where they are to go in the text is desirable.

(e) Formulae inserted into the body of the text (as distinct from those displayed separately) should be written on one line if possible, e.g.

$\text{HO}\cdot\text{CHMe}\cdot\text{CO}_2\text{H}$ and $\text{NH}\cdot[\text{CH}_2]_5\cdot\text{CO}$ rather than



(f) Points (which may be typed as full stops) are used to indicate bonds between the atoms of the backbone chain of a compound. The symbol of each element of that chain is preceded by a full stop (or colon for a double bond) and followed by the symbols or formulae of the atoms or groups that are attached to it (parentheses being used where necessary to enclose compound groups), e.g. $o\text{-HO}\cdot\text{C}_6\text{H}_4\cdot\text{CH}_2\cdot\text{NH}_2$ and $\text{CH}_2\text{Cl}\cdot\text{CH}(\text{OH})\cdot\text{CO}_2\text{H}$.

Groups that are indicated by a single symbol (e.g. Me and Et *etc.*) do not need use of such full stops.

Repeating sequences of a backbone composite group are enclosed with square brackets and their number is indicated by an inferior multiplier, e.g. $\text{HO}\cdot[\text{CH}_2]_4\cdot\text{NH}_2$, but $\text{HO}\cdot[\text{CH}_2]_4\cdot\text{N}(\text{CH}_2\cdot\text{OH})_2$.

(g) The use of large circles to represent six delocalized π -electrons in cyclic systems (with or without positive or negative signs as appropriate) is permitted in certain circumstances. Cyclic systems with more or less than six delocalized π -electrons may be represented by formulae containing dotted lines. Both topics are dealt with in *Proceedings*, 1959, 75.

(h) Customary steric conventions must be observed, notably for steroids, triterpenes, and carbohydrates. The Society uses wedges (\blacktriangle) or heavy lines (—) rather than blocked circles (\bullet) and broken lines in the form ----- rather than ||||| .

(i) The symbols Me, Et, Prⁿ, Prⁱ, Buⁿ, Buⁱ, Bu^s, Bu^t, Ph, Ac, Bz (the symbol for PhCO and not for PhCH₂), Alk, Ar, and Hal, should be used but may be written in full when the groups are involved in the reaction described. Other special symbols, if used, require an explanatory footnote. The carboxy-group is written CO₂H (*not* COOH) and similarly CO₂R.

(j) One variable univalent substituent is indicated by R; when more than one independently variable general substituent is present, R¹, R², and R³ should be used (*not* R, R¹, R², R³; or R₁, R₂, and R₃ which indicate 1 \times R and multiples of R thereof).

(k) Often it is desirable to use one formula to represent a number of related compounds (or classes of compounds) by the use of one or more independently variable substituents. It is preferable to give each compound thus represented a separate key number rather than to subdivide individual key numbers by alphabetical suffixes [*i.e.* (1a), (1b), (1c) *etc.*].




- (1) R¹ = R² = Ph, R³ = Me, X = O
(2) R¹ = Me, R² = R³ = Ph, X = S



- (3) R¹ = Me, R² = Ph, R³ = Bz
(4) R¹R² = CO-O-CO, R³ = Ph

The use of more than four independently variable substituents or atoms on one generalized formula is discouraged.

(1) Once a formula has been displayed it is permissible to employ its key number in later reaction schemes or equations rather than to re-display the formula:



Reagents: i, MeMgI; ii, NaOH; iii, HI

It should be noted that reagents and reaction conditions are given as footnotes to the scheme for economy of space; if present, an equation number is set as far to the right as possible, and if there is likelihood of

confusion with compound key-numbers it is accompanied by the word equation.

(m) Displayed formulae, unless they are capable of being typed on one line [see point (e) above], should not be included in tables; they should be displayed before the table with a key number for each compound and this should be used in the table.

(n) The key number for a compound may be used in the cursive text to avoid repetition of long chemical names; this device must not be used to excess. In general it is preferred if the key number is qualified by a partial name for the compound as in the following example:

'Pyolin (1) was oxidized by permanganate to the oxo-acid (2), the methyl ester (3) of which with methylmagnesium iodide gave the normal product (4)'.

(o) Reference to compounds in the Summary by key number alone is not allowed since a summary should be comprehensible without reference to the body of the paper itself. The reference number should, however, accompany the name of the compound to which it refers.

Figures.—(a) Figures must bear on the back the names of the authors, the title of the paper (abbreviated if necessary), and the number of the figure.

(b) Figures must be in Indian ink, on Bristol board, white smooth cartridge paper, tracing linen, plastic film (it is essential that the special plastic ink developed for this is used), or graph paper with *faint* blue lines (red or brown lines must not be present as these may be reproduced by the photographic process of block making). Since lines must be black and sharp, photostats or similar prints are often not suitable. If paper is used, it must be strong enough to withstand repeated handling.

(c) Lettering and numerals must be in *blue pencil* (not red or black pencil or ink) clearly legible but not so heavily scored as to make a permanent impression on the paper or board.

(d) When the figures are large (more than 8 in \times 10 in), smaller copies (which may be rough, as long as they are clear) should be supplied for submission to the referees; editing will not be undertaken, however, before the final figures are received.

(e) Figures must be carefully drawn, preferably three times the size (linear) that seems necessary to ensure sharp printing, but excessive reduction is costly and illustrations that exceed five times the size of the finished block may be returned to the author for redrawing.

(f) Two-inch margins are essential all round figures. Lettering for insertion at margins should be placed well clear of the ordinate or abscissa line so that it can be copied before erasure.

Lettering and touching-up are done by the Society and clarity of instructions is essential. When there is much lettering, or complicated lettering, and always when tracing linen or plastic film is used, a rough tracing should be added with the lettering shown in ink.

(g) Since, for printing, the size is reduced, lines should not be too thin. Given lines must be of even thickness, angles neat, and curves smooth.

(h) Graphs should have only the requisite minimum of the scale (not less than three points) marked by numerals, and the scale lines should not normally be continued into the body of the figure.

(i) Graphs in any one paper should, when convenient, be drawn to the same scale, and scale markings should, when possible, be identical so that the graphs may be placed adjacent on the page. Contrariwise, two curves drawn to different scales can be shown on one graph by having the appropriate scales on the left-hand and the right-hand side. The use of both right- and left-hand axes and top and bottom axes on figures which have quantitative significance is encouraged.

(j) Experimental points must be shown sufficiently large to be distinguishable when reduced in size. Whenever possible, they should be confined to open and closed circles, crosses, squares, and triangles. Partly black circles and similar signs frequently become indistinguishable in print.

(k) Curves may be distinguished as full lines (—), broken (---) or dotted lines (···), and dot-dash lines (— · — · —); further differentiation should normally be achieved by labelling the curves, which is, in any case, desirable.

(l) For reference in legends, it is preferable to mark curves A, B, C, *etc.* rather than to reproduce the type of line in print.

(m) There must be no unnecessary waste space, *e.g.* around curves; ordinates and abscissae should start at zero only if the curve extends to that range. Enlargement of parts of a figure can occasionally be placed in a corner of the complete figure.

(n) It is not advisable to insert much or complicated lettering on curves or in blank spaces; mistakes (in copying by the artist) can rarely be rectified once the block is made. It is better to label the curves A, B, C, *etc.* and to use explanatory legends.

(o) *Large* solid objects should be represented by hatching rather than by black surfaces, otherwise the ink may smear on printing.

(p) Photographs are reproduced by a half-tone process on art paper. The prints supplied must be very clear and of good contrast, as considerable definition may be lost in reproduction.

(q) Captions and explanatory legends, to be set by the printer should be typed on a separate page attached to the manuscript, and not given on the figure itself.

(r) Figures are numbered consecutively Figure 1, Figure 2, *etc.* (in arabic numerals). Photographs (half-tone reproduction) are numbered consecutively Plate 1, Plate 2, *etc.* but these numbers are independent of the numbering of any figures.

(s) Since figures represent an uneconomical use of space their number and size should be kept to a minimum. Figures and tables for the same values are discouraged.

NOTICES TO AUTHORS—No. 7/1970 (revised 1976)

Deposition of Data—Supplementary Publications Scheme

Preamble

The growing volume of research that produces large quantities of data, the increasing facilities for analysing such data mechanically, and the rising cost of printing are all making it very difficult to publish in the *Journal* in the normal way the full details of the experimental data which become available. Moreover, whilst there is a large audience for the general method and conclusions of a research project, the number of scientists interested in the details, and in particular in the data, of any particular case may be quite small. The British Library, Lending Division (B.L.L.D.) in consultation with the Editors of scientific journals, has now developed a scheme whereby such data and detail may be stored and then copies made available on request at the B.L.L.D., Boston Spa. The Chemical Society is a sponsor of this scheme and has indicated to the B.L.L.D. its wish to use the facilities being made available in this 'Supplementary Publications Scheme'.

Bulk information (such as crystallographic structure factor tables, computer programmes and output, evidence for amino-acid sequences, spectra, etc.), which accompanies papers published in future issues of the Chemical Society's *Journal* may in future be deposited, free of charge, with the Supplementary Publications Scheme, either at the request of the author and with the approval of the referees or on the recommendation of referees and with the approval of the author.

The Scheme

Under this scheme, authors will submit articles and the supplementary material to the *Journal* simultaneously in the normal way, and both will be refereed. If the paper is accepted for publication the supplementary material will be sent by the Society to the B.L.L.D. where it will be stored. Copies will be obtainable by individuals both in the U.K. and abroad on quoting a supplementary publication number that will appear in the parent article.

Preparation of Material

Authors will be responsible for the preparation of camera-ready copy according to the following specifications (although the Society will be prepared to help in case of difficulty).

- (a) Optimum page size for text or tables in type-script: up to 30 cm × 21 cm.
- (b) Limiting page size for text or tables in type-script: 33 cm × 24 cm.
- (c) Limiting size for diagrams, graphs, spectra, etc.:

39 cm × 28.5 cm.

- (d) Tabular matter should be headed descriptively on the first page, with column headings recurring on each page.
- (e) Pages should be clearly numbered.

It is recommended that all material which is to be deposited should be accompanied by some prefatory text. Normally this will be the summary from the parent paper and authors will greatly aid the deposition of the material if a duplicate copy of the summary is provided. If authors have the facilities available the use of a type face designed to be read by computers is encouraged.

Deposition

The Society will be responsible for the deposition of the material with the B.L.L.D. The B.L.L.D. will not receive material direct from authors since the Library wishes to ensure that the material has been properly and adequately refereed.

Action by the Society

The Society will receive a manuscript for publication together with any supplementary material for deposition and will circulate all of this to referees in the normal way. When the edited manuscript is sent to the printers the supplementary material will be sent for deposition to the B.L.L.D. The Society will add to the paper a footnote indicating what material has been deposited in the Supplementary Publications Scheme, the supplementary publication number, and details as to how copies may be obtained.

Availability

Copies of Supplementary Publications may be obtained from the B.L.L.D. on demand by organizations which are registered borrowers. They should use the normal forms and coupons for such requests addressing them as follows:

Mr. J. P. Chillag,
British Library Lending Division,
Boston Spa,
Wetherby,
West Yorkshire, LS23 7BQ, U.K.

Non-registered users may also obtain copies of Supplementary Publications but should first apply for price quotations. These are available from the Loans Office at the above address.

International Collaboration

A similar scheme (known as the National Auxiliary Publications Service) is being operated in the U.S.A. by the American Society for Information Science. Similar schemes are also being contemplated in other

countries. The provision of reciprocal arrangements for the exchange of supplementary data between the various national deposition centres is being investigated.

NOTICES TO AUTHORS—No. 8/1970

X-Ray Crystallographic Structure Factor Tables

The Society has recently taken advice from the members of its Chemical Crystallography Group and as a result of this and of the inception of the National Lending Library Supplementary Publications Scheme (discussed in Notices to Authors No. 7) the following rules are being taken into use forthwith to govern the publication or deposition of X-ray crystallographic structure factor tables.

(i) The Society will no longer publish tables of structure factors in its publications except in accordance with the provision of paragraph (iv) below.

(ii) All authors of crystallography papers will submit along with the manuscript a readable table of such structure factors for the referees' inspection. The table should be prepared in accordance with the detail given in paragraph 3 of Notices to Authors No. 7 so that it may be used for deposition. Computer printout may be used providing that it is top copy in good contrast (see note).

(iii) If the referees accept the paper and its associated structure factor tables then the Society will deposit these structure factor tables in the National Lending Library Supplementary Publications Scheme

(see Notices to Authors No. 7) and will publish as a footnote to the paper the necessary details that will enable any reader to obtain a copy in microfiche or an electrophotographic printoff of the data tables associated with the paper.

(iv) Authors, or the referees, may request publication of such tables of structure factors, *in extenso*, in cases that seem to them to be desirable. It is expected that this will occur only rarely.

(v) The details of the National Lending Library Supplementary Publications Scheme and the methods for obtaining photographic printoff of material deposited with that scheme are given in Notices to Authors No. 7.

Note to paragraph (ii). Structure factors tables prepared from computer printout must be presented in the form indicated in paragraph 3 of Notices to Authors No. 7 and must be arranged with the greatest economy of space possible [*i.e.* not less than two groups of columns (h, k, l, F_o, F_c) to the page (30 cm \times 21 cm)]. All columns must be headed. A 'paste-up' on white card of computer printout will be acceptable providing the quality of the printout is adequate.

NOTICE TO AUTHORS—No. 9/1974 (revised 1981)

Nomenclature

For many years the Society has actively encouraged the use of standard I.U.P.A.C. nomenclature and symbolism in its publications as an aid to the accurate and unambiguous communication of chemical information between authors and readers. Although the I.U.P.A.C. rules for naming organic compounds have now gained wide acceptance amongst chemists, mainly because they have been in existence for a number of years, those for naming inorganic compounds are of more recent origin and for this reason their acceptance is less general.

In order to encourage authors to use I.U.P.A.C. nomenclature rules when drafting papers, attention is drawn to the following publications in which both the rules themselves and guidance on their use are given.

'Nomenclature of Organic Chemistry, Sections A, B, C, D, E, F, and H,' Pergamon, Oxford, 1979 edn.

'Nomenclature of Inorganic Chemistry,' Butterworths, London, 1971.

'Manual of Symbols and Terminology for Physicochemical Quantities and Units,' Pergamon, Oxford, 1979.

'Biochemical Nomenclature and Related Documents,' The Biochemical Society, 1978.

A complete listing of all I.U.P.A.C. nomenclature publications appears in the 1981 Index issues of *J. Chem. Soc.*

It is recommended that where there are no I.U.P.A.C. rules for the naming of particular compounds or authors find difficulty in applying the existing rules, they should seek the advice of the Society's editorial staff.

Authentication of New Compounds

(1) It is the responsibility of authors to provide fully convincing evidence for the homogeneity and identity of all compounds they claim as new. Evidence of both purity and identity is required to establish that the properties and constants reported are those of the compound with the new structure claimed.

(2) In the context of this Notice a compound is considered as new (a) if it has not been prepared before, (b) if it has been prepared before but not adequately purified, (c) if it has been purified but not adequately characterised, (d) if, earlier, it has been assigned an erroneous constitution, or (e) if it is a natural product synthesised for the first time. In preliminary communications compounds are often recorded with limited characterising data; in spite of (c) above later preparations of such compounds are not considered as new if the properties previously reported are confirmed; the same applies to patents.*

(3) Referees are asked to assess, as a whole, the evidence in support of the homogeneity and structure of all new compounds. No hard and fast rules can be laid down to cover all types of compounds, but the Society's policy remains unchanged in that evidence for the unequivocal identification of new compounds should normally include good elemental analytical data; an accurate mass measurement of a molecular

ion does not provide evidence of purity of a compound and must be accompanied by independent evidence of homogeneity. Low-resolution mass spectroscopy must be treated with even more reserve in the absence of firm evidence to distinguish between alternative molecular formulae. Where elemental analytical data are not available, appropriate evidence which is convincing to an expert in the field will be acceptable, but authors should include, for the referees, a brief explanation of the special nature of their problem.

(4) Spectroscopic information necessary to the assignment of structure should normally be given. Just how complete this information should be must depend upon the circumstances; the structure of a compound obtained from an unusual reaction or isolated from a natural source needs much stronger supporting evidence than one derived by a standard reaction from a precursor of undisputed structure. Authors are reminded that full spectroscopic assignments may always be treated as a Supplementary Publication where their importance does not justify their inclusion in the published paper.

(5) Finally, referees are reminded of the need to be exacting in their standards but at the same time flexible in their admission of evidence. It remains the Society's policy to accept work only of high quality and to permit no lowering of present standards.

* New compounds should be indicated by underlining the name (for italics) at its first mention (excluding headings) in the Experimental section only, and by giving analytical results in the form: (Found: C, 63.1; H, 5.4. $C_{12}H_{13}NO_4$ requires C, 63.2; H, 5.3%). If analytical results for compounds which have been adequately described in the literature are to be included, they should be given in the form: (Found: 62.95; H, 5.4. Calc. for $C_{12}H_{13}NO_4$: C, 63.2; H, 5.3%). Analyses are normally quoted to the nearest 0.05%.

Publication of X-Ray Crystallographic Work in the *Journal*

Preamble

At a meeting of the Primary Journals Committee held in October 1975 a sub-committee was set up to consider policy with regard to publication in the *Journal* of both preliminary communications and substantive papers concerned with X-ray crystallographic work. This step was taken in the light of correspondence received by the Society which indicated concern by many referees on the problems created by the large number of routine X-ray crystallographic studies submitted to the Society as a result of the increasing ease of carrying out such work.

Since the sub-committee's terms of reference were wide it was able to consider both this problem and others relating to publication of X-ray crystallographic work in all sections of the *Journal*. Its recommendations which are outlined below fall into two groups: those concerned with preliminary communications and those with full papers. These recommendations have been endorsed by the Primary Journals Committee and now represent the Society's policy with regard to crystallographic work submitted for publication in its primary journals.

Preliminary Communications

Evidence was presented to the sub-committee that a major problem associated with the publication of preliminary reports of crystallographic work in *Chem. Commun.* arose as a result of the non-availability to interested readers of the atomic co-ordinates associated with this work. Although in the normal course of events such data would be expected to appear in the follow-up paper, many cases were cited where the period between publication of the preliminary report and the substantive paper was many years or the full papers never appeared in print. The evidence

presented suggested that there was considerable disquiet among crystallographers at this state of affairs. The measures taken to improve this situation are outlined in Notices to Authors for *J. Chem. Soc., Chem. Commun.*

Papers in Dalton and Perkin Transactions

The sub-committee considered evidence which indicated that X-ray crystallographic papers submitted to the *Journal* were assessed in a less rigorous fashion than those reporting other areas of work. Although the sub-committee felt that this claim was largely unsubstantiated it was agreed that improvement of both assessment procedure and presentation of work was possible. The following recommendations have, therefore, been adopted.

- (1) Crystallographic papers will be assessed for their chemical as well as their crystallographic interest.
- (2) Unless both specifically requested by the author and recommended by the referees for publication, vibrational parameters will be routinely deposited with the structure factors as a Supplementary Publication. Where vibrational parameters are to be published they should be in the form of U_{ij} with units of \AA^2 .
Referees are reminded that they may, at their discretion, recommend other material for deposition where in their view its inclusion in the parent paper is not justified by its interest.
- (3) Each paper should contain a line drawing of the compound under discussion where appropriate in addition to the usual crystallographic figures.

Publication of Theoretical and Computational Papers

The Primary Journals Committee has been considering future policy towards the publication of papers with a heavily computational content, particularly where these involve standard methods, such as semi-empirical or *ab initio* calculations of molecular electronic properties using readily available computer programmes. Many such papers report what would be considered 'routine work' in other areas of chemistry, and have often included extensive detail.

A specialist sub-committee formulated a set of proposals which were circulated to a large representative sample of theoretical chemists and met with general acceptance. These, with the comments on them, form the basis of this notice.

The Primary Journals Committee recognises that computational work can play a valuable role in chemistry, and will probably continue to do so on an increasing scale. It accepts the time-honoured principle that the first criterion for publication of a paper by the Society should be the worthiness of the chemical problem considered, rather than the particular techniques employed by the author. For example, the use of a new computing algorithm, or the modification of a programme, would not usually, on its own, provide sufficient justification for publication.

The Primary Journals Committee recommends to authors the following guidelines for the preparation of computational papers, so that the material can be presented concisely and effectively.

- (i) Papers should be submitted to the appropriate journal: a paper containing innovations in theory to Faraday Transactions II, one in which the computations are incidental to the chemistry to Perkin, Dalton, or Faraday I Transactions. Papers concerned mainly with computational details are unlikely to be accepted.
- (ii) The purpose of the paper and the precise ob-

jectives of the calculations performed should be clearly stated: the results obtained should be reported only in so far as they relate to those objectives.

- (iii) Many papers use a routine procedure based on a well documented method, be it semi-empirical or *ab initio*. It is then sufficient to name the particular variant, referring to key papers in which the method was developed, to cite the computer programme used, and to indicate *briefly* any modification made by the author. A review of theoretical background would be out of place, but an author should say why he considers the method adequate for his purposes.
- (iv) Extensive tabulation of numerical results, such as the magnitudes of atomic orbital coefficients, electron populations, contour maps of molecular orbitals and electron densities, and peripheral material of a similar nature, is normally unnecessary. Lengthy line-by-line discussion of such material is, as a general rule, quite unacceptable. Where an author considers that there is a special need to make such material available to other workers, as with highly accurate computations, for example, then this may be deposited with the British Library as a Supplementary Publication. Such material should be submitted with the main paper, clearly distinguished from it, and referred to in the main text.

Guidelines can never provide sufficient criteria for acceptance or rejection of a paper. Critical assessment of the theoretical methods used in a computation, and of their suitability for the purpose in hand, will continue to be entrusted to specialist referees who must also decide whether the results are new and advance science.

Chemical nomenclature:*

Where to find that name, symbol or unit that you're looking for

Rules for naming, symbolizing and representing chemical compounds have been published in various journals, leaflets and books. IUPAC has compiled much of this information into a few major reference books, but much remains dispersed in the chemical literature. Chemical nomenclature changes constantly, and it is necessary to publish revisions and additions separately (usually, in the IUPAC journal *Pure & Applied Chemistry*). Other nomenclature reports — recommending terminology, symbols and units for reporting of results — deal with a diverse range of subjects. Collecting such reports into a few subject areas is not always possible or practical — although that is precisely what is attempted here.

The following listing is intended to be a comprehensive compilation of all chemical nomenclature published in recent years. It is presented in two main sections. The first deals with nomenclature of chemical compounds. These are subdivided into Analytical Reagents, Biochemical Compounds, Inorganic Substances, Organic Compounds, and Polymers. The second contains terminology, symbols, units and recommendations for presentation of results. These are divided into General Terminology, Terminology for Chemical Analysis, and Terminology for Spectroscopic Techniques.

NOMENCLATURE OF CHEMICAL COMPOUNDS

I. Analytical Reagents

Guide to Trivial Names, Trade Names and Synonyms for Substances used in Analytical Chemistry, *Pure & Appl. Chem.*, Vol. 50, No. 4 (1978) pp. 339 - 370.

II. Biochemical Compounds

AMINO ACIDS AND DERIVATIVES

*Nomenclature of Amino Acids (Provisional Nomenclature Appendix No. 46, September 1975).

*Symbols for Amino Acid Derivatives and Peptides (*Pure & Appl. Chem.*, Vol. 40, No. 3, 1974, pp. 315 - 331).

BIOCHEMICAL EQUILIBRIUM

*Recommendations for measurement and presentation of Biochemical Equilibrium Data (Provisional Nomenclature Appendix No. 61, July 1977, *Info. Bull.*).

CARBOHYDRATES & SUGARS

Conformational Nomenclature for Five and Six-Membered Ring Forms of Monosaccharides and Their Derivatives (Provisional) (*Pure & Appl. Chem.*, Vol. 53, No. 10, 1981 and also in the *Eur. J. Biochem.*, 111, 295 - 298, 1980).

Abbreviated Terminology of Oligosaccharide Chains (Provisional) (to be published in late 1981 in *Pure & Appl. Chem.* and *J. Biol. Chem.*).

Polysaccharide Nomenclature (Provisional) (to be published in late 1981 in *Pure & Appl. Chem.* and *J. Biol. Chem.*).

Nomenclature of Unsaturated Monosaccharides (Provisional) (to be published in late 1981 in *Pure & Appl. Chem.* and *Eur. J. Biochem.*).

Nomenclature of Branched-chain Monosaccharides (Provisional) (to be published in late 1981 in *Pure & Appl. Chem.* and *Eur. J. Biochem.*).

ENZYMES

Enzyme Nomenclature (1978), published by Academic Press in hardcover and softcover editions. First supplement in *Eur. J. Biochem.*, 104, 1 - 4, 1980. Second supplement published in *Eur. J. Biochem.*, 116, 423 - 435, 1981.

LIPIDS

*Nomenclature of Lipids (Provisional Nomenclature Appendix No. 67, December, 1977).

NUCLEIC ACIDS

*Abbreviations and Symbols for Nucleic Acids, Polynucleotides and their Constituents (*Pure & Appl. Chem.*, Vol. 40, No. 3, 1974, pp. 277 - 290).

* This list of I.U.P.A.C. publications is reprinted from *Chemistry International*, 1981, No. 5, pp. 28-32.

PHOSPHORUS COMPOUNDS

*Nomenclature of Phosphorus-containing Compounds of Biochemical Importance (Provisional Nomenclature Appendix No. 66, December 1977).

PROTEINS & PEPTIDES

*Nomenclature of Peptide Hormones (Provisional Nomenclature Appendix No. 48, September 1975).

*Abbreviations and Symbols for the Description of Conformation of Polypeptide Chains (*Pure & Appl. Chem.*, Vol. 40, No. 3, 1974, pp. 291 - 308).

*Abbreviated Nomenclature of Synthetic Polypeptides (Polymerized Amino Acids) (*Pure & Appl. Chem.*, Vol. 33, Nos. 2 - 3, 1973, pp. 437 - 444).

Nomenclature of Iron-Sulfur Proteins (*Eur. J. Biochem.*, 93, 427 - 430, 1979; corrected in *Eur. J. Biochem.*, 102, 315, 1979).

*A One-letter Notation for Amino Acid Sequences (*Pure & Appl. Chem.*, Vol. 31, No. 4, 1972, pp. 639 - 645).

Rules for Naming Synthetic Modifications of Natural Peptides (*Pure & Appl. Chem.*, Vol. 31, No. 4, 1972, pp. 647 - 653).

VITAMINS

*Nomenclature for Vitamin B-6 and Related Compounds (*Pure & Appl. Chem.*, Vol. 33, Nos. 2 - 3, 1973, pp. 445 - 452).

*Also published in "Biochemical Nomenclature and Related Documents", 1978, a 220 page softcover manual published for The Biochemical Society for IUB (available from the Biochemical Society Book Depot, P.O. Box 32, Commerce Way, Colchester, Essex CO2 8HP, England).

III. Inorganic Substances

ACIDS

Chapter 5 of "Nomenclature of Inorganic Chemistry".*

ADDITION COMPOUNDS

Chapter 8 of "Nomenclature of Inorganic Chemistry".*

BORON COMPOUNDS

Nomenclature of Inorganic Boron Compounds (*Pure & Appl. Chem.*, Vol. 30, Nos. 3 - 4, 1972, pp. 681 - 710).

CARBON

International cooperation on characterization and terminology of carbon and graphite. (*Pure & Appl. Chem.*, Vol. 51, No. 7, 1979, pp. 1561 - 1574).

COORDINATION COMPOUNDS

Chapter 7 of "Nomenclature of Inorganic Chemistry".*

CRYSTALLINE PHASES

Chapter 9 of "Nomenclature of Inorganic Chemistry".*

ELEMENTS

Recommendations for the Name of Elements of Atomic Numbers Greater than 100 (*Pure & Appl. Chem.*, Vol. 51, No. 2, 1979, p. 381).

Chapter 1 of "Nomenclature of Inorganic Chemistry".*

IONS & RADICALS

"How to name an Inorganic Substance", the companion guide to the use of "Nomenclature of Inorganic Chemistry".

ISOTOPICALLY-MODIFIED COMPOUNDS

Nomenclature of Inorganic Chemistry. Part II.1. Isotopically-modified compounds. (*Pure & Appl. Chem.*, Vol. 53, No. 10, 1981).

NITROGEN

Nomenclature of Hydrides of Nitrogen and Derived Cations, Anions and Ligands (*Info. Bull.*, No. 2, 1978).

POLYANIONS

Chapter 4 of "Nomenclature of Inorganic Chemistry".*

SALTS

Chapter 6 of "Nomenclature of Inorganic Chemistry".*

ZEOLITES

Chemical nomenclature and formulation of compositions of synthetic and natural zeolites. (*Pure & Appl. Chem.*, Vol. 51, No. 5, 1979, p. 1091).

*"Nomenclature of Inorganic Chemistry" is a 110 page hardcover volume (published 1970) available from Pergamon Press. A 36 page softcover booklet "How to Name an Inorganic Substance" was later published (1977) as a companion guide.

IV. Organic Compounds

ALCOHOLS & PHENOLS

Section C of "Nomenclature of Organic Chemistry".*

ALDEHYDES & KETONES

Section C of "Nomenclature of Organic Chemistry".*

CARBOXYLIC ACIDS

Section C of "Nomenclature of Organic Chemistry".*

CAROTENOIDS

Nomenclature of Carotenoids (*Pure & Appl. Chem.*, Vol. 41, No. 3, 1975, pp. 405 - 431).

COORDINATION COMPOUNDS

Section D of "Nomenclature of Organic Chemistry".*

CORRINOIDS

Nomenclature of Corrinoids (*Pure & Appl. Chem.*, Vol. 48, No. 4, 1976, pp. 455 - 502).

CYCLITOLS

Nomenclature of Cyclitols (*Pure & Appl. Chem.*, Vol. 37, Nos. 1 - 2, 1974, pp. 283 - 297).

HALOGENATED DERIVATIVES

Section C of "Nomenclature of Organic Chemistry".*

HETEROCYCLIC COMPOUNDS

Section B of "Nomenclature of Organic Chemistry".*

Revision of the extended Hantzsch-Widman System of Nomenclature for Heteromonocycles (*Pure & Appl. Chem.*, Vol. 51, No. 9, 1979, pp. 1995 - 2003).

HYDROCARBONS

Section A of "Nomenclature of Organic Chemistry".*

ISOTOPICALLY-MODIFIED COMPOUNDS

Section H of "Nomenclature of Organic Chemistry".* Also published in *Pure & Appl. Chem.*, Vol. 52, No. 2, 1979, pp. 355 - 380.

NATURAL PRODUCTS

Section F of "Nomenclature of Organic Chemistry".*

NITROGEN-CONTAINING COMPOUNDS

Section C of "Nomenclature of Organic Chemistry".*

ORGANOMETALLIC COMPOUNDS

Section D of "Nomenclature of Organic Chemistry".*

ORGANOPHOSPHORUS COMPOUNDS

Section D of "Nomenclature of Organic Chemistry".*

ORGANOSILICON COMPOUNDS

Section D of "Nomenclature of Organic Chemistry".*

QUINONES

Nomenclature of Quinones with Isoprenoid Side-Chains (*Pure & Appl. Chem.*, Vol. 38, 1974, pp. 439 - 447).

STEREOCHEMISTRY

Section E of "Nomenclature of Organic Chemistry".*

STERIODS

Nomenclature of Steroids (*Pure & Appl. Chem.*, Vol. 31, Nos. 1 - 2, 1972, pp. 283 - 322).

SULFUR-CONTAINING COMPOUNDS

Section C of "Nomenclature of Organic Chemistry".*

TETRAPYRROLES

Nomenclature of Tetrapyrroles (*Pure & Appl. Chem.*, Vol. 51, No. 11, 1979, pp. 2251 - 2304).

TOCOPHEROLS

Nomenclature of Tocopherols and Related Compounds (Provisional Nomenclature Appendix No. 47, September 1975).

*"Nomenclature of Organic Chemistry" is a 550 page volume published in 1979. It is available in hardcover and softcover editions from Pergamon Press, Oxford.

Section A: Hydrocarbons.

Section B: Fundamental Heterocyclic Systems.

Section C: Characteristic Groups containing carbon, Hydrogen, oxygen, nitrogen, halogen, sulfur, selenium and Tellurium.

Section D: Organic Compounds containing elements that are not exclusively carbon, hydrogen, oxygen, nitrogen, halogen, sulfur, selenium and tellurium.

Section E: General Principles for the naming of natural products and related compounds.

Section H: Isotopically modified compounds.

V. Polymers

Nomenclature for regular single-strand and quasi single-strand inorganic and coordination polymers (Provisional) (to be published in *Pure & Appl. Chem.*, Vol. 53, late 1981).

Stereochemical definitions and notations relating to polymers (*Pure & Appl. Chem.*, Vol. 53, No. 3, 1981, pp. 733 - 752).

List of Standard Abbreviations (Symbols) for Synthetic Polymers and Polymer Materials (*Pure & Appl. Chem.*, Vol. 40, No. 3, 1974, pp. 473 - 476).

Basic Definitions of Terms Relating to Polymers (*Pure & Appl. Chem.*, Vol. 40, No. 3, 1974, pp. 477-491).

TERMINOLOGY, SYMBOLS, UNITS AND PRESENTATION OF RESULTS

I. General Chemical Terminology

CATALYSIS

Definitions, Terminology and Symbols in Colloid and Surface Chemistry — II. Heterogeneous Catalysis (*Pure & Appl. Chem.*, Vol. 46, No. 1, 1976, pp. 71 - 90).

For enzymes, see Biochemical compounds. For enzyme activity, see *Eur. J. Biochem.*, 97, 319 - 320, 1979; corrected in *Eur. J. Biochem.*, 104, 1, 1980.

CHEMICAL REACTIONS

Nomenclature for straightforward transformations (Provisional) (*Pure & Appl. Chem.*, Vol. 53, No. 1, 1981, pp. 306 - 321).

Symbolism and terminology in chemical kinetics (Provisional) (*Pure & Appl. Chem.*, Vol. 53, No. 3, 1981, pp. 753 - 771).

CLINICAL CHEMISTRY

Physicochemical quantities and units in clinical chemistry with special emphasis on activities and activity coefficients (Provisional) (*Pure & Appl. Chem.*, Vol. 53, No. 8, 1981, pp. 1605 - 1643).

Quantities and Units in Clinical Chemistry (*Pure & Appl. Chem.*, Vol. 51, No. 12, 1979, pp. 2451 - 2480).

List of Quantities in Clinical Chemistry (*Pure & Appl. Chem.*, Vol. 51, No. 12, 1979, pp. 2481 - 2502).

ELECTROCHEMISTRY

Nomenclature for Transport Phenomena in Electrolytic Systems. (*Pure & Appl. Chem.*, Vol. 53, No. 10, 1981).

Electrode Reaction Orders, Transfer Coefficients and Rate Constants — Amplification of Definitions and Recommendations for Publication of Parameters. (*Pure & Appl. Chem.*, Vol. 52, No. 1, 1980, pp. 233 - 240).

Recommended terms, symbols and definitions for electroanalytical chemistry. (*Pure & Appl. Chem.*, Vol. 51, No. 5, 1979, pp. 1161 - 1174).

Classification and Nomenclature of Electroanalytical Techniques (*Pure & Appl. Chem.*, Vol. 45, No. 2, 1976, pp. 81 - 97).

Recommendations for Sign Conventions and Plotting of Electrochemical Data (*Pure & Appl. Chem.*, Vol. 45, No. 2, 1976, pp. 131 - 134).

Electrochemical Nomenclature (*Pure & Appl. Chem.*, Vol. 37, No. 4, 1974, pp. 499 - 516).

Electrochemical Nomenclature (*Pure & Appl. Chem.*, Vol. 37, No. 4, 1974, pp. 499 - 516).

PHYSICAL ORGANIC CHEMISTRY

Glossary of terms used in physical organic chemistry (*Pure & Appl. Chem.*, Vol. 51, No. 8, 1979, pp. 1725 - 1802).

PHYSICOCHEMICAL QUANTITIES AND UNITS

Manual of symbols and Terminology for Physicochemical Quantities and Units. (*Pure & Appl. Chem.*, Vol. 51, No. 1, 1979, p. 1.). (Also available from Pergamon Press as a 40 page softcover booklet.)

Selected definitions, terminology and symbols for rheological properties. (Manual of Symbols and Terminology for physicochemical quantities and units. Appendix II) (*Pure & Appl. Chem.*, Vol. 51, No. 5, 1979, pp. 1215 - 1218).

QUANTUM CHEMISTRY

Expression of Results in Quantum Chemistry (*Pure & Appl. Chem.*, Vol. 50, 1978, pp. 75 - 79)

SURFACE CHEMISTRY

Definitions, Terminology and Symbols in Colloid and Surface Chemistry — I. (*Pure & Appl. Chem.*, Vol. 31, No. 4, 1972, pp. 577 - 638). See also CATALYSIS in this section.

THERMODYNAMICS & THERMAL ANALYSIS

Nomenclature for thermal analysis — Part IV (Provisional) (*Pure & Appl. Chem.*, Vol. 53, No. 8, 1981, pp. 1597 - 1604).

Recommendations for Nomenclature of Thermal Analysis—II. DTA and TG Apparatus and Technique, II. DTA and TG Curves (*Pure & Appl. Chem.*, Vol. 52, No. 10, 1980, pp. 2387 - 2391).

Recommendations for Nomenclature of Thermal Analysis (*Pure & Appl. Chem.*, Vol. 37, No. 4, pp. 439 - 444).

Assignment and presentation of uncertainties of the numerical results of thermodynamics measurements (Provisional) (*Pure & Appl. Chem.*, Vol. 53, No. 9, 1981, p. 1805).

Calorimetric measurements on cellular systems: recommendations for measurements and presentation of results (Provisional) (to be published in *Pure & Appl. Chem.*, Vol. 53, late 1981).

A Guide to Procedures for the Publication of Thermodynamics Data (*Pure & Appl. Chem.*, Vol. 29, Nos. 1-3, 1972, pp. 395-408).

*Also published in the hardcover volume, "Compendium of Analytical Chemistry" (1978). It includes terminology and nomenclature for precision balances, scales of working, contamination phenomena in precipitation from aqueous solution, automatic analysis, thermal analysis, mass spectroscopy, titrimetric analysis, standardization of pH, pH measurement in amphiprotic and mixed solutions, solution equilibria, liquid-liquid distribution, gas chromatography, chromatography, ion exchange, atomic emission spectroscopy, data interpretation, flame spectroscopy, electroanalytical techniques, plotting electrochemical data. Published as a 222 page hardcover book available from Pergamon Press.

II. Chemical Analysis

AUTOMATIC ANALYSIS

*Recommended Nomenclature for Automatic Analysis (*Pure & Appl. Chem.*, Vol. 21, No. 4, 1970, pp. 527-531).

CHROMATOGRAPHY

*Recommendations on Nomenclature for Chromatography (*Pure & Appl. Chem.*, Vol. 37, No. 4, 1974, pp. 445-462).

Recommendations for publication of papers on a new analytical method based on ion exchange or ion-exchange chromatography (*Pure & Appl. Chem.*, Vol. 52, No. 11, 1980, pp. 2555-2562).

COMPLEXIMETRIC INDICATORS

Recommendations for presentation of data on compleximetric indicators. 1. General (*Pure & Appl. Chem.*, Vol. 51, No. 6, 1979, pp. 1357-1336).

GRAVIMETRIC ANALYSIS

Recommendations for Publication of Papers on Precipitation Methods of Gravimetric Analysis (to be published in *Pure & Applied Chemistry*, late 1981 or early 1982).

*Recommendations on Nomenclature for Contamination Phenomena in Precipitation from Aqueous Solutions (*Pure & Appl. Chem.*, Vol. 37, No. 4, 1974, pp. 463-468).

ION EXCHANGE

*Recommendations on Ion Exchange Nomenclature (*Pure & Appl. Chem.*, Vol. 29, No. 4, 1972, pp. 617-624).

ION SELECTIVE ELECTRODES

Recommendations for Publishing Manuscripts on Ion-Selective Electrodes (*Pure & Appl. Chem.*, Vol. 53, No. 10, 1981).

*Recommendations for Nomenclature of Ion-Selective Electrodes (*Pure & Appl. Chem.*, Vol. 48, No. 1, 1976, pp. 127-132).

Selectivity coefficients of ion-selective electrodes (*Pure & Appl. Chem.*, Vol. 51, No. 9, 1979, pp. 1913-1980).

MICROCHEMICAL ANALYSIS

*Terminology for Scales of Working in Microchemical Analysis (*Pure & Appl. Chem.*, Vol. 51, No. 1, 1979, p. 43).

SOLUTION CONCENTRATION

*Recommendations on the Usage of the Terms "Equivalent" and "Normal" (*Pure & Appl. Chem.*, Vol. 50, 1978, pp. 325-338).

SOLVENT EXTRACTION

Proposed Terminology and Symbols for the Transfer of Solutes from One Solvent to Another (*Pure & Appl. Chem.*, Vol. 50, No. 6, 1978, pp. 589-591).

*Recommended Nomenclature for Liquid Liquid Distribution (Solvent Extraction): (Provisional Nomenclature Appendix No. 63, July 1977).

TRACE ANALYSIS

General Aspects of Trace Analytical Methods. II. Standard Reference Materials for Trace Analysis (*Pure & Appl. Chem.*, No. 11/12, 1978, pp. 1531-1700). III. Contamination in Trace Analysis (*Pure & Appl. Chem.*, No. 11/12, 1978, p. 1519).

III. Spectroscopic Terminology & Presentation of Spectra

ABSORPTION SPECTROSCOPY, UV-VISIBLE

Recommendations for Publication of Papers on Methods of Molecular Absorption Spectrophotometry in Solution between 200 and 800 nm (*Pure & Appl. Chem.*, Vol. 50, No. 3, 1978, pp. 237-242).

ATOMIC ABSORPTION & EMISSION

*Nomenclature, Symbols, Units and Their Usage in Spectrochemical Analysis — Part I. General Atomic Emission Spectroscopy (*Pure & Appl. Chem.*, Vol. 30, Nos. 3-4, 1972, pp. 651-679).

*Nomenclature, Symbols, Units and Their Usage in Spectrochemical Analysis — Part III. Analytical Flame Spectroscopy and Associated Non-Flame Procedures (*Pure & Appl. Chem.*, Vol. 45, No. 2, 1976, pp. 105-123).

Nomenclature, symbols, units and their usage in spectrochemistry — Part V. Radiation sources (Provisional) (to be published in *Pure & Appl. Chem.*, Vol. 53, No. 10, 1981).

ELECTRON SPECTROSCOPY

Nomenclature and Spectral Presentation in Electron Spectroscopy Resulting from Excitation by Photons (*Pure & Appl. Chem.*, Vol. 45, Nos. 3-4, 1976, pp. 221-224). See also SPECTROSCOPIC ANALYSIS OF SURFACES in this section.

INFRARED SPECTROSCOPY

Recommendations for the Presentation of Infrared Absorption Spectra in Data Collections—A. Condensed Phases (*Pure & Appl. Chem.*, Vol. 50, 1978, pp. 231-236).

Definition and Symbolism of Molecular Force Constants (*Pure & Appl. Chem.*, No. 11/12, 1978, pp. 1709-1713).

LUMINESCENCE SPECTROSCOPY

Nomenclature, symbols, units and their usage in spectrochemical analysis — Part VI. Molecular luminescence spectroscopy (Provisional) (to be published in *Pure & Appl. Chem.*, Vol. 53, No. 10, 1981).

MASS SPECTROMETRY

Recommendations for Symbolism and Nomenclature for Mass Spectrometry (*Pure & Appl. Chem.*, Vol. 50, 1978, pp. 65-73).

*Recommendations for Nomenclature of Mass Spectrometry (*Pure & Appl. Chem.*, Vol. 37, No. 4, 1974, pp. 469-480).

MOSSBAUER SPECTROSCOPY

Nomenclature and Conventions for Reporting Mossbauer Spectroscopic Data (*Pure & Appl. Chem.*, Vol. 45, Nos. 3-4, 1976, pp. 211-216).

NMR SPECTROSCOPY

Recommendations for the Presentation of NMR Data for Publication in Chemical Journals—B. Conventions Relating to Spectra from Nuclei Other than protons (*Pure & Appl. Chem.*, Vol. 29, No. 4, 1972, pp. 625-628).

Recommendations for the Presentation of NMR Data for Publication in Chemical Journals—B. Conventions Relating to Spectra from Nuclei Other than protons (*Pure & Appl. Chem.*, Vol. 45, Nos. 3 - 4, 1976, pp. 217 - 219).

RAMAN SPECTROSCOPY

Presentation of Raman Spectra in data collections (*Pure & Appl. Chem.*, Vol. 53, No. 10, 1981).

SPECTROSCOPIC ANALYSIS OF SURFACES

Recommendations for nomenclature, standard procedures and reporting of experimental data for surface analysis techniques. Part IV of General Aspects of trace analytical methods. (*Pure & Appl. Chem.*, Vol. 51, No. 11, 1979, pp. 2243 - 2250).

SPECTROSCOPIC DATA, INTERPRETATION

***Nomenclature, Symbols, Units and Their Usage in Spectrochemical Analysis—Part II. Data Interpretation** (*Pure & Appl. Chem.*, Vol. 45, No. 2, 1976, pp. 99 - 103).

THERMAL ANALYSIS

See section on General Chemical Terminology.

X-RAY SPECTROSCOPY

Nomenclature, Symbols, Units and Their Usage in Spectrochemical analysis — Part IV. X-Ray Emission Spectroscopy (*Pure & Appl. Chem.*, Vol. 52, No. 11, 1980, pp. 2543 - 2552).

***Also published in the "Compendium of Analytical Nomenclature", (1978), a hardcover volume available from Pergamon Press.**

THE UNIVERSITY OF CHICAGO
DIVISION OF THE PHYSICAL SCIENCES
DEPARTMENT OF PHYSICS

PHYSICS 311
LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10
THEORY OF THE QUANTUM
MECHANICS

THE UNIVERSITY OF CHICAGO
DIVISION OF THE PHYSICAL SCIENCES
DEPARTMENT OF PHYSICS

PHYSICS 311
LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10
THEORY OF THE QUANTUM
MECHANICS

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

LECTURE 10

THEORY OF THE QUANTUM
MECHANICS

ERRATA

Dalton Transactions

1980, page 2082, right-hand column, last line: the Supplementary Publication now contains 36 pages.

page 2085, Table 3: entry no. 22, last column, *delete* 210(14) and *insert* 261(14); entry no. 52, second column, *delete* 4 647(8) and *insert* 4 645(8); entry no. 54, *delete* CH and *insert* CH₃.

Table 4: throughout, *delete* N(21) and *insert* N(1); *delete* N(22) and *insert* N(2); *delete* 2N(21) and *insert* 2N(1); *delete* 2N(22) and *insert* 2N(2); *delete* C(25) and *insert* C(11); *delete* C(31) and *insert* C(17); *delete* 2C(25) and *insert* 2C(11); *delete* 2C(31) and *insert* 2C(17).

Table 5: throughout, *delete* C(25) and *insert* C(11); *delete* 2C(25) and *insert* 2C(11).

1981, page 262, left-hand column, line 18: *delete* '2:1:0' and *insert* '2:1:0.8.'



page 543, summary: *delete* lines 2 and 3 and *insert* 'imidazole, or 2-(2'-pyridyl)imidazoline and L = MeCOCHCONHPh⁻, MeCOCHCONHC₆H₄OMe-*o*⁻, MeCOCHCONHC₆H₄Me-*o*⁻, or PhCOCHCONHPh⁻, have been determined in dioxan-water (1:1 v/v) solutions and.'

page 717, summary line 1 and left-hand column last line: *delete* CH₃O(CH₂)₄OCH₃ and *insert* (CH₃OCH₂CH₂)₂O.

page 782, Table 3, entry no. 6, last column: *delete* 0.066(1) and *insert* 0.064(1).

page 870, right-hand column, line 49: *delete* '6 H' and *insert* '16 H.'

page 1227, Scheme 2: this should be replaced by the following:



ERRATA

Dutton Translations

1901. THE DUTCH TRANSLATION OF THE "HISTOIRE NATURELLE" OF LINNAEUS, BY CARL LINNAEUS, 1735. (Dutton, New York, 1901.) Pp. 128. \$1.00. This volume is a translation of the "Historia Naturalis" of Linnaeus, which was first published in 1735. It is a very valuable work, and the translation is of high quality. The book is well bound, and the paper is of good quality. It is a very good addition to any library.

1902. THE DUTCH TRANSLATION OF THE "HISTOIRE NATURELLE" OF LINNAEUS, BY CARL LINNAEUS, 1735. (Dutton, New York, 1902.) Pp. 128. \$1.00. This volume is a translation of the "Historia Naturalis" of Linnaeus, which was first published in 1735. It is a very valuable work, and the translation is of high quality. The book is well bound, and the paper is of good quality. It is a very good addition to any library.

PUBLICATIONS AND INFORMATION BOARD

- C. W. Rees, Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S. (Chairman)
K. W. Bagnall, B.Sc., Ph.D., D.Sc., C.Chem., F.R.S.C.
*J. I. G. Cadogan, B.Sc., Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S.E., F.R.S.
H. J. Cluley, M.Sc., Ph.D., C.Chem., F.R.S.C.
*Sir Ewart Jones, C.Chem., F.R.S.C., F.R.S.
*G. W. Kirby, M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.E.
F. J. McQuillin, M.A., D.Phil., D.Sc., C.Chem., F.R.S.C.
*J. A. Pickup, B.A.
*J. R. Ruck Keene, C.B.E., M.A.
F. S. Stone, Ph.D., D.Sc., C.Chem., F.R.S.C.
*T. M. Sugden, C.B.E., M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.
*K. W. Sykes, B.Sc., M.A., D.Phil., C.Chem., F.R.S.C.
J. M. Thomas, Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S.
*J. M. Ward, B.Sc., C.Chem., F.R.S.C.
W. B. Whalley, Ph.D., D.Sc., C.Chem., F.R.S.C.

JOURNALS COMMITTEE

- G. W. Kirby, M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.E. (Chairman)
*L. Crombie, Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S.
*E. A. V. Ebsworth, M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.E.
C. R. Ganellin, B.Sc., Ph.D., C.Chem., F.R.S.C.
P. M. Maitlis, B.Sc., Ph.D., D.Sc., C.Chem., F.R.S.C.
*J. M. Ottaway, B.Sc., Ph.D., D.Sc., C.Chem., F.R.S.C.
*C. W. Rees, Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S.
*M. C. R. Symons, Ph.D., D.Sc., C.Chem., F.R.S.C.
*I. A. Williams, M.A., Ph.D., M.I.Inf.Sci., C.Chem., M.R.S.C.

DALTON EDITORIAL BOARD

- E. A. V. Ebsworth, M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.E. (Chairman)
A. J. Downs, M.A., Ph.D.
*M. Green, B.Sc., Ph.D., C.Chem., M.R.S.C.
*G. W. Kirby, M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.E.
G. J. Leigh, B.Sc., Ph.D.
P. M. Maitlis, B.Sc., Ph.D., D.Sc., C.Chem., F.R.S.C.
G. Stedman, B.Sc., Ph.D., C.Chem., F.R.S.C.
P. Woodward, B.Sc., Ph.D.

*Ex officio member

RSC Publications News

SPECIALIST PERIODICAL REPORTS

Catalysis Vol. 4

Senior Reporters : C. Kemball and D. A. Dowden

This volume reviews the recent literature published up to mid-1980.

Brief Contents :

The Design and Preparation of Supported Catalysts; Aspects of the Characterization and Activity of Supported Metal and Bimetallic Catalysts; Metal Clusters and Cluster Catalysis; Olefin Metathesis; Superbasic Heterogeneous Catalysts; Hydration and Dehydration by Heterogeneous Catalysts; Sulphide Catalysts; Characterization and Reactions including Hydrosulphurization; Carbon as a Catalyst and Reaction of Carbon.

"The senior reporters are to be congratulated on their broad and representative selection of subjects for treatment, and the reporters for undertaking an important service to the scientific community."

— *Chemistry in Britain*, reviewing Vol. 2

Hardcover 259pp 0 85186 554 2

Price : £29.00 (\$63.00) RSC Members £17.50

Inorganic Biochemistry Vol. 2

Senior Reporter : H. A. O. Hill

This subject has developed dramatically in recent years and it is believed that this series will ease the burden to inorganic biochemists as they seek to relate their work to fields far beyond the confines of the traditional disciplines. This second volume in the series reviews relevant literature on the subject published up to late 1978.

Brief contents :

Inorganic Analogues of Biological Molecules; Storage, Transport, and Function of Non-transition Elements; Electron-transport Proteins; Oxidases and Reductases; Zinc Metalloenzymes; Manganese Metalloproteins and Manganese-activated Enzymes; Trace Elements in Animal Nutrition; Inorganic Elements in Biology and Medicine;

"For those with any interest in this area—and biochemists—the volume is a 'must'!"

— *Chemistry and Industry*, reviewing Vol. 1

Hardcover 362pp 0 85186 555 0

Price : £40.00 (\$85.00) RSC Members £25.00

ROYAL
SOCIETY OF
CHEMISTRY

Organometallic Chemistry Vol. 9

Senior Reporters : E. W. Abel and F. G. A. Stone

This ninth volume in the series reviews the literature published during 1979.

Brief contents :

Group I: The Alkali and Coinage Metals; Group II: The Alkaline Earths and Zinc and its Congeners; Group III: Boron; The Carbaboranes, including their Metal Complexes; Group III: Aluminium, Gallium, Indium and Thallium; Group IV: The Silicon Group; Arsenic, Antimony and Bismuth; Metal Carbonyls; Organometallic Compounds containing Metal-Metal Bonds; Substitution Reactions of Metal and Organometal Carbonyls with Group V and VI Ligands; Sigma-bonded Organometallic Compounds of Transition Elements of Groups IIIA to VIIA Complexes containing Metal-Carbon σ -Bonds of the groups Iron, Cobalt, and Nickel; Hydrocarbon-Metal n -complexes; n -Cyclopentadienyl, n -Arene and Related Complexes; Oxidative Addition and Related Reactions; Homogeneous Catalysis by Transition Metal Complexes; Organometallic Compounds in Biological Chemistry; Diffraction Studies of Organometallic Compounds.

Hardcover 557pp 0 85186 571 2

Price : £77.00 (\$164.00) RSC Members £38.00

Nuclear Magnetic Resonance Vol. 10

Senior Reporter : G. A. Webb

A review of the literature published between June 1979 and May 1980

Brief contents :

Theoretical and Physical Aspects of Nuclear Shielding; Applications of Nuclear Shielding; Theoretical Aspects of Spin-Spin Couplings; Applications of Spin-Spin Couplings; Nuclear Spin Relaxation Fluids; Solid State N.M.R.; Multiple Resonance; Natural Macromolecules; Synthetic Macromolecules; Conformational Analysis; N.M.R. of Paramagnetic Molecules; N.M.R. of Liquid Crystals and Micellar Solutions.

"A subject index at the end, many tables and a clear table of contents at the beginning of each chapter complete this volume, which ought to be present in all university chemistry libraries."—*European Spectroscopy News*, reviewing Vol. 8

Hardcover 372pp 0 85186 332 9

Price : £51.00 (\$109.00) RSC Members £31.00

RSC Members should send their orders to:

The Membership Officer, The Royal Society of Chemistry,
30, Russell Square, London WC1B 5DT.

All other orders should be sent to:

The Royal Society of Chemistry, Distribution Centre,
Blackhorse Road, Letchworth, Herts SG6 1HN.

C27

0	E	E	E	■
1	3	2	8	
2	3	3	2	
3	3	3	5	
4	3	3	8	
5	3	3	5	
6	3	3	8	

0	E	E	E	■
1	3	2	8	
2	3	3	2	
3	3	3	5	
4	3	3	8	
5	3	3	5	
6	3	3	8	